

REF NO. : BCL/DU/2023-24/ 889  
DATED : 31/05/2023

**The Additional Director,**  
Ministry of Environment, Forest & Climate Change,  
Regional Office (North),  
Government of India,  
Bay No. 24-25, Sector-31A,  
Chandigarh 160030.  
(Mail ids: [ecompliance-nro@gov.in](mailto:ecompliance-nro@gov.in) and [ronz.chd-mef@nic.in](mailto:ronz.chd-mef@nic.in))

**Subject: Submission of six monthly compliance report for period ending 31.03.2023 for the project namely "Expansion of Grain Based Distillery from 200 KLPD to 400 KLPD and Cogeneration Power Plant (from 10 MW to 20 MW)" located at Village Machhana and Sangat Kalan, Tehsil & District - Bathinda, Punjab by M/s BCL Industries Ltd. (Distillery Unit) Dedicated Ethanol Plant**

Sir,

With reference to the EIA Notification & its amendments regarding submission of six monthly compliance report. We are hereby submitting the six monthly compliance report for period ending 31.03.2023 for the above said project through mail for your perusal.

Kindly acknowledge the receipt of the same.

Thanking you.

Sincerely,  
For **BCL Industries Ltd.**

  
(Authorized Signatory)

Name: KM Gupta

Contact No.: 99150-30211

Designation: Authorized Signatory

E-mail: [kmg@mittalgroup.co.in](mailto:kmg@mittalgroup.co.in)

CC:

- **Member Secretary**, SEIAA Punjab, Directorate of Environment and Climate Change, C/o Punjab State Council for Science & Technology, MGSIPA Complex, Sector 26, Chandigarh-160019. (Uploaded on Parivesh portal and through E-mail: [seiaapb2017@gmail.com](mailto:seiaapb2017@gmail.com))
- **Environmental Engineer**, Regional Office, Bathinda, Punjab Pollution Control Board, Room No. 418-E, 3<sup>rd</sup> Floor, District Administration Complex, Bathinda (Email: [eerobti@yahoo.in](mailto:eerobti@yahoo.in))

2023

**SIX MONTHLY COMPLIANCE  
REPORT  
(Period ending 31.03.2023)**

**For**

**“Expansion of Grain Based Distillery from 200  
KLPD to 400 KLPD and Cogeneration Power  
Plant (from 10 MW to 20 MW)”**

located at

Village Machchana and Sangat Kalan, Tehsil &  
District- Bathinda, Punjab - 151001

**Project by:**

**M/s BCL Industries Limited**

**Hazi Ratan Link Road, Bathinda-151001,  
Punjab.**

**Prepared by:**



**Eco Paryavaran Laboratories and Consultants  
Private Limited**

E-207, Industrial Area, Phase-VIIIB (Sector-74), Mohali (SAS Nagar),  
Punjab 160071

**Tele No.:** 0172-4616225 **email:** [compliance@ecoparyavaran.org](mailto:compliance@ecoparyavaran.org)

**M:** 098140-03103, 088720-43178

[www.ecoparyavaran.org](http://www.ecoparyavaran.org)



## CONTENT

<b>S. No.</b>	<b>DESCRIPTION</b>	<b>Page No.</b>
1.	Data Sheet	1
2.	Compliance of Environmental Clearance conditions	4
<b>ANNEXURE</b>		
3.	<b>A-1(a):</b> Copy of earlier Environment clearance	11
4.	<b>A-1(b):</b> Copy of Corrigendum issued by MoEF&CC	18
5.	<b>A-1(c):</b> Copy of Environment clearance issued by MoEF&CC	20
6.	<b>A-2:</b> ROC Certificate	29
7.	<b>A-3:</b> Photographs of the project	30
8.	<b>A-4:</b> Copy of Consent to Operate	37
9.	<b>A-5:</b> PWRDA receiving	52
10.	<b>A-6:</b> Health and Safety Policy	53
11.	<b>A-7:</b> Health surveillance records	61
12.	<b>A-8:</b> Training records	120
13.	<b>A-9(a):</b> Fire NOC	127
14.	<b>A-9(b):</b> PESO license	128
15.	<b>A-10:</b> Hazardous Waste Authorization	136
16.	<b>A-11:</b> Copy of EMC	142
17.	<b>A-12:</b> Test Reports	143
18.	<b>A-13:</b> E-mail showing submission of previous six monthly compliance report for period ending 30.09.2022	148
19.	<b>A-14:</b> Screenshot of official website	149

20.	<b>A-15:</b> Copy of advertisements	151
21.	<b>A-16:</b> Screenshot showing EC submission	153

**Ministry of Environment, Forest & Climate Change**  
**Northern Region Office**  
**Chandigarh-160030**

**DATA SHEET**

1.	<b>Project Type</b>	Distillery Unit
2.	<b>Name of the Project</b>	BCL Industries Ltd.
3.	<b>Clearance letter (s) O.M. No. &amp; Date</b>	Environment Clearance has been granted by MoEF&CC, vide F. No. J-11011/348/2014-IA-II(I) dated 08.04.2016 and corrigendum was issued vide F. No. J-11011/348/2014-IA-II(I) dated 25.10.2019; copy of the same is attached along as <b>Annexure 1(a)</b> and <b>Annexure 1(b)</b> respectively. Further, expansion in Environment Clearance has been granted by MoEF&CC, vide F. No. J-11011/378/2013-IA II(I) dated 25.10.2021. Copy of the same is attached along as <b>Annexure 1 (c)</b> .
4.	<b>Location</b>	Village Machchana and Sangat Kalan, Tehsil Bathinda
a)	<b>District(s)</b>	Bathinda
b)	<b>State (s)</b>	Punjab
5.	<b>Address for correspondence</b>	M/s BCL Industries Ltd. (Formerly known as BCL Industries and Infrastructure Ltd.) Hazi Ratan Link Road, Bathinda (151001), Punjab Certificate of Incorporation pursuant to change of name is enclosed as <b>Annexure 2</b> .
6.	<b>Salient features</b>	
a)	<b>Of the Project</b>	As per the Environmental Clearance granted for the project, the expansion is from existing 200 KLPD grain-based distillery unit and cogeneration power plant of 10 MW capacity by installing 200 KLPD grain-based Ethanol Plant (Additional Biofuel production) and additional 10 MW of power cogeneration (total 400 KLPD grain based distillery unit and cogeneration power plant of 20 MW capacity) at the existing location. Total plot area is 2,36,000 m <sup>2</sup> of which greenbelt will be developed in 95,000 m <sup>2</sup> .
b)	<b>Of the environment</b>	Total water requirement after the proposed expansion will be 3125 m <sup>3</sup> /day. The fresh water requirement is 890 m <sup>3</sup> /day which will be met from canal water. The industry will generate a total of 1450 m <sup>3</sup> /day of condensates including spent lees. Out of this, 840 m <sup>3</sup> /day will be

		directly used in the process for slurry preparation. Remaining condensates @ 610 m <sup>3</sup> /day will be treated in condensate polishing unit and reused for cooling tower makeup water. Effluent from misc. streams will be 214 m <sup>3</sup> /day which will be treated in ETP and reused for water of green belt within the industrial premises.
7.	<b>Breakup of the Project Area</b>	
	a) Submergence forest area and non-forest area	Not applicable
	b) Others	Not applicable
8.	<b>Break up of project affected population with enumeration of those losing houses/ dwelling units only, agricultural land only both dwelling units and agricultural land and landless laborers/ land landless laborers/ artisans.</b>	
	a) SC/ST/ Adivasis	Not applicable
	b) Others	Not applicable
9.	<b>Financial details</b>	
a)	Project cost as originally planned and subsequent revised estimates and the year of price reference.	Rs. 140 Crores as per EC Letter vide F. No. J-11011/378/2013-IA II(I) dated 25.10.2021
b)	Allocations made for environmental management plan with item wise and year wise break up.	As per EC Letter, Rs. 18.50 Crores are earmarked towards capital cost and Rs. 2.75 Crores towards recurring cost per annum for implementation of environmental management plan.
c)	Benefit cost ratio/ Internal rate of return and year of assessment.	Will be calculated and submitted separately.
d)	Whether (c) includes the cost of environmental management as shown in (b) above.	Yes, the cost benefit ratio will be worked out considering the cost of environment management.
e)	Actual expenditure incurred on the project so far.	Rs. 347.36 Crores has been spent on the project so far (including existing as well as expansion).
f)	Actual expenditure incurred on the environmental management plans so far.	Rs. 23 Crores have been spent on the Environmental Management Plan so far.
10.	<b>Forest lands requirement:</b>	
a)	The status of approval for diversion of forest land for non-forestry use.	No forest area is involved.
b)	The status of clear felling.	Not applicable

c)	The status of CA, any	
d)	Comments on the viability & sustainability of CA program in the light of actual field experience so far.	Not applicable
11.	<b>The status of clear felling in non-forest areas</b>	Not applicable
12.	<b>Status of construction</b>	
a)	Date of commencement (actual and/ or planned).	August, 2012 (For old project of capacity 100 KLPD) May, 2016 (For Expansion project from 100 KLPD to 200 KLPD) January, 2022 (For Expansion project from 200 KLPD to 400 KLPD)
b)	Date of completion (actual and/ or planned).	May, 2023. Project photographs are enclosed as <b>Annexure 3</b> .
13.	<b>Reasons for the delay if the project is yet to start:</b>	Not applicable

**Compliance Report on the conditions imposed on Environmental Clearance for the period ending 31.03.2023**

**A. Specific Conditions**

S. No.	Conditions	Reply
1.	As per OM dated 16 <sup>th</sup> June, 2021, project falls in category B2 and the proposed capacity from 200 KLPD to 400 KLPD shall be only be used for fuel ethanol manufacturing as per self-certification in form of an affidavit by the Project Proponent. Provided that subsequently if it is found that the ethanol, produced based on the EC granted as per this dispensation, is not being used completely for EBP Programme, or if ethanol is not being produced, or if the said distillery is not fulfilling the requirements based on which the project has been appraised as category B2 project, the EC shall stand cancelled.	Agreed. The expanded capacity from 200 KLPD to 400 KLPD will only be used for fuel ethanol manufacturing. However, permission for manufacturing Anhydrous Alcohol has been granted as per the EC vide Letter No. F. No. J-11011/348/2014-IA-II(I) dated 25.10.2019 for expanded capacity of 100 KLPD to 200 KLPD.
2.	The company shall comply with all the environmental protection measures and safeguards proposed in the documents submitted to the Ministry. All the recommendations made in the EIA/EMP in respect of environmental management, and risk mitigation measures relating to the project shall be implemented.	Agreed. The same will be complied.
3.	The project proponent will treat and reuse the treated water within the factory and no waste or treated water shall be discharged outside the premises.	Agreed. The industry will generate a total of 1450 m <sup>3</sup> /day of condensates including spent lees. Out of this, 840 m <sup>3</sup> /day will be directly used in the process for slurry preparation. Remaining condensates @ 610 m <sup>3</sup> /day will be treated in condensate polishing unit of capacity 700 KLD and reused for cooling tower makeup water. Effluent from misc. streams will be 214 m <sup>3</sup> /day which will be treated in ETP and reused for water of green belt within the industrial premises. However, as per Consent to Operate (water) granted, Condensate @ 1830 KLD

		will be directly reused in the liquefaction process. Copy of Consent to Operate is attached as <b>Annexure 4.</b>
4.	Total fresh water requirement shall not exceed 890 KLPD for the proposed expansion and it will be met from canal water. Prior permission shall be obtained from the concerned regulatory authority/CGWA in this regard, and renewed from time to time. No ground water recharge shall be permitted within the premises.	Agreed. The total fresh water requirement will not exceed 890 KLPD. Application for abstraction of ground water has been submitted to PWRDA. Copy of receiving is attached as <b>Annexure 5.</b>
5.	The spent wash shall be concentrated and dried to form DDGS to be used as cattle feed.	Agreed. Dryers have been installed and DDGS will be used as cattle feed.
6.	CO <sub>2</sub> generated from the process shall be bottled/made solid ice and utilized/sold to authorized vendors.	Agreed. The same will be complied.
7.	Occupational Health Centre for surveillance of the worker's health shall be set up. The health data shall be used in deploying the duties of the workers. All workers & employees shall be provided with required safety kits/mask for personal protection.	Health and Safety Policy are formed and implemented at the company. Copy of health & safety policy is enclosed as <b>Annexure 6.</b> Health surveillance is being done on regular basis and records are maintained for the same. Copy of records are attached as <b>Annexure 7.</b>
8.	Training shall be imparted to all employees on safety and health aspects of chemicals handling. Safety and visual reality training shall be provided to employees.	Agreed & accepted. Regular training such as mock drill, fire drill is being imparted to employees and records are being maintained. Copy of record of training imparted to employees and photograph showing the fire drill conducted at site is enclosed as <b>Annexure 8.</b>
9.	The unit shall make the arrangement for protection of possible fire hazards during manufacturing process in material handling. Firefighting system shall be as per the norms.	Agreed. Fire hydrant system has been installed in the premises. Copy of fire NOC is attached as <b>Annexure 9(a).</b> Further, copy of PESO approval is attached as <b>Annexure 9(b).</b>
10.	Process organic residue and spent carbon, if any, shall be sent to Cement other suitable	Agreed. Fly ash silos have been provided. Hazardous waste

	industries for its incinerations. ETP sludge, process inorganic & evaporation salt shall be disposed of to the TSDF.	authorization has been granted. Copy of agreement with TSDF and Hazardous waste authorization is attached as <b>Annexure 10.</b>
11.	The company shall undertake waste minimization measures as below (a) Metering and control of quantities of active ingredients to minimize waste; (b) Reuse of by-products from the process as raw materials or as raw material substitutes in other processes. (c) Use of automated filling to minimize spillage. (d) Use of Close Feed system into batch reactors. (e) Venting equipment through vapour recovery system. (f) Use of high pressure hoses for equipment clearing to reduce wastewater generation.	Agreed. The same will be taken into consideration.
12.	The green belt of at least 5-10 m width shall be developed in nearly 33% of the total project area, mainly along the plant periphery. Selection of plant species shall be as per the CPCB guidelines in consultation with the State Forest Department. Records of tree canopy shall be monitored through remote sensing map.	Agreed. The industry has already developed green belt in an area of 95,000 sq.m which is more than 33% of total land area.
13.	As per the Ministry's OM dated 30.09.2020 superseding the OM dated 01.05.2018 regarding the Corporate Environmental Responsibility, and as per the action plan proposed by the project proponent to address the socio-economic and environmental issues in the study area, the project proponent, as committed, shall provide education funds in technical training centers/ support in nearby village's schools, support in health care facilities, drinking water supply and funds for miscellaneous activities like solar street lights, battery, solar panel etc., in the nearby villages. The action plan shall be completed within time as proposed.	Agreed. The same is being complied.
14.	There shall be adequate space inside the plant premises earmarked for parking of vehicles for raw materials and finished products as per	Agreed. Adequate space has been provided for parking of vehicles for loading and unloading of material.

	CPCB norms and no parking to be allowed outside on public places.	
15.	Storage of raw materials shall be either stored in silos or in covered areas to prevent dust pollution and other fugitive emissions.	Agreed. Closed handling and conveyance of materials have been provided to control the fugitive emissions, Water sprinkling is being done in the raw material storage area to control the dust emissions. Further work zone monitoring is also carried out.
16.	Continuous online (24x7) monitoring system for stack emissions shall be installed for measurement of flue gas discharge and the pollutants concentration, and the data to be transmitted to the CPCB and SPCB server. For online continuous monitoring of effluent, the unit shall install web camera with night vision capability and flow meters in the channel/drain carrying effluent within the premises.	Agreed.
17.	A separate Environmental Management Cell (having qualified person with Environmental Science/Environmental Engineering/specialization in the project area) equipped with full-fledged laboratory facilities shall be set up to carry out the Environmental Management and Monitoring functions.	Agreed. Environment Management Cell has been set up to carry out the Environmental Management and Monitoring functions. Copy of same is attached as <b>Annexure 11</b> .

**B. General Conditions:**

S. No.	Conditions	Reply
1.	No further expansion or modifications in the plant, other than mentioned in the EIA Notification, 2006 and its amendments, shall be carried out without prior approval of the Ministry of Environment, Forest and Climate Change/SEIAA, as applicable. In case of deviations or alterations in the project proposal from those submitted to this Ministry for clearance, a fresh reference shall be made to the Ministry/SEIAA, as applicable, to assess the adequacy of conditions imposed and to add additional environmental protection measures required, if any.	Agreed and accepted. However, EC application for expansion of 400 KLPD to 550 KLPD has been submitted. Further, inspection report from RO PPCB is awaited. Copy of Screenshot showing EC submission is attached as <b>Annexure 16</b> .

2.	The energy source for lighting purpose shall be preferably LED based, or advanced having preference in energy conservation and environment betterment.	Agreed.
3.	The overall noise levels in and around the plant area shall be kept well within the standards by providing noise control measures including acoustic hoods, silencers, enclosures etc. on all sources of noise generation. The ambient noise levels shall conform to the standards prescribed under the Environment (Protection) Act, 1986 Rules, 1989 viz. 75 dBA (day time) and 70 dBA (night time).	Agreed. Ambient noise levels are being monitored regularly. Appropriate noise control measures have been adopted within the industry. Copy of recent test report of ambient noise within the industry is enclosed as <b>Annexure 12</b> .
4.	The company shall undertake all relevant measures for improving the socio-economic conditions of the surrounding area. CER activities shall be undertaken by involving local villages and administration and shall be implemented. The company shall undertake eco-developmental measures including community welfare measures in the project area for the overall improvement of the environment.	Agreed. The same is being complied.
5.	The company shall earmark sufficient funds towards capital cost and recurring cost per annum to implement the conditions stipulated by the Ministry of Environment, Forest and Climate Change as well as the State Government along with the implementation schedule for all the conditions stipulated herein. The funds so earmarked for environment management/ pollution control measures shall not be diverted for any other purpose.	Agreed. As per the EC granted Rs. 18.50 Cr. has been earmarked as Capital investment for EMP and Rs. 2.75 Cr. as recurring cost.
6.	A copy of the clearance letter shall be sent by the project proponent to concerned Panchayat, Zilla Parishad/Municipal Corporation, Urban local Body and the local NGO, if any, from whom suggestions/ representations, if any, were received while processing the proposal.	Agreed. It has already been submitted.
7.	The project proponent shall also submit six monthly reports on the status of compliance of the stipulated Environmental Clearance conditions including results of monitored data (both in hard copies as well as by e-mail) to the respective Regional Office of MoEF&CC, the respective	Agreed. Half yearly compliance report is being submitted to RO, MoEF&CC and SEIAA, Punjab. Screenshot of e-mail showing submission of previous six monthly compliance report for

	Zonal Office of CPCB and SPCB. A copy of Environmental Clearance and six monthly compliance status report shall be posted on the website of the company.	period ending 30.09.2022 is enclosed as <b>Annexure 13</b> . Further, Screenshot of compliance uploaded on company website is attached as <b>Annexure 14</b> .
8.	The environmental statement for each financial year ending 31 <sup>st</sup> March in Form-V as is mandated shall be submitted to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently, shall also be put on the website of the company along with the status of compliance of environmental clearance conditions and shall also be sent to the respective Regional Offices of MoEF&CC by e-mail.	Agreed. Form V has been submitted to RO PPCB.
9.	The project proponent shall inform the public that the project has been accorded environmental clearance by the Ministry and copies of the clearance letter are available with the SPCB/Committee and may also be seen at Website of the Ministry and at <a href="https://parivesh.nic.in/">https://parivesh.nic.in/</a> . This shall be advertised within seven days from the date of issue of the clearance letter, at least in two local newspapers that are widely circulated in the region of which one shall be in the vernacular language of the locality concerned and a copy of the same shall be forwarded to the concerned Regional Office of the Ministry.	Copy of advertisements is attached as <b>Annexure 15</b> .
10.	The project authorities shall inform the Regional Office as well as the Ministry, the date of financial closure and final approval of the project by the concerned authorities and the date of start of the project.	Agreed the same will be complied.
11.	This Environmental clearance is granted subject to final outcome of Hon'ble Supreme Court of India, Hon'ble High Court, Hon'ble NGT and any other Court of Law, if any, as may be applicable to this project.	Agreed and accepted.
12.	The Ministry reserves the right to stipulate additional conditions, if found necessary at subsequent stages and the project proponent shall implement all the said conditions in a time bound	Agreed and accepted.

	manner. The Ministry may revoke or suspend the environmental clearance, if implementation of any of the above conditions is not found satisfactory.	
13.	Concealing factual data or submission of false/fabricated data and failure to comply with any of the conditions mentioned above may result in withdrawal of this clearance and attract action under the provisions of Environment (Protection) Act, 1986.	Agreed and accepted.
14.	Any appeal against this environmental clearance shall lie with the National Green Tribunal, if preferred, within a period of 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.	Not applicable.
15.	The above conditions will be enforced, inter-alia under the provisions of the Water (Prevention & Control of Pollution) Act, 1974, the Air (Prevention & Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986, the Hazardous Waste (Management, Handling and Transboundary Movement) Rules, 2016 and the Public Liability Insurance Act, 1991 read with subsequent amendments therein.	Agreed and accepted.

**F. No. J-11011/348/2014-IA II (I)**  
**Government of India**  
**Ministry of Environment, Forest & Climate Change**  
**(I.A. Division)**

**Indira Paryavaran Bhawan**  
**Aliganj, Jorbagh Road,**  
**New Delhi -110003**

**E-mail: [tk.bokolia@nic.in](mailto:tk.bokolia@nic.in)**  
**Telefax: 011-24695313**  
**Dated: 8<sup>th</sup> April, 2016**

To,

M/s Rajinder Mittal,  
 Managing Director,  
 M/s BCL Industries and Infrastructure Ltd.  
 Hazi Ratan Link Road, Bhatinda,  
 Punjab -151005

E-mail: [bcl2@connectzone.in](mailto:bcl2@connectzone.in) ; Fax No. 0164-2240424

**Subject: Expansion of Grain Based Distillery from 100 KLPD to 200 KLPD and Cogeneration Power Plant (from 5 MW to 10 MW) at Village Machchana and Sangat Kalan, Tehsil and District Bathinda, Punjab by M/s BCL Industries and Infrastructure Ltd. - Environmental Clearance reg.**

**Ref.: Your online proposal no. IA/PB/IND2/27543/2014 dated 8<sup>th</sup> May, 2015.**

Sir,

This has reference to your online proposal no IA/PB/IND2/27543/2014 dated 8<sup>th</sup> May, 2015 alongwith project documents including Form I, Terms of References, Pre-feasibility Report, EIA/EMP Report alongwith Public Hearing Report regarding above mentioned project.

2.0 The Ministry of Environment, Forest & Climate Change has examined the application. It is noted that proposal is for expansion of Grain Based Distillery from 100 KLPD to 200 KLPD and Cogeneration Power Plant (from 5 MW to 10 MW) at Village Machchana and Sangat Kalan, Tehsil and District Bathinda, Punjab. Total plot area is 141600 m<sup>2</sup> of which greenbelt will be developed in 89000 m<sup>2</sup>. Cost of project is Rs. 45.10 crore. Out of which, Rs. 7.35 Crore and Rs. 2.75 Crore are earmarked towards capital cost and recurring cost per annum for implementation of environmental management plan. It is reported that no eco-sensitive area such as national park/wildlife sanctuary/biosphere reserves/ reserve forest is located within 10 km distance. Distillery unit will be operated for 330 days in a year. Phase wise daily production of products and by-products from the distillery plant is given below:-

S.N.	Product	Unit	Existing capacity	Proposed additional capacity	Total
1	ENA/RS	KL	100	100	200
2	Byproducts				
i	CO <sub>2</sub>	MT	80	80	160
ii	Fusel Oil	MT	1	1	2

iii	DDGS	MT	50	50	100
iv	Corn Oil (in case of maize used as raw material)	MT	5	5	10

Phase wise daily production of IMFL/country liquor from the bottling plant is given below:

S.N.	Item	Unit	Existing capacity	Proposed Additional Capacity	Total
1	IMFL/Country Liquor	Cases	8000	8000	16000

3.0 ESP alongwith stack of adequate height will be provided to additional biomass/coal fired boiler (35 TPH) to control particulate emissions. Fresh water requirement from canal water will be increased from 675 m<sup>3</sup>/day to 1350 m<sup>3</sup>/day after expansion. Spent wash generation will be 575 m<sup>3</sup>/day. spent lees generation will be 150 m<sup>3</sup>/day and MEE condensate will be 395 m<sup>3</sup>/day from the proposed expansion. Spent wash from grain based distillery will be passed through decanter and concentrated in multi-effect evaporator (MEE). Thick syrup and wet cake will be mixed together to form Distiller's Wet Grains with Soluble (DWGS) to achieve zero discharge. DWGS will be dried to form Distiller's Dry Grains with Soluble (DDGS). Out of total generation of 545 m<sup>3</sup>/day of condensate generation, 495 m<sup>3</sup>/day will be directly reused in the liquefaction process. Effluent from spentlees, utilities effluent and evaporator Condensate (50 m<sup>3</sup>/day) will be treated in effluent treatment plant and recycled/reused in process. No effluent will be discharged outside the plant premises and 'Zero' effluent discharge concept will be followed. DDGS will be sent to cattle feed. Fly ash will be used for brick manufacturing. Spent oil/waste oil will be sent to authorized recyclers/re-processors.

4.0 Public hearing/public consultation meeting was conducted on 20<sup>th</sup> March, 2015.

5.0 All cane juice/non-molasses based distillery (>60 KLD) are listed at S.N. 5(g) (ii) under category 'A' and appraised at Central level.

6.0 The proposal was considered by the Expert Appraisal Committee (Industry) in its 28<sup>th</sup>, 46<sup>th</sup> and 2<sup>nd</sup> meetings held during 1<sup>st</sup>-2<sup>nd</sup> December, 2014, 20<sup>th</sup>-21<sup>st</sup> August, 2015 and 16<sup>th</sup>-17<sup>th</sup> December, 2015 respectively. The Committee recommended the proposal for environmental clearance. Project Proponent and the EIA Consultant namely Ace Engineers and Consultants, stay order as per Court case No CWP No. 19598 of 2012, have presented EIA / EMP report as per the TOR. EAC has found the EIA / EMP Report and additional information to be satisfactory and in full consonance with the presented TORs. The Committee recommended the proposal for environmental clearance.

7.0 Based on the information submitted by the project proponent, the Ministry of Environment and Forests hereby accords environmental clearance to above project under the provisions of EIA Notification dated 14<sup>th</sup> September 2006, subject to the compliance of the following Specific and General Conditions:

**A. Specific Conditions:**

- i) Environment clearance accorded is for grain based distillery unit (200 KLPD) only and no molasses based distillery unit shall be operated without prior permission from the Ministry.
- ii) ESP alongwith stack of adequate height shall be provided to additional biomass/coal

fired boiler (35 TPH) to control particulate emission within 50mg/Nm<sup>3</sup>. At no time, the emission levels should go beyond the prescribed standards. In the event of failure of any pollution control system adopted by the unit, the respective unit shall not be restarted until the control measures are rectified to achieve the desired efficiency.

- iii) In plant, control measures for checking fugitive emissions from all the vulnerable sources shall be provided. Fugitive emissions shall be controlled by providing closed storage, closed handling & conveyance of chemicals/materials, multi-cyclone separator and water sprinkling system. Dust suppression system including water sprinkling system shall be provided at loading and unloading areas to control dust emissions. Fugitive emissions in the work zone environment, product, raw materials storage area etc. shall be regularly monitored and records shall be maintained. The emissions shall conform to the limits imposed by Punjab Pollution Control Board (PPCB).
- iv) Pucca approach road to project site shall be constructed prior to commencing construction activity of the main distillery so as to avoid fugitive emissions.
- v) The gaseous emissions from DG set shall be dispersed through adequate stack height as per CPCB guidelines. Acoustic enclosure shall be provided to the DG sets to mitigate the noise pollution.
- vi) The company shall upload the status of compliance of the stipulated environmental clearance conditions, including results of monitored data on its website and shall update the same periodically. It shall simultaneously be sent to the Regional Office of MOEF, the respective Zonal office of CPCB and the PPCB. The levels of PM<sub>2.5</sub>, PM<sub>10</sub>, SO<sub>2</sub>, NO<sub>x</sub>, CO and HC (Methane) in ambient air shall be monitored and displayed at a convenient location near the main gate of the company and at important public places.
- vii) Total fresh water requirement from surface water supply shall not exceed 1350 m<sup>3</sup>/day for distillery and cogeneration unit after expansion. Water consumption shall be reduced by adopting 3 R's (reduce, reuse and recycle) concept in the process.
- viii) Spent wash generation shall not exceed 6 KI/KI of alcohol. Spent wash shall be treated through decanter and concentrated in multi-effect evaporator (MEE) to form DWGS. DWGS will be sent to dryer to form DOGS. The condensate, spentlees and utilities effluent shall be treated in the ETP comprising tertiary treatment. Treated effluent will be used for make up water of cooling towers and water quality of treated effluent shall meet the norms prescribed by CPCB/SPCB and recycle/reuse.
- ix) No effluent from distillery and co-generation power plant shall be discharged outside the factory premises and 'Zero' effluent discharge concept shall be adopted.
- x) Process effluent/any wastewater shall not be allowed to mix with storm water. Storm water drain shall be passed through guard pond.
- xi) Automatic /online monitoring system (24x7 monitoring devices) for flow measurement and relevant pollutants in the treatment system to be installed. The data to be made available to the respective SPCS and in the Company's website.
- xii) Spent wash shall be stored in the steel tank with maximum capacity for 5 days for emergency situation.
- xiii) Adequate numbers of ground water quality monitoring stations by providing piezometers

around the project area shall be set up. Sampling and trend analysis monitoring must be made on monthly a basis and report submitted to SPCS and this Ministry. The ground water quality monitoring for pH, SOD, COD, Chloride, Sulphate and Total Dissolve Solids shall be monitored and report submitted to the Ministry's Regional Office at Chandigarh and PPCB.

- xiv) No storage of wet cake shall be done at site to avoid odour problem. An additional dryer shall be installed so that at any time wet cake is not sold then wet cake shall be converted into dry cake by operating additional dryer.
- xv) Biomass storage shall be done in such a way that it does not get air borne or fly around due to wind.
- xvi) Fly ash shall be stored separately as per CPCB guidelines so that it shall not adversely affect the air quality, becoming air borne by wind or water regime during rainy season by flowing alongwith the storm water. Direct exposure of workers to fly ash & dust shall be avoided.
- xvii) Fire fighting system shall be as per norms and cover all areas where alcohol is produced, handled and stored. Provision of foam system for fire fighting shall be made to control fire from the alcohol storage tank.
- xviii) Risk Assessment shall be carried to assess the fire and explosion risk due to storage of alcohol and report submitted to the Ministry and its Regional Office at Chandigarh within six months.
- xix) Dedicated Cell with qualified personnel for Environment management should be established to take care of all pollution related activities including monitoring.
- xx) Occupational health surveillance programme shall be undertaken as regular exercise for all the employees. The first aid facilities in the occupational health centre shall be strengthened and the regular medical test records of each employee shall be maintained separately.
- xxi) Dedicated parking facility for loading and unloading of material shall be provided in the factory premises. Unit shall develop and implement good traffic management system for their incoming and outgoing vehicles to avoid congestion on the public road.
- xxii) As proposed, green belt over 33 % of the total project area shall be developed within plant premises with at least 10 meter wide green belt on all sides along the periphery of the project area, in downward direction, and along road sides etc. Selection of plant species shall be as per the CPCB guidelines in consultation with the DFO.
- xxiii) All the commitment made regarding issues raised during the Public Hearing/consultation meeting held on 20<sup>th</sup> March, 2015 shall be satisfactorily implemented and a separate budget for implementing the same shall be allocated and information submitted to the Ministry's Regional Office at Chandigarh.
- xxiv) At least 5 % of the total cost of the project shall be earmarked towards the Enterprise Social Commitment based on locals need as well as public hearing issues and item-wise details along with time bound action plan shall be prepared and submitted to the Ministry's Regional Office at Chandigarh. Implementation of such program shall be ensured accordingly in a time bound manner.

- xxv) Provision shall be made for the housing for the construction labour within the site with all necessary infrastructure and facilities such as fuel for cooking, mobile toilets, safe drinking water, medical health care, creche etc. The housing may be in the form of temporary structure to be removed after the completion of the project. All the construction wastes shall be managed so that there is no impact on the surrounding environment.

#### **B. General Conditions:**

- i. The project authorities shall strictly adhere to the stipulations made by the Punjab Pollution Control Board.
- ii. No further expansion or modifications in the plant shall be carried out without prior approval of the Ministry of Environment and Forests. In case of deviations or alterations in the project proposal from those submitted to this Ministry for clearance, a fresh reference shall be made to the Ministry to assess the adequacy of conditions imposed and to add additional environmental protection measures required, if any.
- iii. The locations of ambient air quality monitoring stations shall be decided in consultation with the Punjab Pollution Control Board (PPCB) and it shall be ensured that at least one station is installed in the upwind and downwind direction as well as where maximum ground level concentrations are anticipated.
- iv. The overall noise levels in and around the plant area shall be kept well within the standards by providing noise control measures including acoustic hoods, silencers, enclosures etc. on all sources of noise generation. The ambient noise levels shall conform to the standards prescribed under Environment (Protection) Act, 1986 Rules, 1989 viz. 75 dBA (day time) and 70 dBA (night time).
- v. The Company shall harvest rainwater from the roof-tops of the buildings and storm water drains to recharge the ground water and use the same water for the process activities of the project to conserve fresh water.
- vi. The Company shall obtain Authorization for collection, storage and disposal of hazardous waste under the Hazardous Waste (Management, Handling and Trans-boundary Movement) Rules, 2008 and its amendment time to time and prior permission from PPCB shall be obtained for disposal of solid / hazardous waste including boiler ash.
- vii. During transfer of materials, spillages shall be avoided and gulland drains be constructed to avoid mixing of accidental spillages with domestic wastewater and storm water drains.
- viii. Usage of Personnel Protection Equipments by all employees/ workers shall be ensured.
- ix. Training shall be imparted to all employees on safety and health aspects of chemicals handling. Pre-employment and routine periodical medical examinations for all employees shall be undertaken on regular basis. Training to all employees on handling of chemicals shall be imparted.
- X The company shall also comply with all the environmental protection measures and safeguards proposed in the project report submitted to the Ministry. All the


recommendations made in the EINEMP in respect of environmental management, risk mitigation measures and public hearing relating to the project shall be implemented.

- xi. The company shall undertake CSR activities and all relevant measures for improving the socio-economic conditions of the surrounding area.
- xii. The company shall undertake eco-developmental measures including community welfare measures in the project area for the overall improvement of the environment.
- xiii. A separate Environmental Management Cell equipped with full-fledged laboratory facilities shall be set up to carry out the Environmental Management and Monitoring functions.
- xiv. As proposed, the company shall earmark sufficient funds toward capital cost and recurring cost per annum to implement the conditions stipulated by the Ministry of Environment and Forests as well as the State Government along with the implementation schedule for all the conditions stipulated herein. The funds so earmarked for environment management! pollution control measures shall not be diverted for any other purpose.
- xv. A copy of the clearance letter shall be sent by the project proponent to concerned Panchayat, ZillaParasad/Municipal Corporation, Urban local Body and the local NGO, if any, from who suggestions/ representations, if any, were received while processing the proposal.
- xvi. The project proponent shall also submit six monthly reports on the status of compliance of the stipulated Environmental Clearance conditions including results of monitored data (both in hard copies as well as bye-mail) to the respective Regional Office of MoEF, the respective Zonal Office of CPCB and the Punjab Pollution Control Board. A copy of Environmental Clearance and six monthly compliance status report shall be posted on the website of the company.
- xvii. The environmental statement for each financial year ending 31 st March in Form-Vas is mandated shall be submitted to the Punjab Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently, shall also be put on the website of the company along with the status of compliance of environmental clearance conditions and shall also be sent to the Chandigarh Regional Offices of MoEF bye-mail.
- xviii. The project proponent shall inform the public that the project has been accorded environmental clearance by the Ministry and copies of the clearance letter are available with the SPCB/Committee and may also be seen at Website of the Ministry at <http://envfor.nic.in>. This shall be advertised within seven days from the date of issue of the clearance letter, at least in two local newspapers that are widely circulated in the region of which one shall be in the vernacular language of the locality concerned and a copy of the same shall be forwarded to the concerned Regional Office of the Ministry.
- xix. The project authorities shall inform the Regional Office as well as the Ministry, the date of financial closure and final approval of the project by the concerned authorities and the date of start of the project.

8.0 The Ministry may revoke or suspend the clearance, if implementation of any of the above conditions is not satisfactory.

9.0 The Ministry reserves the right to stipulate additional conditions, if found necessary. The company in a time bound manner will implement these conditions.

10.0 The above conditions will be enforced, inter-alia under the provisions of the Water (Prevention & Control of Pollution) Act, 1974, Air (Prevention & Control of Water Pollution) Act, 1981, the Environment (Protection) Act, 1986, Hazardous Waste (Management, Handling and Trans-boundary Movement) Rules, 2008 and the Public Liability Insurance Act, 1991 along with their amendments and rules.



**(Lalit Bokolia)**  
**Additional Director**

Copy to:-

1. The Principal Secretary, Environment Department, Government of Punjab, Chandigarh.
2. The Chief Conservator of Forests, Regional Office (Northern Zone), Bay No.24-25, Sector 31-A, DakshimMarg, Chandigarh-160030.
3. The Chairman, Central Pollution Control Board PariveshBhavan, CBD-cum-Office Complex, East Arjun Nagar, New Delhi - 110 032.
4. The Chairman, Punjab Pollution Control Board, VatavaranBhawan, Nabha Road, Patiala, 147001, Punjab.
5. Monitoring Cell, Ministry of Environment, Forest and Climate Change, Indira Paryavaran Bhavan, Jor Bagh Road, New Delhi.
6. Guard File/Monitoring File/Record File/ Notice Board.



**(Lalit Bokolia)**  
**Additional Director**

**F. No.J-11011/348/2014-IA-II(I)**  
 Government of India  
 Ministry of Environment, Forest and Climate Change  
 IA-II Division

Indira Paryavaran Bhawan  
 Jorbagh Road, N Delhi - 3  
 Dated: 25<sup>th</sup> October, 2019

To ✓

M/s BCL Industries and Infrastructure Ltd  
 Village Machhana and Sangat Kalan,  
 Tehsil and District **Bathinda** (Punjab)

**Sub: Expansion of Grain Based Distillery from 100 KLPD to 200 KLPD and Cogeneration Power Plant (from 5 MW to 10 MW) at Village Machhana and Sangat Kalan, Tehsil and District Bathinda, Punjab by M/s BCL Industries and Infrastructure Ltd - Amendment in EC - reg.**

Sir,

This refers to your online proposal No. IA/PB/IND2/27543/2014 for amendment in the environmental clearance to the above project.

2. The Ministry of Environment, Forest and Climate Change has examined the above proposal for amendment in the environmental clearance granted by the Ministry vide letter dated 8<sup>th</sup> April, 2016 in favour of M/s BCL Industries and Infrastructure Ltd for their project 'Expansion of Grain Based Distillery from 100 KLPD to 200 KLPD and Cogeneration Power Plant (from 5 MW to 10 MW) at Village Machhana and Sangat Kalan, Tehsil and District Bathinda (Punjab), to add one product namely Anhydrous Alcohol in the list of product, deletion of condition No. xii i.e. spent wash storage tanks and increase in land area from 141600 sqm to 259484.43 sqm.


3. The proposal was considered by the Expert Appraisal Committee (Industry-2) in the Ministry in its meeting held on 29-31 July, 2019. The EAC, after deliberations, recommended for inclusion of 'Anhydrous Alcohol' in the product list and deletion of condition regarding spent wash storage tanks, but with the additional environmental condition as under:

- Prior approval shall be obtained from the Petroleum & Explosives Safety Organization (PESO) for the site and layout plan submitted to this Ministry along with the proposal for EC. In case of any change therein post PESO approval, the proposal shall require fresh appraisal by the sectoral EAC.

The Committee was not agreed for amendment to effect increase in land area.

4. Based on recommendations of the EAC, the Ministry of Environment, Forest and Climate Change hereby accords approval to the proposed amendment in the environmental clearance dated 8<sup>th</sup> April, 2016, **as stated in para 3 above except increase in land area**, to the project for 'Expansion of Grain Based Distillery from 100 KLPD to 200 KLPD and Cogeneration Power Plant (from 5 MW to 10 MW) at Village Machhana and Sangat Kalan, Tehsil and District Bathinda (Punjab)'.

6 All other terms and conditions stipulated in the environmental clearance dated 8<sup>th</sup> April, 2016 shall remain unchanged.

  
(Sharath Kumar Pallerla)  
Scientist F

Copy to: -

1. The Additional Principal Chief Conservator of Forests (C), Ministry of Environment, Forest and Climate Change, Regional Office (NZ), Bays No.24-25, Sector 31-A, Dakshin Marg, Chandigarh - 160012
2. The Secretary, Department of Science, Technology & Environment, Government of Punjab, Chandigarh
3. The Member Secretary, Central Pollution Control Board, Parivesh Bhawan, East Arjun Nagar, Delhi - 32
4. The Member Secretary, Punjab Pollution Control Board, Vatavaran Bhawan, Nabha Road Patiala, 147001 (Punjab)
5. Monitoring Cell, Ministry of Environment, Forest and Climate Change, New Delhi
6. Guard File Monitoring File/Record File

ENVIRONMENTAL  
CLEARANCE

**Government of India**  
**Ministry of Environment, Forest and Climate Change**  
**(Impact Assessment Division)**

To,

The Deputy General Manager  
BCL INDUSTRIES LTD.  
BCL Industries Ltd., Hazi Rattan Link Road, Bathinda,,Bathinda,Punjab-  
151001

**Subject:** Grant of Environmental Clearance (EC) to the proposed Project Activity under the provision of EIA Notification 2006-regarding

Sir/Madam,

This is in reference to your application for Environmental Clearance (EC) in respect of project submitted to the Ministry vide proposal number IA/PB/IND2/27543/2014 dated 08 Sep 2021. The particulars of the environmental clearance granted to the project are as below.

- |   |   |
|---|---|
| 1. <b>EC Identification No.</b>                   | <b>EC21A022PB133062</b>                                     |
| 2. <b>File No.</b>                                | J-11011/378/2013-IA II(I)                                   |
| 3. <b>Project Type</b>                            | Expansion   |
| 4. <b>Category</b>                                | A   |
| 5. <b>Project/Activity including Schedule No.</b> | 5(g) Distilleries   |
| 6. <b>Name of Project</b>                         | BCL Industries and Infrastructures Ltd.,<br>Distillery Unit |
| 7. <b>Name of Company/Organization</b>            | BCL INDUSTRIES LTD.   |
| 8. <b>Location of Project</b>                     | Punjab  |
| 9. <b>TOR Date</b>                                | 23 Jan 2015   |

The project details along with terms and conditions are appended herewith from page no 2 onwards.

Date: 25/10/2021

**(e-signed)**  
**A.K Pateshwary**  
**Director**  
**IA - (Industrial Projects - 2 sector)**

*Note: A valid environmental clearance shall be one that has EC identification number & E-Sign generated from PARIVESH. Please quote identification number in all future correspondence.*

*This is a computer generated cover page.*



This has reference to your online proposal no. IA/PB/IND2/27543/2014, dated 08<sup>th</sup> September, 2021 for environmental clearance to the above mentioned project.

**2.** The Ministry of Environment, Forest and Climate Change has examined the project for Expansion of existing 200 KLPD grain-based distillery unit and cogeneration power plant of 10 MW capacity by installing 200 KLPD grain-based Ethanol Plant (Additional Biofuel production) and additional 10 MW of power cogeneration at the existing location by M/s. BCL Industries Ltd. located at village Machhana and Sangat Kalan, Tehsil and District Bathinda, Punjab.

**3.** As per the MoEF&CC Notification S.O. 2339(E), dated 16<sup>th</sup> June, 2021, a special provision in the EIA Notification, 2006-(Schedule 5 (ga), Category B2) is made, wherein for all applications made for Grain based distilleries with Zero Liquid Discharge producing ethanol; solely to be used for Ethanol Blended Petrol Programme of the Government of India shall be considered under B2 Category and appraised at Central Level by Expert Appraisal Committee (EAC) with condition that the project proponent shall file a notarized affidavit that ethanol produced from proposed project shall be used completely for EBP Programme.

**4.** Standard ToR and public Hearing conduction is not applicable as the project falls under category B2 as per OM dated 2<sup>nd</sup> March, 2021 & 16<sup>th</sup> June, 2021. It was informed that no litigation is pending against the project.

**5.** Ministry has issued the Environmental Clearance earlier vide letter no. F. No. J-11011/348/2014-IA II (I) dated 8<sup>th</sup> April, 2016 to the existing project of 200 KLPD grain based distillery and 10 MW of cogeneration of power in favour of M/s BCL Industries Ltd.

**6. The details of products and capacity are as under: -**

S. No.	Item	Unit	Existing Capacity	Proposed Additional Capacity	Total
1.	ENA/RS/ Impure spirit/ Country spirit/ Denatured spirit/ Fuel Ethanol (Absolute ethanol)	KL	200	200 (Fuel Ethanol Only)	400
2.	By-products				
	CO2	MT	160	160	320
	Fusel Oil	MT	2.0	2.0	4.0
	DDGS	MT	100	100	200

**7.** Existing land area is 236000 sq. meters and no additional land area will be used for the proposed expansion. Industry has already developed green belt in an area of 95000 sq. meters which is more than 33 % of total land area. The

estimated project cost is Rs. 140 crores for the proposed project. Total capital cost earmarked towards environmental pollution control measures is Rs. 18.50 crores and recurring cost (operation and maintenance) will be about Rs. 2.75 crores. Total employment generation will be 500 persons as direct and indirect employment due to the proposed expansion. Industry proposes to allocate Rs. 1.05 crores towards corporate environment responsibility.

**8.** There are no national parks, wildlife sanctuaries, biosphere reserves, Tiger/Elephant reserves, Wildlife corridors etc. within 10 km distance from the project site.

**9.** Overall water requirement: Total average fresh water consumption for the existing as well as proposed expansion of the industry can be summarized as under;

S. No.	Purpose	Existing (m <sup>3</sup> /day)	Proposed (m <sup>3</sup> /day)	Total (m <sup>3</sup> /day)
1.	Process & dilution water	200	345	545
2.	Cooling water (max.)	1000	340	1340
3.	Boiler water requirements	450	175	625
4.	Water treatment plant	80	20	100
5.	Domestic	20	10	30
6.	Water requirement for bottling plant	50	0	50
	Total	1800	890	2690

Water requirements for the proposed expansion project will be 890 m<sup>3</sup>/day or 4.45 KL/KL of alcohol production

Total water requirements after the proposed expansion will be 3125 m<sup>3</sup>/day. All the fresh water requirements for the existing as well as proposed project will be met from canal water. The industry has already got the permission from Irrigation Department, Punjab for the supply of canal water @ 3500 m<sup>3</sup>/day.

The industry will generate a total of 1450 m<sup>3</sup>/day of condensates including spent lees from the proposed expansion. Out of this, 840 m<sup>3</sup>/day will be directly used in the process for slurry preparation. Remaining condensates @ 610 m<sup>3</sup>/day will be treated in condensate polishing unit and reused for cooling tower makeup water. Effluent from misc. streams will be 214 m<sup>3</sup>/day which will be treated in ETP and reused for water of green belt within the industrial premises.

**10.** Power requirements for the proposed expansion will be 15000 KVA and will be met from in house cogeneration power plant. Existing unit has 1 x 1000 KVA D G set to be used as standby during power failure. Stack height to the D G sets has been provided as per PB norms. Existing unit has 2 x 35 TPH biomass/coal fired boilers. Additional 75 TPH biomass/coal fired boiler will be installed. Electrostatic precipitator will be installed as pollution control system to achieve

the statutory limit of 50 mg/Nm<sup>3</sup> for the proposed boiler.

**11. Details of process emissions generation and its management:**

The industry will install dryers for the handling of DWGS for controlling process odours from the factory.

**12.** Details of certified compliance report submitted by RO; MoEF&CC vide letter no. 5-297/2011-RO(NZ)/557-558 dated 06.09.2021.

**13.** As per OM dated 16<sup>th</sup> June, 2021, PP has submitted self-certification in the form of affidavit declaring that the proposed capacity from 200 KLPD to 400 KLPD will be for manufacturing of fuel ethanol only.

**14.** During deliberations, EAC observed that fresh water requirement is too high. In this regard EAC directed to revise water balance. PP has submitted the revised water balance reducing fresh water consumption for the proposed expansion to 890 KLPD.

**15.** The proposal was considered by the EAC in its 40<sup>th</sup> meeting held on 14<sup>th</sup> - 16<sup>th</sup> September, 2021 in the Ministry, wherein the project proponent and their consultant M/s. Enviro Infra Solutions Pvt. Ltd., presented the case under B2 category. The Committee **recommended** the project for grant of environmental clearance.

**16.** The EAC, constituted under the provision of the EIA Notification, 2006 and comprising of Experts Members/domain experts in various fields, have examined the proposal submitted by the Project Proponent in desired form along with the EMP report prepared and submitted by the Consultant accredited by the QCI/ NABET on behalf of the Project Proponent. The EAC noted that the Project Proponent has given undertaking that the data and information given in the application and enclosures are true to the best of his knowledge and belief and no information has been suppressed in the report. If any part of data/information submitted is found to be false/ misleading at any stage, the project will be rejected and Environmental Clearance given, if any, will be revoked at the risk and cost of the project proponent.

**17.** The Committee noted that the EMP report is in compliance of the PFR. The Committee deliberated on the CER plan and found to be addressing the issues in the study area. The EAC has deliberated the proposal and has made due diligence in the process as notified under the provisions of the EIA Notification, 2006, as amended from time to time and accordingly made the recommendations to the proposal. The Experts Members of the EAC have found the proposal in order and have **recommended** for grant of environmental clearance.

**18.** The environmental clearance granted to the project/activity is strictly under the provisions of the EIA Notification 2006 and its amendments. It does not tantamount/construe to approvals/consent/ permissions etc. required to be obtained or standards/conditions to be followed under any other Acts/ Rules/ Subordinate legislations, etc., as may be applicable to the project. The project

proponent shall obtain necessary permission as mandated under the Water (Prevention and Control of Pollution) Act, 1974 and the Air (Prevention and Control of Pollution) Act, 1981, as applicable from time to time, from the State Pollution Control Board, prior to construction & operation of the project.

**19.** Based on the proposal submitted by the project proponent and recommendations of the EAC (Industry-2), Ministry of Environment, Forest and Climate Change hereby accords environmental clearance to the project for **Expansion of existing 200 KLPD grain-based distillery unit and cogeneration power plant of 10 MW capacity by installing 200 KLPD grain-based Ethanol Plant (Additional Biofuel production) and additional 10 MW of power cogeneration at the existing location by M/s. BCL Industries Ltd. located at village Machhana and Sangat Kalan, Tehsil and District Bathinda, Punjab,** under the provisions of the EIA Notification, 2006, and the amendments therein, subject to compliance of the terms and conditions as under:-

**A. Specific Condition:**

- (i). As per OM dated 16<sup>th</sup> June, 2021, project falls in category B2 and the proposed capacity from 200 KLPD to 400 KLPD shall be only be used for fuel ethanol manufacturing as per self-certification in form of an affidavit by the Project Proponent. Provided that subsequently if it is found that the ethanol, produced based on the EC granted as per this dispensation, is not being used completely for EBP Programme, or if ethanol is not being produced, or if the said distillery is not fulfilling the requirements based on which the project has been appraised as category B2 project, the EC shall stand cancelled.
- (ii). The company shall comply with all the environmental protection measures and safeguards proposed in the documents submitted to the Ministry. All the recommendations made in the EIA/EMP in respect of environmental management, and risk mitigation measures relating to the project shall be implemented.
- (iii). The project proponent will treat and reuse the treated water within the factory and no waste or treated water shall be discharged outside the premises.
- (iv). Total fresh water requirement shall not exceed 890 KLPD for the proposed expansion and it will be met from canal water. Prior permission shall be obtained from the concerned regulatory authority/CGWA in this regard, and renewed from time to time. No ground water recharge shall be permitted within the premises.
- (v). The spent wash shall be concentrated and dried to form DDGS to be used as cattle feed.

- (vi). CO<sub>2</sub> generated from the process shall be bottled/made solid ice and utilized/sold to authorized vendors.
- (vii). Occupational Health Centre for surveillance of the worker's health shall be set up. The health data shall be used in deploying the duties of the workers. All workers & employees shall be provided with required safety kits/mask for personal protection.
- (viii). Training shall be imparted to all employees on safety and health aspects of chemicals handling. Safety and visual reality training shall be provided to employees.
- (ix). The unit shall make the arrangement for protection of possible fire hazards during manufacturing process in material handling. Firefighting system shall be as per the norms.
- (x). Process organic residue and spent carbon, if any, shall be sent to Cement other suitable industries for its incinerations. ETP sludge, process inorganic & evaporation salt shall be disposed of to the TSDF.
- (xi). The company shall undertake waste minimization measures as below (a) Metering and control of quantities of active ingredients to minimize waste; (b) Reuse of by-products from the process as raw materials or as raw material substitutes in other processes. (c) Use of automated filling to minimize spillage. (d) Use of Close Feed system into batch reactors. (e) Venting equipment through vapour recovery system. (f) Use of high pressure hoses for equipment clearing to reduce wastewater generation.
- (xii). The green belt of at least 5-10 m width shall be developed in nearly 33% of the total project area, mainly along the plant periphery. Selection of plant species shall be as per the CPCB guidelines in consultation with the State Forest Department. Records of tree canopy shall be monitored through remote sensing map.
- (xiii). As per the Ministry's OM dated 30.09.2020 superseding the OM dated 01.05.2018 regarding the Corporate Environmental Responsibility, and as per the action plan proposed by the project proponent to address the socio-economic and environmental issues in the study area, the project proponent, as committed, shall provide education funds in technical training centers/ support in nearby village's schools, support in health care facilities, drinking water supply and funds for miscellaneous activities

like solar street lights, battery, solar panel etc., in the nearby villages. The action plan shall be completed within time as proposed.

- (xiv). There shall be adequate space inside the plant premises earmarked for parking of vehicles for raw materials and finished products as per CPCB norms and no parking to be allowed outside on public places.
- (xv). Storage of raw materials shall be either stored in silos or in covered areas to prevent dust pollution and other fugitive emissions.
- (xvi). Continuous online (24x7) monitoring system for stack emissions shall be installed for measurement of flue gas discharge and the pollutants concentration, and the data to be transmitted to the CPCB and SPCB server. For online continuous monitoring of effluent, the unit shall install web camera with night vision capability and flow meters in the channel/drain carrying effluent within the premises.
- (xvii). A separate Environmental Management Cell (having qualified person with Environmental Science/Environmental Engineering/specialization in the project area) equipped with full-fledged laboratory facilities shall be set up to carry out the Environmental Management and Monitoring functions.

#### **B. General Condition:**

- (i) No further expansion or modifications in the plant, other than mentioned in the EIA Notification, 2006 and its amendments, shall be carried out without prior approval of the Ministry of Environment, Forest and Climate Change/SEIAA, as applicable. In case of deviations or alterations in the project proposal from those submitted to this Ministry for clearance, a fresh reference shall be made to the Ministry/SEIAA, as applicable, to assess the adequacy of conditions imposed and to add additional environmental protection measures required, if any.
- (ii) The energy source for lighting purpose shall be preferably LED based, or advanced having preference in energy conservation and environment betterment.
- (iii) The overall noise levels in and around the plant area shall be kept well within the standards by providing noise control measures including acoustic hoods, silencers, enclosures etc. on all sources of noise generation. The ambient noise levels shall conform to the standards prescribed under the Environment (Protection) Act, 1986 Rules, 1989 viz. 75 dBA (day time) and 70 dBA (night time).
- (iv) The company shall undertake all relevant measures for improving the socio-economic conditions of the surrounding area. CER activities shall be undertaken by involving local villages and administration and shall be

implemented. The company shall undertake eco-developmental measures including community welfare measures in the project area for the overall improvement of the environment.

- (v) The company shall earmark sufficient funds towards capital cost and recurring cost per annum to implement the conditions stipulated by the Ministry of Environment, Forest and Climate Change as well as the State Government along with the implementation schedule for all the conditions stipulated herein. The funds so earmarked for environment management/ pollution control measures shall not be diverted for any other purpose.
- (vi) A copy of the clearance letter shall be sent by the project proponent to concerned Panchayat, Zilla Parishad/Municipal Corporation, Urban local Body and the local NGO, if any, from whom suggestions/ representations, if any, were received while processing the proposal.
- (vii) The project proponent shall also submit six monthly reports on the status of compliance of the stipulated Environmental Clearance conditions including results of monitored data (both in hard copies as well as by e-mail) to the respective Regional Office of MoEF&CC, the respective Zonal Office of CPCB and SPCB. A copy of Environmental Clearance and six monthly compliance status report shall be posted on the website of the company.
- (viii) The environmental statement for each financial year ending 31<sup>st</sup> March in Form-V as is mandated shall be submitted to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently, shall also be put on the website of the company along with the status of compliance of environmental clearance conditions and shall also be sent to the respective Regional Offices of MoEF&CC by e-mail.
- (ix) The project proponent shall inform the public that the project has been accorded environmental clearance by the Ministry and copies of the clearance letter are available with the SPCB/Committee and may also be seen at Website of the Ministry and at <https://parivesh.nic.in/>. This shall be advertised within seven days from the date of issue of the clearance letter, at least in two local newspapers that are widely circulated in the region of which one shall be in the vernacular language of the locality concerned and a copy of the same shall be forwarded to the concerned Regional Office of the Ministry.
- (x) The project authorities shall inform the Regional Office as well as the Ministry, the date of financial closure and final approval of the project by the concerned authorities and the date of start of the project.
- (xi) This Environmental clearance is granted subject to final outcome of Hon'ble Supreme Court of India, Hon'ble High Court, Hon'ble NGT and any other Court of Law, if any, as may be applicable to this project.

**20.** The Ministry reserves the right to stipulate additional conditions, if found necessary at subsequent stages and the project proponent shall implement all the said conditions in a time bound manner. The Ministry may revoke or suspend the environmental clearance, if implementation of any of the above conditions is not found satisfactory.

**21.** Concealing factual data or submission of false/fabricated data and failure to comply with any of the conditions mentioned above may result in withdrawal of this clearance and attract action under the provisions of Environment (Protection) Act, 1986.

**22.** Any appeal against this environmental clearance shall lie with the National Green Tribunal, if preferred, within a period of 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.

**23.** The above conditions will be enforced, inter-alia under the provisions of the Water (Prevention & Control of Pollution) Act, 1974, the Air (Prevention & Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986, the Hazardous Waste (Management, Handling and Transboundary Movement) Rules, 2016 and the Public Liability Insurance Act, 1991 read with subsequent amendments therein.

**24.** This issue with the approval of the competent authority.

**(Ashok Kr. Pateshwary)**  
**Director**

**Copy to: -**

1. The Secretary, Department of Science, Technology & Environment, Government of Punjab, Chandigarh
2. The Regional Officer, Ministry of Env., Forest and Climate Change, Integrated Regional Office, Bays No.24-25, Sector 31-A, Dakshin Marg, Chandigarh - 160030
3. The Member Secretary, Central Pollution Control Board, Parivesh Bhawan, East Arjun Nagar, Delhi - 32
4. The Member Secretary, Punjab Pollution Control Board, Vatavaran Bhawan, Nabha Road, Patiala, 147001 (Punjab)
5. Monitoring Cell, Ministry of Environment, Forest and Climate Change, Indira Paryavaran Bhawan, Jor Bagh Road, New Delhi
6. District Collector, Bathinda, Punjab
7. Guard File/Monitoring File/ Parivesh Portal /Record File

**(Ashok Kr. Pateshwary)**  
**Director**  
**E-mail: ak.pateshwary@gov.in**  
**Tel. No. 24695290**

Signature Not Verified  
Digitally signed by A.K Pateshwary  
Director  
Date: 10/25/2021 5:15:53 PM



सत्यमेव जयते  
GOVERNMENT OF INDIA  
MINISTRY OF CORPORATE AFFAIRS

Office of the Registrar of Companies  
Corporate Bhawan, Plot No.4 B Sector 27 B, Chandigarh, Chandigarh, India, 160019

**Certificate of Incorporation pursuant to change of name**  
[Pursuant to rule 29 of the Companies (Incorporation) Rules, 2014]

Corporate Identification Number (CIN): L24231PB1976PLC003624

I hereby certify that the name of the company has been changed from BCL INDUSTRIES & INFRASTRUCTURES LIMITED to **BCL INDUSTRIES LIMITED** with effect from the date of this certificate and that the company is limited by shares.

Company was originally incorporated with the name BCL INDUSTRIES & INFRASTRUCTURES LIMITED.

Given under my hand at Chandigarh this Twenty sixth day of October two thousand seventeen.



Satya Pal Singh  
DROC  
Registrar of Companies  
RoC - Chandigarh

Mailing Address as per record available in Registrar of Companies office:

BCL INDUSTRIES LIMITED

HAZI RATTAN LINK ROAD POST BOX NO 71, BHATINDA, Bhatinda, Punjab, India, 151001

For BCL Industries Limited  
(Formerly known as BCL Industries & Infrastructures Ltd.)

Company Secretary

**Photographs of the Project**

















Office Dispatch No.: PBIP/F/553372/2023

Date: 03-05-2023

To

**SAT NARAIN GOYAL**  
16722/B,  
BATHINDA, BATHINDA - 151001

**Subject:- Grant Varied 'Consent to Operate' u/s 21 of Air (Prevention & Control of Pollution) Act, 1981 for discharge of emissions arising out of premises.**

With reference to your application for obtaining Varied 'Consent to Operate' u/s 21 of Air (Prevention & Control of Pollution) Act, 1981, you are, hereby, authorized to operate an industrial unit for discharge of the emission(s) arising out of your premises subject to the Terms and Conditions as mentioned in this Certificate.

**1. Particulars of Consent to Operate under Air Act, 1981 granted to the Industry:**

PIN	210954949
Application No.:	2301105509
Date of Issue:	03-May-2023
Date of Expiry:	31-Mar-2026
Certificate Type:	Fresh
Certificate No:	CTOA/Varied/PBIP/BTH/2023/2301105509

**2. Particulars of the Industry:**

Name & Designation of the Applicant:	Sat Narain Goyal, (Director)
Name of Business Entity	M/s BCL Industries Ltd. (Distillery Unit) Dedicated Ethanol Plant ENA/RS/Ethanol
Name of the Project/Unit:	M/s BCL Industries Ltd. (Distillery Unit) Dedicated Ethanol Plant ENA/RS/Ethanol
Address of Project/Unit:	Village Machhana and Sangat Kalan, Tehsil and District Bathinda , Bathinda , Bathinda
Capital Investment of the Industry(in lakhs):	34736
Category of Industry:	Red
Type of Industry:	1001 - Isolated storage of hazardous chemicals (as per schedule of manufacturing, storage of hazardous chemicals rules ,1989 as amended)
Scale of the Industry:	Large - > Rs. 50 Crore
Office District:	Bathinda
Consent Fee Details:	Rs. 10,80,500/- vide Receipt no. 985298771 dated 21.02.2023 under the Air Act, 1981 Rs. 10,80,500/- vide Receipt no. 669691622 dated 21.02.2023 under the Water Act, 1974 Rs. 99000/- vide no. 02/5522 dated 24.04.2023 towards NOC regularization fees
Raw Materials (Name with quantity per day):	Food grains, broken rice, maize, bajra, jowar and other starch containing grains etc. @1000Metric Tonnes/Day Enzymes @800Kgs/day Sodium Hydroxide @400Kgs/day

	Urea @1000Kgs/day Anti-foam agent @200Kgs/day Yeast @80Kgs/day
Products (Name with quantity per day):	ENA/RS/Ethanol @200Kilo Liters/Day Ethanol @200Kilo Liters/Day (used completely for EBP Programme) Co-generation power plant @10Megawatt Co-generation power plant @10Megawatt
By Products, if any (Name with quantity per day) :	CO2 @ 180Metric Tonnes/Day Fusel Oil @ 2Metric Tonnes/Day DDGS @ 100Metric Tonnes/Day
Details of the machinery and processes:	As per application form
Sources of emissions and type of pollutants:	Boiler of capacity 30 TPH - SPM Boiler of capacity 35 TPH - SPM Boiler of capacity 60 TPH - SPM DG set of capacity 1000 KVA- SPM, SOx, NOx
Mode of disposal of emissions with stack height:	Boiler of capacity 30 TPH - Stack of height 50 m AGL after APCD Boiler of capacity 35 TPH - Stack of height 50 m AGL after APCD Boiler of capacity 60 TPH - Stack of height 50 m AGL after APCD DG set of capacity 1000 KVA- canopy alongwith Stack of height as per following formula: $H = h + 0.2 (KVA)^{0.5}$ where h = height of the building in meters where the generator set is installed.
Quantity of fuel required In TPD:	Boiler of capacity 30 TPH - Coal/Biomass@8Metric Tonnes/Day Boiler of capacity 35 TPH - Coal/Biomass @8Metric Tonnes/Day Boiler of capacity 60 TPH - PADDY STRAW @380Metric Tonnes/Day
Type of Air Pollution Control Devices to be installed:	Boiler of capacity 30 TPH - Electrostatic Precipitator (ESP) Boiler of capacity 35 TPH - Electrostatic Precipitator (ESP) Boiler of capacity 60 TPH - Electrostatic Precipitator (ESP)
Standard to be achieved under Air(Prevention & Control of Pollution) Act, 1981:	As prescribed by the CPCB/PPCB/MoEF&CC, from time to time.


Environmental Engineer (PBIP)  
for & on behalf of  
Chief Environmental Engineer (PBIP)

Endst. No.

Dated:

A copy of the above is forwarded to the following for information and necessary action please:

1. Senior Environmental Engineer, Zonal Office, Bathinda.
2. Environmental Engineer, Regional Office, Bathinda with request to submit report to the Competent Authority of the Board through E-Noting regarding the compliance of the decisions of the personal hearing given to the unit on 19.01.2023.

  
**Environmental Engineer (PBIP)**  
for & on behalf of  
**Chief Environmental Engineer (PBIP)**

## A. GENERAL CONDITIONS

1. The industry shall apply for consent of the Board as required under the provision of Water (Prevention & Control of Pollution) Act, 1974, Air (Prevention & Control of Pollution) Act, 1981 & Authorization under Hazardous and other Wastes (Management and Transboundary Movement) Rules, 2016, two months before the commissioning of the industry.
2. The industry shall provide adequate arrangements for fighting the accidental leakages/ discharge of any air pollutant/gas/liquids from the vessels, mechanical equipments etc. which are likely to cause environmental pollution.
3. The industry shall apply for further extension in the validity of the CTE atleast two months before the expiry of this CTE, if applicable.
4. The industry shall comply with any other conditions laid down or directions issued by the Board under the provisions of the Water (Prevention & Control of Pollution) Act, 1974 and the Air (Prevention & Control of Pollution) Act, 1981 from time to time.
5. The project has been approved by the Board from pollution angle and the industry shall obtain the approval of site from other concerned departments, if need be.
6. The industry shall get its building plans approved under the provisions of section 3-A of Punjab Factory Rules, 1952
7. The industry shall put up display board indicating the Environment data in the prescribed format at the main entrance gate
8. The industry shall provide port-holes, platforms and/or other necessary facilities as may be required for collecting samples of emissions from any chimney, flue or duct or any other outlets

### Specifications of the port-holes shall be as under:

i) The sampling ports shall be provided atleast 8 times chimney diameter downstream and 2 times upstream from the flow disturbance. For a rectangular cross section the equivalent diameter ( $D_e$ ) shall be calculated from the following equation to determine upstream, downstream distance:-

$$D_e = 2 LW / (L+W)$$

Where L= length in mts. W= Width in mts.

ii) The sampling port shall be 7 to 10 cm in diameter

9. The industry shall discharge all gases through a stack of minimum height as specified in the following standards laid down by the Board.

### (I) Stack height for boiler plants

S.No.	Boiler with Steam Generating Capacity	Stack heights
1	Less than 2 ton/hr	9 meters or 2.5 times the height of neighboring building which ever is more
2	More than 2 ton/hr to 5 ton/hr	12 meters
3	More than 5 ton/hr to 10 ton/hr	15 meters
4	More than 10 ton/hr to 15 ton/hr	18 meters
5	More than 15 ton/hr to 20 ton/hr	21 meters
6	More than 20 ton/hr to 25 ton/hr	24 meters

7	More than 25 ton/hr to 30 ton/hr	27 meters
8	More than 30 ton/hr	30 meters or using the formula $H = 14 Q_g^{0.3}$ or $H = 74 (Q_p)^{0.24}$ Where $Q_g$ = Quantity of SO <sub>2</sub> in Kg/hr. $Q_p$ = Quantity of particulate matter in Ton/day.

**Note :** Minimum Stack height in all cases shall be 9.0 mtr. or as calculated from relevant formula whichever is more.

(ii) For industrial furnaces and kilns, the criteria for selection of stack height would be based on fuel used for the corresponding steam generation.

(iii) Stack height for diesel generating sets:

Capacity of diesel generating set	Height of the building	Height of the Stack
0-50 KVA	Height of the building	+ 1.5 mt
50-100 KVA	-do-	+ 2.0 mt
100-150 KVA	-do-	+ 2.5 mt
150-200 KVA	-do-	+ 3.0 mt
200-250 KVA	-do-	+ 3.5 mt
250-300 KVA	-do-	+ 3.5 mt

For higher KVA rating stack height H (in meter) shall be worked out according to the formula:

$$H = h + 0.2 (KVA)^{0.5}$$

where h = height of the building in meters where the generator set is installed.

10. The industry shall put up canopy on its DG sets and also provide stack of adequate height as per norms prescribed by the Board and shall ensure the compliance of instructions issued by the Board vide office order no. Admin./SA-2/F.No.783/2011/448 dated 8/6/2010.

11. The industry shall provide flow meters at the source of water supply, at the outlet of effluent treatment plant and shall maintain the record of the daily reading and submit the same to the concerned Regional Office by the 5th day of the following month.

12. The industry shall make necessary arrangements for the monitoring of stack emissions and shall get its emissions analyzed from lab approved / authorized by the Board:-

(i) Once in Year for Small Scale Industries.

(ii) Twice/thrice/four time in a Year for Large/Medium Scale Industries

13. The pollution control devices shall be interlocked with the manufacturing process of the industry.

14. The Board reserves the right to revoke this "consent to establish" (NOC) at any time, in case the industry is found violating any of the conditions of this "consent to establish" and/or the provisions of Water (Prevention & Control of Pollution) Act, 1974 and Air (Prevention & Control of Pollution) Act, 1981 as amended from time to time

15. The industry shall plant minimum of three suitable varieties of trees at the density of not less than 1000 trees per acre along the boundary of the industrial premises.

16. The issuance of this consent does not convey any property right in either real or personal property, or any exclusive privileges, nor does it authorize any injury to private property or any invasion of personal rights, nor any infringement of Central, State or Local Laws or Regulations.

17. The consent does not authorize or approve the construction of any physical structures or facilities for undertaking of any work in any natural watercourse.

18. Nothing in this NOC shall be deemed to neither preclude the institution of any legal action nor relieve the applicant from any responsibilities, liabilities or penalties to which the applicant is or may be subjected under this or any other Act.

19. The diversion or bye pass of any discharge from facilities utilized by the applicant to maintain compliance with the terms and conditions of this consent is prohibited except.

(i) Where unavoidable to prevent loss of life or some property damage or

(ii) Where excessive storm drainage or run off would damage facilities necessary for compliance with terms and conditions of this consent. The applicant shall immediately notify the consent issuing authority in writing of each such diversion or bye-pass.

20. The industry shall ensure that no water pollution problem is created in the area due to discharge of effluents from its industrial premises.

21. The industry shall comply with the conditions imposed if any by the SEIAA/MOEF in the Environmental Clearance granted to it as required under EIA notification dated 14/9/06.

22. The industry shall earmark a land within their premises for disposal of boiler ash in an environmentally sound manner, and / or the industry shall make necessary arrangements for proper disposal of fuel ash in a scientific manner and shall maintain proper record for the same, if applicable.

23. The industry shall obtain and submit Insurance cover as required under the Public Liability Insurance Act, 1991.

24. The industry shall submit a site emergency plan approved by the Chief Inspector of Factories, Punjab as applicable

25. The industry shall provide proper and adequate air pollution control arrangements for control emission from its coal/fuel handling area, if applicable.

26. The Industry shall comply with the code of practice as notified by the Government / Board for the type of Industries where the siting guidelines / code of practice have been notified

27. Solids, sludge, filter backwash or other pollutant removed from or resulting from treatment or control of waste waters shall be disposed off in such a manner so as to prevent any pollutants from such materials from entering into natural water

28. The industry shall submit a detailed plan showing therein, the distribution system for conveying wastewaters for application on land for irrigation along with the crop pattern to be adopted throughout the year

29. The industry shall not irrigate the vegetable crops with the treated effluents which are used/ consumed as raw.

30. The industry shall ensure that its production capacity & quantity of trade effluent do not exceed the quantity mentioned in the NOC and shall not carry out any expansion without the prior permission/NOC of the Board.

31. All amendments/revisions made by the Board in the emission/stack height standards shall be applicable to the industry from the date of such amendments/revisions.

32. The industry shall not cause any nuisance/traffic hazard in vicinity of the area.

33. The industry shall maintain the following record to the satisfaction of the Board :-

(i) Log books for running of air pollution control devices or pumps/motors used for it.

(ii) Register showing the result of various tests conducted by the industry for monitoring of stack emissions and ambient air.

(iii) Register showing the stock of absorbents and other chemicals to be used for scrubbers.

34. The industry shall ensure that there will not be significant visible dust emissions beyond the property line.


35. The industry shall establish sufficient number of piezometer wells in consultation with the concerned Regional Office, of the Board to monitor the impact on the Ground Water Quantity due to the Industrial operations, if applicable.

36. The industry shall provide adequate and appropriate air pollution control devices to contain emissions from handling, transportation and processing of raw material & product of the industry

*-ed-*  
**Environmental Engineer (PBIP)**  
for & on behalf of  
**Chief Environmental Engineer (PBIP)**

## B. SPECIAL CONDITIONS

1. This varied consent to operate has been granted for manufacturing of ENA/RS/Ethanol @ 200 KLD, Ethanol @ 200 KLD (used completely for EBP Programme) & operation of two co-generation plants of capacity 10 MW each with CO<sub>2</sub> @ 320 TPD, Fuel Oil @ 4 TPD, DDGS @ 200 TPD as by-products, only.
2. The industry shall only manufacture the products and limit their quantities, for which it has been granted consent to operate from the Board. It shall not manufacture any other product without the prior written permission of the Board/ Competent Authority.
3. The industry shall not carry out any further expansion or modifications in the plant, without obtaining prior written permission from the Board and/ or revised Environment Clearance from the Competent Authority.
4. The industry shall connect the 24x7 continuous emission monitoring system installed to monitor stack emission with respect to standards prescribed in Environment (Protection) Rules 1986 and to SPCB and CPCB online servers and calibrate these systems from time to time according to equipment supplier specification through labs recognized under Environment (Protection) Act, 1986 or NABL accredited laboratories.
5. The industry shall use only paddy straw as fuel in its new boiler of capacity 60 TPH.
6. The industry shall comply with the conditions of the Environmental Clearance (EC) issued to it by MoEF&CC vide letter dated 31/12/2021.
7. The industry shall comply with the commitments made by it under Enterprise Social Commitment, as per the EC issued to it.
8. The industry shall obtain all the statutory approvals/clearances from the concerned departments.
9. This Consent is being issued to the industry based upon the documents/ information submitted by it alongwith the online application form. The Board would be at liberty to take penal action against the industry and its responsible/ concerned person(s) in case information/document is detected as incorrect/false/misleading at any point of time, without any opportunity of Personal Hearing.
10. In case the industry fails to comply with the provisions of the Water (Prevention & Control of Pollution) Act, 1974, Air (Prevention & Control of Pollution) Act, 1981, Environment (Protection) Act, 1986 and/or any other environmental law applicable to the project and Rules, Circulars & Directions issued by the Board from time to time, action as deemed fit shall be taken against the industry.

  
**Environmental Engineer (PBIP)**  
for & on behalf of  
**Chief Environmental Engineer (PBIP)**



Office Dispatch No.: **PRIP/I/553385/2023**

Date: **03.05.2023**

To

**SAT NARAIN GOYAL**  
16722/B,  
BATHINDA, BATHINDA - 151001

**Subject:- Grant Varied 'Consent to Operate' an Outlet u/s 25/26 of Water (Prevention & Control of Pollution) Act, 1974 for discharge of Effluent.**

With reference to your application for obtaining Varied 'Consent to Operate' an outlet for discharge of the effluent u/s 25/26 of Water (Prevention & Control of Pollution) Act, 1974, you are, hereby, authorized to operate an industrial unit for discharge of the effluent(s) arising out of your premises subject to the Terms and Conditions as mentioned in this Certificate.

**1. Particulars of Consent to Operate under Water Act, 1974 granted to the Industry:**

PIN	210954949
Application No.:	2301137808
Date of Issue:	03-May-2023
Date of Expiry:	31-Mar-2026
Certificate Type:	Fresh
Certificate No:	CTOW/Varied/PBIP/BTH/2023/2301137808

**2. Particulars of the Industry:**

Name & Designation of the Applicant:	Sat Narain Goyal, (Director)
Name of Business Entity	M/s BCL Industries Ltd. (Distillery Unit) Dedicated Ethanol Plant ENA/RS/Ethanol
Name of the Project/Unit:	M/s BCL Industries Ltd. (Distillery Unit) Dedicated Ethanol Plant ENA/RS/Ethanol
Address of Project/Unit:	Village Machhana and Sangat Kalan, Tehsil and District Bathinda , Bathinda , Bathinda
Capital Investment of the Industry(in lakhs):	34736
Category of Industry:	Red
Type of Industry:	1060 - Distillery ( molasses / grain / yeast based)
Scale of the Industry:	Large - > Rs. 50 Crore
Office District:	Bathinda
Consent Fee Details:	Rs. 10,80,500/- vide Receipt no. 985298771 dated 21.02.2023 under the Air Act, 1981 Rs. 10,80,500/- vide Receipt no. 669691622 dated 21.02.2023 under the Water Act, 1974 Rs. 99000/- vide no. 02/5522 dated 24.04.2023 towards NOC regularization fees
Raw Materials (Name with quantity per day):	Food grains, broken rice, maize, bajra, jowar and other starch containing grains etc. @1000Metric Tonnes/Day Enzymes @800Kgs/day Sodium Hydroxide @400Kgs/day Urea @1000Kgs/day Anti-foam agent @200Kgs/day Yeast @80Kgs/day

Products (Name with quantity per day):	ENA/RS/Ethanol @200Kilo Liters/Day Ethanol @200Kilo Liters/Day (used completely for EBP Programme) Co-generation power plant @10Megawatt Co-generation power plant @10Megawatt
By Products, if any (Name with quantity per day) :	CO2 @ 160Metric Tonnes/Day Fusel Oil @ 2Metric Tonnes/Day DDGS @ 100Metric Tonnes/Day
Details of the machinery and processes:	As per application form
Details of Effluent Treatment Plant:	Trade Effluent @205 KLD - Effluent Treatment Plant (ETP) Domestic Effluent @27.0 KLD - septic tank(s) Condensate @610.0 KLD - CPU (Condensate Polishing Unit) of capacity 700 KLD. Condensate @1830.0 KLD - directly reused in the liquefaction process. RO Reject @ 85 KLD - disposed through MEE
Mode of disposal of Effluent:	Treated Trade & Domestic effluent @214.0 KLD - onto land for plantation in an area of 15.5 acres of green area/lawns and 8 acres land to be developed under Karnal technology. Treated Condensate @610.0 KLD after CPU (Condensate Polishing Unit) of capacity 700 KLD.- cooling tower makeup water. Condensate @1830.0 KLD - directly reused in the liquefaction process.
Standard to be achieved under Water(Prevention & Control of Pollution) Act, 1974:	As prescribed by the CPCB/PPCB/MoEF&CC, from time to time.

Environmental Engineer (PBIP)  
for & on behalf of  
Chief Environmental Engineer (PBIP)

Endst. No.

Dated:

A copy of the above is forwarded to the following for information and necessary action please:

1. Senior Environmental Engineer, Zonal Office, Bathinda.
2. Environmental Engineer, Regional Office, Bathinda with request as under:

- To submit report to the Competent Authority of the Board through E-Noting regarding the compliance of the decisions of the personal hearing given to the unit on 19.01.2023.

- To verify actual generation of effluent upon commissioning of the expansion project, for which varied consent to operate under Water Act, 1974 is issued & the adequacy of the treatment facility and to submit report to concerned Zonal Office within one month along with compliance of conditions of consent mentioned therein. In case, if the RO reports that the effluent generated from the industry is more than proposed Environment Clearance issued to it and/ or the revised water balance submitted by it; then the consent to operate granted to the unit shall be revoked without offering any opportunity of personal hearing to it.


  
**Environmental Engineer (PBIP)**  
for & on behalf of  
**Chief Environmental Engineer (PBIP)**

## A. GENERAL CONDITIONS

1. This consent is not valid for getting power load from the Punjab State Power Corporation Limited or for getting loan from the financial institutions.
2. The industry shall apply for renewal/further extension in validity of consent atleast two months before expiry of the consent.
3. The industry shall ensure that the effluent discharging through the authorized outlet shall conform to the prescribed standards as applicable from time to time.
4. The industry shall plant minimum of three suitable varieties of trees at the density of not less than 1000 trees per hectare all along the boundary of the industrial premises.
5. The achievement of the adequacy and efficiency of the effluent treatment plant/pollution control devices/recirculation system installed shall be the entire responsibility of the industry.
6. The industry shall ensure that the Hazardous Wastes generated from the premises are handled as per the provisions of the Hazardous Wastes(Management, Handling and Trans boundary Movement) Rules, 2008 as amended time to time , without any adverse effect on the environment, in any manner
7. The responsibility to monitor the effluent discharged from the authorized outlet and to maintain a record of the same rests with the industry. The Board shall only test check the accuracy of these reports for which the industry shall deposit the samples collection and testing fee with the Board as and when required.
8. The industry shall submit balance sheet of every financial year to the concerned Regional Office by 30th June of every year
9. The industry shall submit a yearly certificate to the effect that no addition/up-gradation/modification/modernization has been carried out during the previous year otherwise the industry shall apply for the varied consent.
10. During the period beginning from the date of issuance and the date of expiration of this consent, the applicant shall not discharge floating solids or visible foam.
11. Any amendments/revisions made by the Board in the tolerance limits for discharges shall be applicable to the industry from the date of such amendments/revisions
12. The industry shall not change or alter the manufacturing process(es) so as to change the quality and/or quantity of the effluents generated without the written permission of the Board.
13. Any upset conditions in the plant/plants of the factory, which is likely to result in increased effluent and/or result in violation of the standards lay down by the Board shall be reported to the Environmental Engineer,Punjab Pollution Control Board of concerned Regional Office immediately failing which any stoppage and upset conditions that come to the notice of the Board/its officers, will be deemed to be intentional violation of the conditions of consent.
14. The industry shall provide terminal manhole(s) at the end of each collection system and a manhole upstream of final outlet (s) out of the premises of the industry for measurement of flow and for taking Samples.
15. The industry shall for the purpose of measuring and recording the quantity of water consumed and effluent discharged, affix meters of such standards and at such places as approved by the Environmental Engineer,Punjab Pollution Control Board of the concerned Regional Office.
16. The industry shall maintain record regarding the operation of effluent treatment plant i.e. record of quantity of chemicals and energy utilized for treatment and sludge generated from treatment so as to satisfy the Board regarding regular and proper operation of pollution control equipment.

17. The industry shall provide online monitoring equipment for the parameters as decided by concerned Regional Office with the effluent treatment plant/air pollution control devices installed, if applicable.
18. The pollution control devices shall be interlocked with the manufacturing process of the industry.
19. The authorized outlet and mode of disposal shall not be changed without the prior written permission of the Board
20. The industry shall comply with the conditions imposed by the SEIAA / MOEF in the environmental clearance granted to it as required under EIA notification dated 14/9/06, if applicable.
21. The industry shall obtain and submit Insurance cover as required under the Public Liability Insurance Act, 1991
22. The industry shall not use any unauthorized out-let(s) for discharging effluents from its premises. All unauthorized outlets, if any, shall be connected to the authorized outlet within one month from the date of issue of this consent.
23. The industry shall make necessary arrangements for the monitoring of effluent being discharged by the industry and shall monitor its effluents:-
- (i) Once in Year for Small Scale Industries
  - (ii) Four in a Year for Large/Medium Scale Industries
  - (iii) The industry will submit monthly reading/ data of the separate energy meter installed for running of effluent treatment plant/re-circulation system to the concerned Regional Office of the Board by the 5th of the following month
24. The industry shall provide electromagnetic flow meters at the source of water supply, at inlet/outlet of effluent treatment plant within one month and shall maintain the record of the daily reading and submit the same to the concerned Regional Office by the 5th of the following month.
25. The Board reserves the right to revoke this consent at any time in case the industry is found violating any of the conditions of this consent and/or the provisions of Water (Prevention & Control of Pollution) Act, 1974 as amended from time to time.
26. The issuance of this consent does not convey any property right in either real or personal property, or any exclusive privileges, nor does it authorize any injury to private property or any invasion of personal rights, nor any infringement of Central, State or Local Laws or Regulations.
27. The consent does not authorize or approve the construction of any physical structures or facilities for undertaking of any work in any natural watercourse
28. Nothing in this consent shall be deemed to neither preclude the institution of any legal action nor relieve the applicant from any responsibilities, liabilities or penalties to which the applicant is or may be subjected under this or any other Act.
29. The industry shall make necessary and adequate arrangements to hold back the effluent in case of failure of septic tank.
30. The diversion or bye pass of any discharge from facilities utilized by the applicant to maintain compliance with the terms and conditions of this consent is prohibited except
- (i) Where unavoidable to prevent loss of life or some property damage or
  - (ii) Where excessive storm drainage or run off would damage facilities necessary for compliance with terms and conditions of this consent. The applicant shall immediately notify the consent issuing authority in writing of each such diversion or bye-pass.
31. The industry shall ensure that no water pollution problem is created in the area due to discharge of effluents from its industrial premises

32. The industry shall comply with the code of practice as notified by the Government/ Board for the type of industries where the siting guidelines/ code of practice have been notified
33. Solids, sludge, filter backwash or other pollutant removed from or resulting from treatment or control of waste waters shall be disposed off in such a manner to prevent any pollutants from such materials from entering into natural water.
34. The industry shall re-circulate the entire cooling water and shall also re-circulate/reuse to the maximum extent the treated effluent in processes
35. The industry shall make necessary and adequate arrangements to hold back the effluent in case of failure of re-circulation system/ effluent treatment plant.
36. The industry shall make proper disposal of the effluent so as to ensure that no stagnation occurs inside and outside the industrial premises during rainy season and no demand period
37. Where excessive storm water drainage or run off, would damage facilities necessary for compliance with terms and conditions of this consent, the applicant shall immediately notify the consent issuing authority in writing of each such diversion or bye-pass.
38. The industry shall submit a detailed plan showing therein the distribution system for conveying waste-water for application on land for irrigation along with the crop pattern for the year.
39. The industry shall ensure that the effluent discharged by it is toxicity free
40. The industry shall not irrigate the vegetable crops with the treated effluents which are used/ consumed as raw.
41. Drains causing oil & grease contamination shall will be segregated. Oil & grease trap shall be provided to recover oil & grease from the effluent.
42. The industry shall establish sufficient number of piezometer wells in consultation with the concerned Regional Office, of the Board to monitor the impact on the Ground Water Quantity due to the industrial operations, and the monitoring shall be submitted to the Environmental Engineer of the concerned Regional Office by the 5th of every month.
43. The industry shall ensure that its production capacity & quantity of trade effluent do not exceed the quantity mentioned in the consent and shall not carry out any expansion without the prior permission/NOC of the Board.

  
Environmental Engineer (PBIP)  
for & on behalf of  
Chief Environmental Engineer (PBIP)

## B. SPECIAL CONDITIONS

1. This varied consent to operate has been granted for manufacturing of ENA/RS/Ethanol @ 200 KLD, Ethanol @ 200 KLD (used completely for EBP Programme) & operation of two co-generation plants of capacity 10 MW each with CO<sub>2</sub> @ 320 TPD, Fuel Oil @ 4 TPD, DDGS @ 200 TPD as by-products, only.
2. The industry shall only manufacture the products and limit their quantities, for which it has been granted consent to operate from the Board. It shall not manufacture any other product without the prior written permission of the Board/ Competent Authority.
3. The industry shall not carry out any further expansion or modifications in the plant, without obtaining prior written permission from the Board and/ or revised Environment Clearance from the Competent Authority.
4. The industry shall comply with the conditions of the Environmental Clearance (EC) issued to it by MoEF&CC vide letter dated 31/12/2021.
5. The industry shall comply with the commitments made by it under Enterprise Social Commitment, as per the EC issued to it.
6. The industry will not exceed the discharge of effluent of more than 214 KLD (from WTP RO Reject, Boiler Blowdown, cooling purge water after treatment through ETP and domestic effluent after passing through septic tank) in accordance with the terms of Environment Clearance granted to it. Further, the industry shall immediately provide flow meter on the line(s) carrying treated. Untreated effluent within its premises and maintain proper record regarding the readings of the same, at all times.
7. The industry shall be bound to connect the online continuous effluent monitoring system (OCEMS) installed at ETP with the SPCB and CPCB online servers and calibrate these systems from time to time according to equipment supplier specification through labs recognized under Environment (Protection) Act, 1986 or NABL accredited laboratories. Further, it shall implement the guidelines/ SOP framed by the Board for operation & monitoring of OCEMS, within 07 days afterwards and submit compliance to the Board within 03 days, thereafter.
8. The industry shall regularly operate & maintain its effluent treatment plant and the treated effluent shall be reused in the process in accordance with the water balance submitted by it & as delineated in the Environment Clearance issued to it.
9. The industry shall develop adequate plantation area as well as permanent pipeline network for uniform distribution of wastewater in the entire plantation area, so that no stagnation of wastewater occurs inside, outside or in the plantation area at any time.
10. The industry shall not discharge any trade & domestic effluent (treated or untreated) into choc / drain /river or inland surface water at any time or any other unauthorized place by any unauthorized means and shall reuse the treated effluent in the process in accordance with the water balance submitted by it. Further, the industry shall stick to the water balance submitted by it.
11. The industry shall obtain all the statutory approvals/clearances from the concerned departments.
12. This Consent is being issued to the industry based upon the documents/ information submitted by it alongwith the online application form. The Board would be at liberty to take penal action against the industry and its responsible/ concerned person(s) in case information/document is detected as incorrect/false/misleading at any point of time, without any opportunity of Personal Hearing.
13. In case the industry fails to comply with the provisions of the Water (Prevention & Control of Pollution) Act, 1974, Air (Prevention & Control of Pollution) Act, 1981, Environment (Protection) Act, 1986 and/or any other environmental law applicable to the project and Rules, Circulars & Directions issued by the Board from time to time, action as deemed fit shall be taken against the industry.

- 201 -

**Environmental Engineer (PBIP)**  
for & on behalf of  
**Chief Environmental Engineer (PBIP)**



FORM: GW 01

Punjab Water Regulation and  
Development Authority

**PUNJAB WATER REGULATION AND DEVELOPMENT AUTHORITY**  
**SCO 149-152, SECTOR 17, CHANDIGARH – 160017**  
**APPLICATION FOR PERMISSION OF GROUNDWATER EXTRACTION**

18/05/2023

1		REGISTRATION DETAILS
1.1	NAME OF UNIT:	"M/s BCL Industries Limited"
1.2	WHETHER AD-INTERIM PERMISSION TAKEN (YES/NO)	Yes
	IF YES, Mention the details as below:	
1.2.2	AD-INTERIM UID	0120200280
1.2.3	AD-INTERIM PERMISSION NUMBER	
1.3	GSTIN of the UNIT/USER	03AAACB5510BIZO Copy of GST Registration Certificate of the company is enclosed as <b>Annexure 6</b> .
1.4	PAN OF UNIT/USER	AAACB5510B Copy of PAN Card of the company is enclosed as <b>Annexure 5</b> .
1.5.1	Whether Unit Falls Within the Zone Of Influence of a Wetland, as Notified by the Central Government, State Governments and by the Wetland Authorities (Y/N)	No
1.5.2	If Yes, please attach Consent/Approval of the Wetland Authority.	N/A
2		USER DETAILS
2.1	NAME OF THE USER (attach ID proof)	M/s BCL Industries Limited Copy of PAN Card of the company is enclosed as <b>Annexure 5</b> .
2.2	HEAD-OFFICE ADDRESS	Hazi Rattan Link Road, Bathinda, Punjab Pin code-151001
	PHONE	9915030211
	EMAIL	bcl@mittalgroup.co.in
	ANY OTHER	NA
2.3	TYPE OF OWNERSHIP OF THE UNIT (Proprietor/ Partnership/ Limited Liability Partnership (LLP)/ Company/ Society, Trust Others (please specify)	The firm M/s BCL Industries Limited is a Public Limited Company. MOA (Memorandum of Association) & AoA (Article of Association) of the company is enclosed as <b>Annexure 18</b> .
2.4	NAME(S) & DESIGNATION OF PROPRIETOR/ OWNER/ MANAGING PARTNER/ MD/ CEO	Sat Narain Goyal (Whole-Time Director) List of current directors of the company is enclosed as <b>Annexure 7(a)</b> .
2.5	NAME AND DESIGNATION OF PERSON(S) WHO HAS AUTHORIZED THE APPLICANT TO	Sat Narain Goyal (Whole-Time Director)

## Health & Safety Policy



**WE VALUE YOUR HEALTH ,**  
OUR HEALTH, SAFETY & ENVIRONMENT POLICY

**M/S BCL Industries &  
Infrastructures Limited,  
Village Sangat Kalan,  
Dabwali Road, Bathinda  
Punjab, India**

[www.bcl.ind.in](http://www.bcl.ind.in)

## HEALTH AND SAFETY POLICY

The company has Prepared a Policy in respect of health and safety of workers as:

The management declares its intention and commitment of company with all the relevant statutory requirements in regard to environment, health and safety of workers.

Senior GM (Unit – Head): Sh. Arvind Kumar Sharma

Assistant GM: Sh. Rajiv Vats

## ABOUT US

Established in 1976, BCL Industries & Infrastructure Ltd., our presence indeed cuts across the length and breadth of India. Our employees are guided by the 'vision to be the best' in the manner in which we operate, the best in the products that we deliver and the best in our value system and ethics.

We are one of the leading vertically integrated plants in the country with the capacity of processing 1000 metric tonnes per day. Being one of the most modern and biggest oil complexes in North India, we are the proud owner of oil mills, solvent extraction plants, rice sheller, chemical refinery, physical refinery and vanaspati plant.

It was early in 1976, at Bhatinda in Punjab where Shri D.D. Mittal, the group founder laid the foundation of a small Solvent Extraction Unit. Today BCL Industries & Infrastructure Ltd., is one of the largest vertically integrated edible oil complexes established in India. Our approach to modernization has always been to strive for the ultimate in the services industry.

Since the 1990s when we diversified into the Real Estate business we've created townships, group housings, malls, multiplexes, hotels and as part of our organic growth followed by group reputation, even players like Ansals API have joined hands with us in shaping up township projects.

Our most recent achievement has been the setting up of a distillation plant at Pathankot. Introducing an eco-friendly production and distribution system in our manufacturing process, today we have become the only company in India and the South asian region that has a forward and backward integrated distillery plant.

We ventured into information technology in 2000 and set up our infotech division as Knowledge Process Outsourcing (KPO) company rendering Content - Editing, Management, Electronic Document Management and Mining services to international publishing, legal, medical, helathcare, scientific and engineering research organizations with its development center at Chennai, India and CRM offices in London, UK and New York, USA.

**POSTAL ADDRESS OF FACTORY:**

BCL Industries & Infrastructures Limited

Village Sangat Kalan,

Dabwali Road, Bathinda

Punjab, India.

Cell: 098785-48628, 099150-30204

E-mail: chairman@mittalgroup.co.in

**CORPORATE OFFICE:**

BCL Industries & Infrastructure Limited

Hazi Rattan Link Road,

Bhatinda-151005,

Punjab, India

Phone: +91 164 2240163

Fax: +91 164 2240424

E-mail: [ceo@mittalgroup.co.in](mailto:ceo@mittalgroup.co.in)

**The management has implemented the health and safety policy by adopting following practices.**

- 1) It is the Policy of the factory that every responsible effort shall be made to provide and maintain safe and healthy working condition, environment and system of work all employees.
- 2) It shall also be the endeavor of the factory establishment to ensure that surrounding environment is not adversely effected by our work activity.
- 3) The prevention of accidents or accidents or accidents or accidents hazards leading to equipment/property is recognized as essential & integral part of efficient operations.
- 4) Every employee shall follow safety rules/regulations operating procedures/safe work method design to protect people and equipment from risk or injury or damage to property.
- 5) The factory shall endeavor to adequately train all employees suitably equipped them and instruct them to perform their duties in a safe and effective way by providing first aid training.
- 6) Every employee shall discharge his personal responsibility and shall corporate and actively participate in maintaining and improving safety standards.
- 7) A main policy will be framed in consultation with the workers and the policy will be distributed amongst workers. The health policy will be displayed at prominent place so that every worker is aware of it.
- 8) The doctor will be appointed for health check up of workers at regular intervals and related record shall be maintained.

- 9) Nose masks, refractory boots, hand gloves, fire proximity suit, fire entry suit, water jet blanket, sand scoop, safety helmets, stretcher oxygen breathing apparatus, low temperature protective clothing, low temperature rubbers and gloves, air restarting pump, fire helmets, wind cock indicator, unitized gas detector hand/electric siren(m range), fire retardant suit in addition to hose quantity will be provided.
- 10) First aid boxes will be kept ready and easily available to the workers in case of emergencies. Company will provide fastest possible medical aid.
- 11) Adequate supply of clean drinking water, neat and clean toilet and washing facilities will be provided in the factory. Proper ventilation and exhaust fans will be provided in the workshop & main sheds.
- 12) Proper safety & protection, steps and guards will be provided at all required places.
- 13) Firefighting equipment like sand buckets and fire extinguishers will be placed at various locations in the plant.
- 14) Emergency contact numbers will be displayed at the main entrance of the factory.

## **EQUIPMENT GIVEN TO WORKERS FOR SAFETY & HEALTH**

1. All safety equipments mention in the health and safety policy are provided.
2. Adequate fresh drinking water is supplied to all workers.

## **FIRST AID TREATMENT**

First Aid treatment is given to the effected persons. In case of an accident the following methods shall be adopted by the following persons:

- 1) The Occupier or any of the Directors of the company shall be Chief Coordinator. He will look after the arrangement. One of them shall be always available in the factory during emergency and will arrange the following:
  - To shift the victims to the hospital if required
  - To arrange vehicles & to bring the persons/experts required to take care of the incident like doctor, etc.
  - To get in touch with the civil Hospital/Nursing Home to get prepared to take care of the victims
  - To contact with other factories
  - To inform the Govt. Authorities
  - To liaison with the Govt. Authorities
  - They will be assisted by the following officers

Any person from the management of the factory shall contact other Factories, Civil Hospital/Nursing Homes, ESI hospital Police station at Sunder Nagar and also contact with the Manager in charge, Ambulance, Civil Hospital.

The above said person shall be responsible for controlling the disaster, shifting of victims from the spot and provide the victims with First Aid. The Occupier or any of the Directors of the company shall take care of the incident at the site and take all the necessary steps to normalize the situations.

# HEALTH REGISTER

NOTE:—(i) Column 8—Detailed summary of reasons for transfer or discharge should be stated  
 (ii) Column 11—Should be expressed as Fit/Unfit/Suspended.

(In respect of person, employed in occupations declared to be dangerous operations under section 87)

Name of Certifying Surgeons { (a) MS Ramandeep Goyal - MD Medicine to \_\_\_\_\_  
 (b) Ms Parul Gupta, MS (Eye). From \_\_\_\_\_  
 (c) Mr. \_\_\_\_\_ From \_\_\_\_\_ to \_\_\_\_\_

Sl. No.	Work No.	NAME OF WORKER	Sex	Age (last birth day)	Date of employment of present work	Date of leaving of transfer to other work	Reason for leaving or discharged	Nature of the Work or occupation	Raw material or by product handle	Dates of Medical Examination by Certifying Surgeon		If suspended from work state period of suspension with detailed reason	Re-certified fit to resume duty on (with Signature Certifying Surgeon)	If certified of unfitness or suspension issued to	Signature with date of Certifying Surgeon
										10	11				
1)	D0677	Balwant Singh	M	31yr	9-3-23	-	-	Chemist ETP		2-5-2023					
											BP - 133/70 Temp - 98°F Eye - G/G				
2)	D0655	Ritesh kr Singh	M	25yr	13-2-23			Operator DMP/HR							
											BP - 123/74 Temp - 98°F Eye - G/G				
3)	D0665	Mal keet Singh	M	33yr	1-5-21			Supervisor PES							
											BP - 138/93 Temp - 98°F Vision - 6/6				
4)	D0579	Pankaj kr Paul.	M	31yr	27-8-23			Operator Dryer							
											BP - 112/99. Temp - 98°F Vision - 6/6.				
5)	D0227	Jaswant Singh	M	32yr	12-2-23			Electrician							
											BP - 134/84 Temp - 98°F Vision - 6/6				
6)	D0703	Hirshal Singh	M	30yr	8-4-23										
											BP - 130/74 Temp - 98°F Vision - 6/6				

Signature of \_\_\_\_\_  
 (Factory Manager)

# HEALTH REGISTER

NOTE:—(i) Column 8—Detailed summary of reasons for transfer or discharge should be stated  
 (ii) Column 11—Should be expressed as Fit/Unfit/Suspended.

(In respect of person, employed in occupations declared to be dangerous operations under section 87)

Name of Certifying Surgeons { (a) Mr. \_\_\_\_\_ From \_\_\_\_\_ to \_\_\_\_\_  
 (b) Mr. \_\_\_\_\_ From \_\_\_\_\_ to \_\_\_\_\_  
 (c) Mr. \_\_\_\_\_ From \_\_\_\_\_ to \_\_\_\_\_

Serial No.	Work No.	NAME OF WORKER	Sex	Age (last birth day)	Date of employment of present work	Date of leaving of transfer to other work	Reason for leaving or discharged	Nature of the Work or occupation	Raw material or by product handle	Dates of Medical Examination by Certifying Surgeon.	Result of Medical Examination.	If suspended from work state period of suspension with detailed reason	Re-certified fit to resume duty on (with Signature Certifying Surgeon)	If certified of unfitness or suspension issued to	Signature with date of Certifying Surgeon
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	
1	Do 28	Varinder K	M		16-8-19					Mang Prod BP - 156/110 Temp - 98°F Vision - 6/6					
	Dehu	Vikram Singh	M		1-9-20					Date of birth BP - 132/83 Temp - 98°F Vision - 6/6					
		Thomas Singh	M		1-5-83					Fitter BP - 130/70 Mach Temp - 98°F Vision - 6/6					
	Do 5	Devenohr Singh	M		5-13					Dem BP - 122/84 Mach Temp - 98°F Vision - 6/6					
	Do	Kashmir Singh	M		23-23					Mang BP - 139/84 PP Vision - 6/6 Temp - 98°F					
		Varinder Singh	M		1-9-28					Mang BP - 136/76 PP Vision - 6/6					

For P.C.I. Industries Limited  
 (Factory Manager)  
 Anandwar  
 (Factory Manager)

# HEALTH REGISTER

NOTE :- (i) Column 8—Detailed summary of reasons for transfer or discharge should be stated  
 (ii) Column 11—Should be expressed as Fit/Unfit/Suspended.

(In respect of person, employed in occupations declared to be dangerous operations under section 87)

Name of Certifying Surgeons { (a) Mr. \_\_\_\_\_ From \_\_\_\_\_ to \_\_\_\_\_  
 (b) Mr. \_\_\_\_\_ From \_\_\_\_\_ to \_\_\_\_\_  
 (c) Mr. \_\_\_\_\_ From \_\_\_\_\_ to \_\_\_\_\_

Serial No.	Work No.	NAME OF WORKER	Sex	Age (last birth day)	Date of em- ploy- ment of present work	Date of leaving or transfer to other work	Reason for leaving or dis- charged	Nature of the Work or occu- pation	Raw material or by product handle	Dates of Medical Examination by Certifying Surgeon		Result of Medical Examination.	If suspended from work state period of suspension with detailed reasons	Re-certified fit to resume duty on (with Sig- nature Certifying Surgeon)	If certified of unfitness or suspension issued to	Signature with date of Certifying Surgeon
										11	12					
3	D068	Bhinder Singh	M	38y	16-1-23			fr weld			BP - 136/86 Vision - 6/6 Temp - 98°F					
4	D068	Munjeet Singh	M	32y	17-9-22			Foreman P.P.			BP - 126/70 Vision - 6/6 Temp - 98°F					
5	D063	Deepak Pal	M	26y	10-2-22						Clean BP - 115/73 Prod. Vision - 6/6 BPuls - 76					
6	D0710	Gurdeep Singh	M	44y	15-2-23						50p BP - 124/80 Yard Vision 6/6 Pulse 78. Temp - 98°F					
7	20231	Tirlok Chawal	M	45y	23-8-19			Electric P.P.			BP - 148/92 Vision - 6/6					

\_\_\_\_\_ Limited  
 \_\_\_\_\_  
 (Factory Manager)

# HEALTH REGISTER

NOTE:-(i) Column 8-Detailed summary of reasons for transfer or discharge should be stated  
 (ii) Column 11-Should be expressed as Fit/Unfit/Suspended.

(In respect of person, employed in occupations declared to be dangerous operations under section 87)

Name of Certifying Surgeons { (a) Mr. \_\_\_\_\_ From \_\_\_\_\_ to \_\_\_\_\_  
 (b) Mr. \_\_\_\_\_ From \_\_\_\_\_ to \_\_\_\_\_  
 (c) Mr. \_\_\_\_\_ From \_\_\_\_\_ to \_\_\_\_\_

Serial No.	Work No.	NAME OF WORKER	Sex	Age (last birth day)	Date of employment of present work	Date of leaving or transfer to other work	Reason for leaving or discharged	Nature of the Work or occupation	Raw material or by product handle	Date of Medical Examination by Certifying Surgeon.	Result of Medical Examination.	If suspended from work state period of suspension with detailed reason	Re-certified fit to resume duty on (with Signature Certifying Surgeon)	If certified of unfitness or suspension issued to	Signature with date of Certifying Surgeon
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	
18	00600	Shailesh Kr	M	24y	12-12-22			Chemist Distiller		3P - 110/72 Vision - 6/6 Pulse - 80					
19	00636	Santosh Kr	M	25y	12-12-22			Chemist Distiller		BP - 128/73 Vision - 6/6 Temp - 98°F					
20	00427	Manoj Singh	M	32y	15-9-20			Artifical Medic		BP - 133/85 Vision - 6/6 Temp - 98°F					
21	00225	Gurshub Singh	M	29y	1-12-26			Operator Dye		BP - 138/98 Vision - 6/6 Temp - 98°F					
22	00686	Manoj Ram	M	35y	12-12-23			Technician Operator		BP - 128/73 Vision - 6/6 Temp - 98°F					
23	00604	Manish Kr	M	27y	12-12-23			Artifical Dye		BP - 145/100 Vision - 6/6 Temp - 98°F					

# HEALTH REGISTER

NOTE :- (i) Column 8—Detailed summary of reasons for transfer or discharge should be stated  
 (ii) Column 11—Should be expressed as Fit/Unfit/Suspended.

(In respect of person, employed in occupations declared to be dangerous operations under section 87)

Name of Certifying Surgeons { (a) Mr. \_\_\_\_\_ From \_\_\_\_\_ to \_\_\_\_\_  
 (b) Mr. \_\_\_\_\_ From \_\_\_\_\_ to \_\_\_\_\_  
 (c) Mr. \_\_\_\_\_ From \_\_\_\_\_ to \_\_\_\_\_

Serial No.	Work No.	NAME OF WORKER	Sex	Age (last birth day)	Date of em- lo- ym- nt of present work	Date of leaving of transfer to other work	Reason for leaving or dis- charged	Nature of the Work or occu- pation	Raw material or by product handle	Dates of Medical Examination by Certifying Surgeon		If suspended from work state period of suspension with detailed reason	Re-certified fit to resume duty on (with Sig- nature Certifying Surgeon)	If certified of unfitness or suspension issued to	Signature with date of Certifying Surgeon
										10	11				
										Result of Medical Examination.					
										12	13	14	15		
24	2055	Lakshinder Singh	M	33y	8-11-91			operator DPM Unit		BP - 127/80 Vision - 6/6 Temp - 98°F					
25	2061	Ankit Yadav	M	22y	11-3-93			operator Kistler		BP - 114/72 Vision - 6/6 Temp 98°F					
26	2084	Anket Vikram Kumar	M	19y	15-9-93			operator Distiller		BP - 118/72 Vision - 6/6					
27	2070	Arun Kaphsis	M	33y	12-7-93			operator Kistler		BP - 122/70 Vision - 6/6 Temp 98°F					

For BCL Industries Limited  
 Distiller Unit

*(Signature)*  
 Sanjay Aggarwal  
 (Factory Manager)



GUPTA HOSPITAL

# ਗੁਪਤਾ ਹਸਪਤਾਲ ਅਤੇ ਦਰੋਮਾ ਸੈਂਟਰ

ਪਾਵਰ ਹਾਊਸ ਰੋਡ, ਬਠਿੰਡਾ



Goyal Hospital,  
151001 (Pb.)  
98150-23869  
979@gmail.com

ਨਾਮ	ਖੋਮਸ ਸਿੰਘ / ਪਾ	ਉਮਰ/ਲਿੰਗ	ਮਿਤੀ 25/5/23
ਪਤਾ	97791-03218		ਰਜਿ:

ANT CENTRE

**p Goyal**  
**ਪ ਗੋਇਲ**  
(icine) Ex. PCMS  
pital, Bathinda  
No. PMC 34070

11/17

**ਡਾ. ਅੰਮ੍ਰਿਤ ਗੁਪਤਾ**  
ਐਮ.ਐਸ.ਆਰਥੋ

6/6

**ਡਾ. ਮੋਹਿਤ ਗੁਪਤਾ**  
ਐਮ.ਐਸ.ਆਰਥੋ

6/6

ਐਮ.ਸੀ.ਐਚ.ਆਰਥੋ  
ਹੱਡੀਆਂ ਤੇ ਜੋੜਾਂ ਦੇ ਮਾਹਿਰ  
ਗੋਡੇ ਚੂਲੇ ਬਦਲਣ ਦੇ ਮਾਹਿਰ  
ਮੋ 81460-02241

*Various*  
*OK*

**ਡਾ. ਪਾਰੁਲ ਗੁਪਤਾ**  
ਐਮ.ਐਸ.ਆਈ

ਅੱਖਾਂ ਦੇ ਰੋਗਾਂ ਦੇ ਮਾਹਿਰ  
ਫੈਕੋ ਅਤੇ ਲੇਸਿਕ ਸਰਜਨ

*[Handwritten signature]*

Goyal  
PCMS  
34070  
ospital

NAME

02\_MAY\_2023 PM 12:05  
NO. 2422  
SN: 4630630

REF. DATA  
VD: 12.00 CYL: MIX  
S C A  
+ 0.30  
S. E. + 0.50  
<L> S C A  
+ 0.50 + 0.50 20  
S. E. + 0.75

PD: 69.5

TOPCON

ਸਕੈਟਰੀ ਅਤੇ ਫੁਡਾਓ ਕੇਂਦਰ	ਅੱਖਾਂ ਦੇ ਰੋਗਾਂ ਦੇ ਵਿਭਾਗ	ਔਰਤਾਂ ਦੇ ਰੋਗਾਂ ਦੇ ਵਿਭਾਗ	ਬਲੱਡ ਬੈਂਕ
---------------------------	----------------------------	----------------------------	-----------

(M) 99886-12241  
-52241, 99886-32241

Not Valid for Medico-Legal Purpose

- ♦ ਡਾਇਲਿਸਿਸ ਲਈ AV FISTULA
- ♦ ਐਕਸੀਡੈਂਟ ਕੇਸਾਂ ਦਾ ਇਲਾਜ
- ♦ ਹੱਡੀਆਂ ਅਤੇ ਜੋੜਾਂ ਦਾ ਇਲਾਜ
- ♦ ਜਲੇ ਹੋਏ ਮਰੀਜ਼ਾਂ ਦਾ ਇਲਾਜ
- ♦ HAIR TRANSPLANT
- ♦ ਲੇਜ਼ਰ ਨਾਲ ਅਣਚਾਹੇ ਵਾਲਾਂ ਦਾ ਇਲਾਜ
- ♦ ਟੈਟੂ ਅਤੇ SCAR ਨੂੰ ਕੱਢਣਾ

**TIMING : MONDAY TO SATURDAY**

Morning 10:00 am to 02:00 pm

Evening 05:00 pm to 07:00 pm

Sunday : 10:00 am to 02:00 pm

NOT VALID FOR MEDICO LEGAL PURPOSE

**ਐਮਰਜੈਂਸੀ ਸੇਵਾਵਾਂ 24 ਘੰਟੇ ਲਈ ਉਪਲਬਧ ਹੈ।**



# Cosmo

SUPER SPECIALITY HOSPITAL  
ਕੋਸਮੋ ਸੁਪਰ ਸਪੈਸ਼ਲਿਟੀ ਹਸਪਤਾਲ

100 Ft. Road, Near Dr. Maheshwari Hospital,  
Bathinda - 151001 (Pb.)  
Ph. 0164-5011301, 98150-23869  
E-mail : drramangoyal1979@gmail.com

**COMPLETE MEDICAL, TRAUMA, COSMETIC, LASER & HAIR TRANSPLANT CENTRE**

## ਸੁਵਿਧਾਵਾਂ

- ◆ ਦਿਲ, ਫਾਤੀ ਅਤੇ ਪੇਟ ਦੇ ਰੋਗਾਂ ਦਾ ਇਲਾਜ
- ◆ ਸ਼ੂਗਰ, ਬਲੱਡ ਪ੍ਰੈਸ਼ਰ, ਬਾਇਰਾਇਡ ਅਤੇ ਗਠਿਆ ਦਾ ਇਲਾਜ
- ◆ ਕਰੋਨਾ, ਡੈਂਗੂ, ਮਲੇਰੀਆ, ਅਤੇ ਸਵਾਈਨ ਫਲੂ ਆਦਿ ਬਿਮਾਰੀਆਂ ਦਾ ਇਲਾਜ
- ◆ ਸਪਰੇ ਅਤੇ ਸੱਪ ਕੱਟੇ ਮਰੀਜ਼ਾਂ ਦਾ ਇਲਾਜ
- ◆ ਅਧਰੰਗ, ਮਿਰਗੀ ਅਤੇ ਦਿਮਾਗੀ ਬਿਮਾਰੀਆਂ ਦਾ ਇਲਾਜ
- ◆ ਕੰਪਿਊਟਰਾਇਜ਼ਡ ਲੈਬ, ਡਿਜੀਟਲ ਐਕਸ-ਰੇ
- ◆ ਆਈ.ਸੀ.ਯੂ., ਵੇਂਟੀਲੇਟਰ ਅਤੇ ਪ੍ਰਾਈਵੇਟ ਏ.ਸੀ. ਰੂਮ

## ਹੋਰ ਸੁਵਿਧਾਵਾਂ

- ◆ ਪਲਾਸਟਿਕ ਸਰਜਰੀ ਦੀ ਸੁਵਿਧਾ
- ◆ ਡਾਇਲਿਸਿਸ ਲਈ AV FISTULA
- ◆ ਐਕਸੀਡੈਂਟ ਕੇਸਾਂ ਦਾ ਇਲਾਜ
- ◆ ਹੱਡੀਆਂ ਅਤੇ ਜੋੜਾਂ ਦਾ ਇਲਾਜ
- ◆ ਜਲੇ ਹੋਏ ਮਰੀਜ਼ਾਂ ਦਾ ਇਲਾਜ
- ◆ HAIR TRANSPLANT
- ◆ ਲੇਜ਼ਰ ਨਾਲ ਅਣਚਾਹੇ ਵਾਲਾਂ ਦਾ ਇਲਾਜ
- ◆ ਟੈਟੂ ਅਤੇ SCAR ਨੂੰ ਕੱਢਣਾ

**Dr. Raman K. Goyal**

**ਡਾ. ਰਮਨ ਗੋਇਲ**

MBBS, MS, Mch Plastic Surgery  
Trauma, Burn & Cosmetic Super Specialist  
Formerly at CMC Ludhiana  
Regd. No. PMC-32766

**Dr. Ramandeep Goyal**

**ਡਾ. ਰਮਨਦੀਪ ਗੋਇਲ**

MD (Medicine) Ex. PCMS  
Formerly Med. Sp. Civil Hospital, Bathinda  
Regd. No. PMC 34070

Thomas Singh 4/1/21  
B.P - 130/70

Dr. Ramandeep Goyal  
MD Medicine, Ex PCMS  
PMC No. 34070  
Cosmo Superspeciality Hospital

**TIMING : MONDAY TO SATURDAY**

Morning 10:00 am to 02:00 pm

Evening 05:00 pm to 07:00 pm

Sunday : 10:00 am to 02:00 pm

**NOT VALID FOR MEDICO LEGAL PURPOSE**

**ਐਮਰਜੈਂਸੀ ਸੇਵਾਵਾਂ 24 ਘੰਟੇ ਲਈ ਉਪਲਬੱਧ ਹੈ।**



GUPTA HOSPITAL

# ਗੁਪਤਾ ਹਸਪਤਾਲ ਅਤੇ ਦਰੋਮਾ ਸੈਂਟਰ

ਪਾਵਰ ਹਾਊਸ ਰੋਡ, ਬਠਿੰਡਾ



ਨਾਮ ਵਿਕਰਮ ਸਿੰਘ | 37 ਉਮਰ/ਲਿੰਗ ਮਿਤੀ 2/5/23  
 ਪਤਾ 81464 - 01717 ਰਜਿ:

ਡਾ. ਅੰਮ੍ਰਿਤ ਗੁਪਤਾ  
ਐਮ.ਐਸ.ਆਰਥੋ

ਡਾ. ਮੋਹਿਤ ਗੁਪਤਾ  
ਐਮ.ਐਸ.ਆਰਥੋ  
ਐਮ.ਸੀ.ਐਚ.ਆਰਥੋ  
ਹੱਡੀਆਂ ਤੇ ਜੋੜਾਂ ਦੇ ਮਾਹਿਰ  
ਗੋਡੇ ਚੂਲੇ ਬਦਲਣ ਦੇ ਮਾਹਿਰ  
ਮੋ 81460-02241

ਡਾ. ਪਾਰੁਲ ਗੁਪਤਾ  
ਐਮ.ਐਸ.ਆਈ  
ਅੱਖਾਂ ਦੇ ਰੋਗਾਂ ਦੇ ਮਾਹਿਰ  
ਫੈਕੋ ਅਤੇ ਲੇਸਿਕ ਸਰਜਨ

6/6  
6/6

*Union*

NAME  
 02\_MAY\_2023 AM 11:21  
 NO. 2396  
 SN: 4630630  
 REF. DATA  
 VD: 12.00 CYL: MIX  
 <R> S C A  
 + 0.50  
 S. E. + 0.50  
 <L> S C A  
 + 0.25  
 S. E. + 0.25  
 PD: 67.0  
 TOPCON

ਰੀ ਅਤੇ ਓ ਕੇਂਦਰ 99886-12241	ਅੱਖਾਂ ਦੇ ਰੋਗਾਂ ਦੇ ਵਿਭਾਗ 11, 99886-32241	ਔਰਤਾਂ ਦੇ ਰੋਗਾਂ ਦੇ ਵਿਭਾਗ	ਬਲੱਡ ਬੈਂਕ
----------------------------------	---	----------------------------	-----------

Not Valid for Medico-Legal Purpose

- ◆ ਡਾ. ਦਲਾਸ ਲਈ AV FISTULA
- ◆ ਐਕਸੀਡੈਂਟ ਕੇਸਾਂ ਦਾ ਇਲਾਜ
- ◆ ਹੱਡੀਆਂ ਅਤੇ ਜੋੜਾਂ ਦਾ ਇਲਾਜ
- ◆ ਜਲੇ ਹੋਏ ਮਰੀਜ਼ਾਂ ਦਾ ਇਲਾਜ
- ◆ HAIR TRANSPLANT
- ◆ ਲੇਜ਼ਰ ਨਾਲ ਅਣਚਾਹੇ ਵਾਲਾਂ ਦਾ ਇਲਾਜ
- ◆ ਟੈਟੂ ਅਤੇ SCAR ਨੂੰ ਕੱਢਣਾ

**TIMING : MONDAY TO SATURDAY**  
 Morning 10:00 am to 02:00 pm  
 Evening 05:00 pm to 07:00 pm  
 Sunday : 10:00 am to 02:00 pm

NOT VALID FOR MEDICO LEGAL PURPOSE

QUALITY HOSPITAL  
ਕੋਸਮੋ ਸੁਪਰ ਸਪੈਸ਼ਲਿਟੀ ਹਸਪਤਾਲ

# Cosmo

SUPER SPECIALITY HOSPITAL  
ਕੋਸਮੋ ਸੁਪਰ ਸਪੈਸ਼ਲਿਟੀ ਹਸਪਤਾਲ

100 Ft. Road, Near Dr. Maheshwari Hospital,  
Bathinda - 151001 (Pb.)  
Ph. 0164-5011301, 98150-23869  
E-mail : drramangoyal1979@gmail.com

**COMPLETE MEDICAL, TRAUMA, COSMETIC, LASER & HAIR TRANSPLANT CENTRE**

## ਸੁਵਿਧਾਵਾਂ

- ◆ ਦਿਲ, ਫਾਤੀ ਅਤੇ ਪੇਟ ਦੇ ਰੋਗਾਂ ਦਾ ਇਲਾਜ
- ◆ ਸ਼ੂਗਰ, ਬਲੱਡ ਪ੍ਰੈਸ਼ਰ, ਥਾਇਰਾਇਡ ਅਤੇ ਗਠਿਆ ਦਾ ਇਲਾਜ
- ◆ ਕਰੋਨਾ, ਡੈਂਗੂ, ਮਲੇਰੀਆ, ਅਤੇ ਸਵਾਈਨ ਫਲੂ ਆਦਿ ਬਿਮਾਰੀਆਂ ਦਾ ਇਲਾਜ
- ◆ ਸਪਰੇ ਅਤੇ ਸੱਪ ਕੱਟੇ ਮਰੀਜ਼ਾਂ ਦਾ ਇਲਾਜ
- ◆ ਅਧਰੰਗ, ਮਿਰਗੀ ਅਤੇ ਦਿਮਾਗੀ ਬਿਮਾਰੀਆਂ ਦਾ ਇਲਾਜ
- ◆ ਕੰਪਿਊਟਰਾਇਜ਼ਡ ਲੈਬ, ਡਿਜੀਟਲ ਐਕਸ-ਰੇ
- ◆ ਆਈ.ਸੀ.ਯੂ., ਵੇਂਟੀਲੇਟਰ ਅਤੇ ਪ੍ਰਾਈਵੇਟ ਏ.ਸੀ. ਰੂਮ

## ਹੋਰ ਸੁਵਿਧਾਵਾਂ

- ◆ ਪਲਾਸਟਿਕ ਸਰਜਰੀ ਦੀ ਸੁਵਿਧਾ
- ◆ ਡਾਇਲਿਸਿਸ ਲਈ AV FISTULA
- ◆ ਐਕਸੀਡੈਂਟ ਕੇਸਾਂ ਦਾ ਇਲਾਜ
- ◆ ਹੱਡੀਆਂ ਅਤੇ ਜੋੜਾਂ ਦਾ ਇਲਾਜ
- ◆ ਜਲੇ ਹੋਏ ਮਰੀਜ਼ਾਂ ਦਾ ਇਲਾਜ
- ◆ HAIR TRANSPLANT
- ◆ ਲੇਜ਼ਰ ਨਾਲ ਅਣਚਾਹੇ ਵਾਲਾਂ ਦਾ ਇਲਾਜ
- ◆ ਟੈਟੂ ਅਤੇ SCAR ਨੂੰ ਕੱਢਣਾ

### Dr. Raman K. Goyal

ਡਾ. ਰਮਨ ਗੋਇਲ

MBBS, MS, Mch Plastic Surgery  
Trauma, Burn & Cosmetic Super Specialist  
Formerly at CMC Ludhiana  
Regd. No. PMC-32766

### Dr. Ramandeep Goyal

ਡਾ. ਰਮਨਦੀਪ ਗੋਇਲ

MD (Medicine) Ex. PCMS  
Formerly Med. Sp. Civil Hospital, Bathinda  
Regd. No. PMC 34070

Vikram Singh 37/x  
B.P - 132/83

  
Dr. Ramandeep Goyal  
MD Medicine, Ex PCMS  
PMC No. 34070  
Cosmo Superspeciality Hospital

#### TIMING : MONDAY TO SATURDAY

Morning 10:00 am to 02:00 pm

Evening 05:00 pm to 07:00 pm

Sunday : 10:00 am to 02:00 pm

NOT VALID FOR MEDICO LEGAL PURPOSE

ਐਮਰਜੈਂਸੀ ਸੇਵਾਵਾਂ 24 ਘੰਟੇ ਲਈ ਉਪਲਬਧ ਹੈ।



# ਗੁਪਤਾ ਹਸਪਤਾਲ ਅਤੇ ਦਰੋਮਾ ਸੈਂਟਰ

ਪਾਵਰ ਹਾਊਸ ਰੋਡ, ਬਠਿੰਡਾ



Goyal Hospital,  
151001 (Pb.)  
98150-23869  
79@gmail.com

ਨਾਮ	ਵਿਠੋ ਕੁਸ਼ਾਹ / 43	ਉਮਰ/ਲਿੰਗ	ਮਿਤੀ 2/5/23
ਪਤਾ	735540944		

ENT CENTRE

Dr. Goyal  
ਪ ਗੋਇਲ  
(line) Ex. PCMS  
Hospital, Bathinda  
No. PMC 34070

43/Y

ਡਾ. ਅੰਮ੍ਰਿਤ ਗੁਪਤਾ  
ਐਮ.ਐਸ.ਆਰਥੋ

ਡਾ. ਮੋਹਿਤ ਗੁਪਤਾ  
ਐਮ.ਐਸ.ਆਰਥੋ  
ਐਮ.ਸੀ.ਐਚ.ਆਰਥੋ  
ਹੱਡੀਆਂ ਤੇ ਜੋੜਾਂ ਦੇ ਮਾਹਿਰ  
ਗੋਡੇ ਚੂਲੇ ਬਦਲਣ ਦੇ ਮਾਹਿਰ  
ਮੋ 81460-02241

6/6  
6/6

Vishwan BQ

ਡਾ. ਪਾਰੁਲ ਗੁਪਤਾ  
ਐਮ.ਐਸ.ਆਈ  
ਅੱਖਾਂ ਦੇ ਰੋਗਾਂ ਦੇ ਮਾਹਿਰ  
ਫੈਕੋ ਅਤੇ ਲੇਸਿਕ ਸਰਜਨ

*[Handwritten signature]*

NAME

02\_MAY\_2023 PM 12:15  
NO. 2427  
SN: 4630630

REF. DATA

VD: 12.00 CYL: MIX

<R>	S	C	A
0.50	+ 0.25	176	
	S. E.	+ 0.75	
<L>	S	C	A
+ 0.25	- 0.50	100	
	S. E.	- 0.00	

PD: 61.5

TOPCON

yal  
:MS  
.070  
pital

ਕੈਟਰੀ ਅਤੇ ਫੁਡਾਓ ਕੇਂਦਰ	ਅੱਖਾਂ ਦੇ ਰੋਗਾਂ ਦੇ ਵਿਭਾਗ	ਔਰਤਾਂ ਦੇ ਰੋਗਾਂ ਦੇ ਵਿਭਾਗ	ਬਲੱਡ ਬੈਂਕ
--------------------------	----------------------------	----------------------------	-----------

(M) 99886-12241  
-52241, 99886-32241

Not Valid for Medico-Legal Purpose

**TIMING : MONDAY TO SATURDAY**  
Morning 10:00 am to 02:00 pm  
Evening 05:00 pm to 07:00 pm  
Sunday : 10:00 am to 02:00 pm

NOT VALID FOR MEDICO LEGAL PURPOSE

ਐਮਰਜੈਂਸੀ ਸੇਵਾਵਾਂ 24 ਘੰਟੇ ਲਈ ਉਪਲਬੱਧ ਹੈ।

- ◆ ਡਾਇਲਿਸਿਸ ਲਈ AV FISTULA
- ◆ ਐਕਸੀਡੈਂਟ ਕੇਸਾਂ ਦਾ ਇਲਾਜ
- ◆ ਹੱਡੀਆਂ ਅਤੇ ਜੋੜਾਂ ਦਾ ਇਲਾਜ
- ◆ ਜਲੇ ਹੋਏ ਮਰੀਜ਼ਾਂ ਦਾ ਇਲਾਜ
- ◆ HAIR TRANSPLANT
- ◆ ਲੇਜ਼ਰ ਨਾਲ ਅਣਚਾਹੇ ਵਾਲਾਂ ਦਾ ਇਲਾਜ
- ◆ ਟੈਟੂ ਅਤੇ SCAR ਨੂੰ ਕੱਢਣਾ



# Cosmo

SUPER SPECIALITY HOSPITAL  
ਕੋਸਮੋ ਸੁਪਰ ਸਪੈਸ਼ਲਿਟੀ ਹਸਪਤਾਲ

100 Ft. Road, Near Dr. Maheshwari Hospital,  
Bathinda - 151001 (Pb.)  
Ph. 0164-5011301, 98150-23869  
E-mail : drramangoyal1979@gmail.com

**COMPLETE MEDICAL, TRAUMA, COSMETIC, LASER & HAIR TRANSPLANT CENTRE**

## ਸੁਵਿਧਾਵਾਂ

- ◆ ਦਿਲ, ਛਾਤੀ ਅਤੇ ਪੇਟ ਦੇ ਰੋਗਾਂ ਦਾ ਇਲਾਜ
- ◆ ਸ਼ੂਗਰ, ਬਲੱਡ ਪ੍ਰੈਸ਼ਰ, ਬਾਇਰਾਇਡ ਅਤੇ ਗਠਿਆ ਦਾ ਇਲਾਜ
- ਕਰੋਨਾ, ਡੈਂਗੂ, ਮਲੇਰੀਆ, ਅਤੇ ਸਵਾਈਨ ਫਲੂ ਆਦਿ ਬਿਮਾਰੀਆਂ ਦਾ ਇਲਾਜ
- ◆ ਸਪਰੇ ਅਤੇ ਸੱਪ ਕੱਟੇ ਮਰੀਜ਼ਾਂ ਦਾ ਇਲਾਜ
- ◆ ਅਧਰੰਗ, ਮਿਰਗੀ ਅਤੇ ਦਿਮਾਗੀ ਬਿਮਾਰੀਆਂ ਦਾ ਇਲਾਜ
- ◆ ਕੰਪਿਊਟਰਾਇਜ਼ਡ ਲੈਬ, ਡਿਜੀਟਲ ਐਕਸ-ਰੇ
- ਆਈ.ਸੀ.ਯੂ., ਵੇਂਟੀਲੇਟਰ ਅਤੇ ਪ੍ਰਾਈਵੇਟ ਏ.ਸੀ. ਰੂਮ

### Dr. Raman K. Goyal

ਡਾ. ਰਮਨ ਗੋਇਲ

MBBS, MS, Mch Plastic Surgery  
Trauma, Burn & Cosmetic Super Specialist  
Formerly at CMC Ludhiana  
Regd. No. PMC-32766

### Dr. Ramandeep Goyal

ਡਾ. ਰਮਨਦੀਪ ਗੋਇਲ

MD (Medicine) Ex. PCMS  
Formerly Med. Sp. Civil Hospital, Bathinda  
Regd. No. PMC 34070

Vaishali Kumar 43/2  
B.P. 156/100

Dr. Ramandeep Goyal  
MD Medicine, Ex PCMS  
PMC No. 34070  
Cosmo Superspeciality Hospital

## ਹੋਰ ਸੁਵਿਧਾਵਾਂ

- ◆ ਪਲਾਸਟਿਕ ਸਰਜਰੀ ਦੀ ਸੁਵਿਧਾ
- ◆ ਡਾਇਲਿਸਿਸ ਲਈ AV FISTULA
- ◆ ਐਕਸੀਡੈਂਟ ਕੇਸਾਂ ਦਾ ਇਲਾਜ
- ◆ ਹੱਡੀਆਂ ਅਤੇ ਜੋੜਾਂ ਦਾ ਇਲਾਜ
- ◆ ਜਲੇ ਹੋਏ ਮਰੀਜ਼ਾਂ ਦਾ ਇਲਾਜ
- ◆ HAIR TRANSPLANT
- ◆ ਲੇਜ਼ਰ ਨਾਲ ਅਣਚਾਹੇ ਵਾਲਾਂ ਦਾ ਇਲਾਜ
- ◆ ਟੈਟੂ ਅਤੇ SCAR ਨੂੰ ਕੱਢਣਾ

**TIMING : MONDAY TO SATURDAY**

Morning 10:00 am to 02:00 pm

Evening 05:00 pm to 07:00 pm

Sunday : 10:00 am to 02:00 pm

**NOT VALID FOR MEDICO LEGAL PURPOSE**

ਐਮਰਜੈਂਸੀ ਸੇਵਾਵਾਂ 24 ਘੰਟੇ ਲਈ ਉਪਲਬੱਧ ਹੈ।



# ਗੁਪਤਾ ਹਸਪਤਾਲ ਅਤੇ ਦਰੋਮਾ ਸੈਂਟਰ

ਪਾਵਰ ਹਾਊਸ ਰੋਡ, ਬਠਿੰਡਾ



wari Hospital,  
151001 (Pb.)  
98150-23869  
979@gmail.com

ਨਾਮ	ਨਿਰਮਲਿਕਾ / 29	ਉਮਰ/ਲਿੰਗ	ਮਿਤੀ 2/5/23
ਪਤਾ	98772-08423	ਰਜਿ:	

ਡਾ. ਅੰਮ੍ਰਿਤ ਗੁਪਤਾ  
ਐਮ.ਐਸ.ਆਰਥੋ

ਡਾ. ਮੋਹਿਤ ਗੁਪਤਾ  
ਐਮ.ਐਸ.ਆਰਥੋ

ਐਮ.ਸੀ.ਐਚ.ਆਰਥੋ  
ਹੱਡੀਆਂ ਤੇ ਜੋੜਾਂ ਦੇ ਮਾਹਿਰ  
ਗੋਡੇ ਚੂਲੇ ਬਦਲਣ ਦੇ ਮਾਹਿਰ  
ਮੋ 81460-02241

ਡਾ. ਪਾਰੁਲ ਗੁਪਤਾ  
ਐਮ.ਐਸ.ਆਈ  
ਅੱਖਾਂ ਦੇ ਰੋਗਾਂ ਦੇ ਮਾਹਿਰ  
ਜੈਵੇ ਅਤੇ ਲੇਜ਼ਰ ਸਰਜਨ

G/G

✓ Mook ok

✓

ANT CENTRE

Dr. Goyal  
ਪੀਪ ਗੋਇਲ  
Orthopedic (Spine) Ex. PCMS  
Hospital, Bathinda  
No. PMC 34070

9/8

NAME  
02\_MAY\_2023 AM 11:39  
NO. 2404  
SN: 4630630  
REF. DATA  
VD: 12.00 CYL: MIX  
<R> S C A  
+ 0.25 - 0.50 2  
S. E. - 0.00  
<L> S C A  
- 0.00  
S. E. - 0.00  
0: 64.5

TOPCON

ਸਕੈਟਰੀ ਅਤੇ ਨਸ਼ਾ ਛੁਡਾਓ ਕੇਂਦਰ ਮੋ: (M) 99886-12241 987-52241, 99886-32241	ਅੱਖਾਂ ਦੇ ਰੋਗਾਂ ਦੇ ਵਿਭਾਗ	ਔਰਤਾਂ ਦੇ ਰੋਗਾਂ ਦੇ ਵਿਭਾਗ	ਬਲੱਡ ਬੈਂਕ
---	----------------------------	----------------------------	-----------

Not Valid for Medico-Legal Purpose

- ♦ ਪਲਾਸਟਿਕ ਸਰਜਰੀ ਦਾ ਗੁਪਤਾ
- ♦ ਡਾਇਲਿਸਿਸ ਲਈ AV FISTULA
- ♦ ਐਕਸੀਡੈਂਟ ਕੇਸਾਂ ਦਾ ਇਲਾਜ
- ♦ ਹੱਡੀਆਂ ਅਤੇ ਜੋੜਾਂ ਦਾ ਇਲਾਜ
- ♦ ਜਲੇ ਹੋਏ ਮਰੀਜ਼ਾਂ ਦਾ ਇਲਾਜ
- ♦ HAIR TRANSPLANT
- ♦ ਲੇਜ਼ਰ ਨਾਲ ਅਣਚਾਹੇ ਵਾਲਾਂ ਦਾ ਇਲਾਜ
- ♦ ਟੈਟੂ ਅਤੇ SCAR ਨੂੰ ਕੱਢਣਾ

TIMING : MONDAY TO SATURDAY

Morning 10:00 am to 02:00 pm

Evening 05:00 pm to 07:00 pm

Sunday : 10:00 am to 02:00 pm

NOT VALID FOR MEDICO LEGAL PURPOSE

ਐਮਰਜੈਂਸੀ ਸੇਵਾਵਾਂ 24 ਘੰਟੇ ਲਈ ਉਪਲਬਧ ਹੈ।



# Cosmo

## SUPER SPECIALITY HOSPITAL

ਕੋਸਮੋ ਸੁਪਰ ਸਪੈਸ਼ਲਿਟੀ ਹਸਪਤਾਲ

100 Ft. Road, Near Dr. Maheshwari Hospital,  
Bathinda - 151001 (Pb.)  
Ph. 0164-5011301, 98150-23869  
E-mail : drramangoyal1979@gmail.com

**COMPLETE MEDICAL, TRAUMA, COSMETIC, LASER & HAIR TRANSPLANT CENTRE**

### ਸੁਵਿਧਾਵਾਂ

- ◆ ਦਿਲ, ਛਾਤੀ ਅਤੇ ਪੇਟ ਦੇ ਰੋਗਾਂ ਦਾ ਇਲਾਜ
- ◆ ਸ਼ੂਗਰ, ਬਲੱਡ ਪ੍ਰੈਸ਼ਰ, ਥਾਇਰਾਇਡ ਅਤੇ ਗਠਿਆ ਦਾ ਇਲਾਜ
- ◆ ਕਰੋਨਾ, ਡੈਂਗੂ, ਮਲੇਰੀਆ, ਅਤੇ ਸਵਾਈਨ ਫਲੂ ਆਦਿ ਬਿਮਾਰੀਆਂ ਦਾ ਇਲਾਜ
- ◆ ਸਪਰੇ ਅਤੇ ਸੱਪ ਕੱਟੇ ਮਰੀਜ਼ਾਂ ਦਾ ਇਲਾਜ
- ◆ ਅਧਰੰਗ, ਮਿਰਗੀ ਅਤੇ ਦਿਮਾਗੀ ਬਿਮਾਰੀਆਂ ਦਾ ਇਲਾਜ
- ◆ ਕੰਪਿਊਟਰਾਇਜ਼ਡ ਲੇਜ਼, ਡਿਜੀਟਲ ਐਕਸ-ਰੇ
- ◆ ਆਈ.ਸੀ.ਯੂ., ਵੇਂਟੀਲੇਟਰ ਅਤੇ ਪ੍ਰਾਈਵੇਟ ਏ.ਸੀ. ਰੂਮ

### ਹੋਰ ਸੁਵਿਧਾਵਾਂ

- ◆ ਪਲਾਸਟਿਕ ਸਰਜਰੀ ਦੀ ਸੁਵਿਧਾ
- ◆ ਡਾਇਲਿਸਿਸ ਲਈ AV FISTULA
- ◆ ਐਕਸੀਡੈਂਟ ਕੇਸਾਂ ਦਾ ਇਲਾਜ
- ◆ ਹੱਡੀਆਂ ਅਤੇ ਜੋੜਾਂ ਦਾ ਇਲਾਜ
- ◆ ਜਲੇ ਹੋਏ ਮਰੀਜ਼ਾਂ ਦਾ ਇਲਾਜ
- ◆ HAIR TRANSPLANT
- ◆ ਲੇਜ਼ਰ ਨਾਲ ਅਣਚਾਹੇ ਵਾਲਾਂ ਦਾ ਇਲਾਜ
- ◆ ਟੈਟੂ ਅਤੇ SCAR ਨੂੰ ਕੱਢਣਾ

### Dr. Raman K. Goyal

#### ਡਾ. ਰਮਨ ਗੋਇਲ

MBBS, MS, Mch Plastic Surgery  
Trauma, Burn & Cosmetic Super Specialist  
Formerly at CMC Ludhiana  
Regd. No. PMC-32766

### Dr. Ramandeep Goyal

#### ਡਾ. ਰਮਨਦੀਪ ਗੋਇਲ

MD (Medicine) Ex. PCMS  
Formerly Med. Sp. Civil Hospital, Bathinda  
Regd. No. PMC 34070

*Nirmal Singh 29/8*  
*B.P - 130/74*

Dr. Ramandeep Goyal  
MD Medicine, Ex PCMS  
PMC No. 34070  
Cosmo Superspeciality Hospital

#### TIMING : MONDAY TO SATURDAY

Morning 10:00 am to 02:00 pm

Evening 05:00 pm to 07:00 pm

Sunday : 10:00 am to 02:00 pm

NOT VALID FOR MEDICO LEGAL PURPOSE

ਐਮਰਜੈਂਸੀ ਸੇਵਾਵਾਂ 24 ਘੰਟੇ ਲਈ ਉਪਲਬਧ ਹੈ।



# ਗੁਪਤਾ ਹਸਪਤਾਲ ਅਤੇ ਟਰੋਮਾ ਸੈਂਟਰ

ਪਾਵਰ ਹਾਊਸ ਰੋਡ, ਬਠਿੰਡਾ



Goyal Hospital,  
151001 (Pb.)  
98150-23869  
9799@gmail.com

ਨਾਮ ਜਸਵੰਤ ਸਿੰਘ / 32 ਸਾਲ ਉਮਰ/ਲਿੰਗ ਮਿਤੀ 24/5/23  
 ਪਤਾ 94179-27997 ਰਾਜ:

ਡਾ. ਅੰਮ੍ਰਿਤ ਗੁਪਤਾ  
ਐਮ.ਐਸ.ਆਰਥੋ

ਡਾ. ਮੋਹਿਤ ਗੁਪਤਾ  
ਐਮ.ਐਸ.ਆਰਥੋ

ਐਮ.ਸੀ.ਐਚ.ਆਰਥੋ  
ਹੱਡੀਆਂ ਤੇ ਜੋੜਾਂ ਦੇ ਮਾਹਿਰ  
ਗੋਡੇ ਚੂਲੇ ਬਦਲਣ ਦੇ ਮਾਹਿਰ  
ਮੋ 81460-02241

ਡਾ. ਪਾਰੁਲ ਗੁਪਤਾ  
ਐਮ.ਐਸ.ਆਈ

ਅੱਖਾਂ ਦੇ ਰੋਗਾਂ ਦੇ ਮਾਹਿਰ  
ਫੈਕੋ ਅਤੇ ਲੇਸਿਕ ਸਰਜਨ

6/6  
6/6  
Vision ok

ANT CENTRE

Dr. Goyal  
ਪੀ ਗੋਇਲ  
Medicine Ex. PCMS  
Hospital, Bathinda  
No. PMC 34070

NAME

02\_MAY\_2023 AM 10:52  
NO. 2389  
SN: 4630630

REF. DATA

VD: 12.00 CYL: MIX  
 <R> S C A  
 + 0.25 + 0.25 134  
 S. E. + 0.50  
 <L> S C A  
 + 0.50  
 S. E. + 0.50

PD: 68.5

TOPCON

ਕੈਟਰੀ ਅਤੇ  
ਫੁਡਾਓ ਕੇਂਦਰ

ਅੱਖਾਂ ਦੇ ਰੋਗਾਂ  
ਦੇ ਵਿਭਾਗ

ਔਰਤਾਂ ਦੇ ਰੋਗਾਂ  
ਦੇ ਵਿਭਾਗ

ਬਲੱਡ ਬੈਂਕ

(M) 99886-12241

52241, 99886-32241

Not Valid for Medico-Legal Purpose

Goyal  
x PCMS  
No. 34070  
Hospital

- ◆ ਡਾਇਲਿਸਿਸ ਲਈ AV FISTULA
- ◆ ਐਕਸੀਡੈਂਟ ਕੇਸਾਂ ਦਾ ਇਲਾਜ
- ◆ ਹੱਡੀਆਂ ਅਤੇ ਜੋੜਾਂ ਦਾ ਇਲਾਜ
- ◆ ਜਲੇ ਹੋਏ ਮਰੀਜ਼ਾਂ ਦਾ ਇਲਾਜ
- ◆ HAIR TRANSPLANT
- ◆ ਲੇਬਰ ਨਾਲ ਅਣਚਾਹੇ ਵਾਲਾਂ ਦਾ ਇਲਾਜ
- ◆ ਟੈਟੂ ਅਤੇ SCAR ਨੂੰ ਕੱਢਣਾ

TIMING : MONDAY TO SATURDAY

Morning 10:00 am to 02:00 pm

Evening 05:00 pm to 07:00 pm

Sunday : 10:00 am to 02:00 pm

NOT VALID FOR MEDICO LEGAL PURPOSE

ਐਮਰਜੈਂਸੀ ਸੇਵਾਵਾਂ 24 ਘੰਟੇ ਲਈ ਉਪਲਬਧ ਹੈ।

## ਸੁਵਿਧਾਵਾਂ

- ◆ ਦਿਲ, ਛਾਤੀ ਅਤੇ ਪੇਟ ਦੇ ਰੋਗਾਂ ਦਾ ਇਲਾਜ
- ◆ ਸ਼ੂਗਰ, ਬਲੱਡ ਪ੍ਰੈਸ਼ਰ, ਥਾਇਰਾਇਡ ਅਤੇ ਗਠਿਆ ਦਾ ਇਲਾਜ
- ◆ ਕਰੋਨਾ, ਡੈਂਗੂ, ਮਲੇਰੀਆ, ਅਤੇ ਸਵਾਈਨ ਫਲੂ ਆਦਿ ਬਿਮਾਰੀਆਂ ਦਾ ਇਲਾਜ
- ◆ ਸਪਰੇ ਅਤੇ ਸੱਪ ਕੱਟੇ ਮਰੀਜ਼ਾਂ ਦਾ ਇਲਾਜ
- ◆ ਅਧਰੰਗ, ਮਿਰਗੀ ਅਤੇ ਦਿਮਾਗੀ ਬਿਮਾਰੀਆਂ ਦਾ ਇਲਾਜ
- ◆ ਕੰਪਿਊਟਰਾਇਜ਼ਡ ਲੈਬ, ਡਿਜੀਟਲ ਐਕਸ-ਰੇ
- ◆ ਆਈ.ਸੀ.ਯੂ., ਵੇਂਟੀਲੇਟਰ ਅਤੇ ਪ੍ਰਾਈਵੇਟ ਏ.ਸੀ. ਰੂਮ

## ਹੋਰ ਸੁਵਿਧਾਵਾਂ

- ◆ ਪਲਾਸਟਿਕ ਸਰਜਰੀ ਦੀ ਸੁਵਿਧਾ
- ◆ ਡਾਇਲਿਸਿਸ ਲਈ AV FISTULA
- ◆ ਐਕਸੀਡੈਂਟ ਕੇਸਾਂ ਦਾ ਇਲਾਜ
- ◆ ਹੱਡੀਆਂ ਅਤੇ ਜੋੜਾਂ ਦਾ ਇਲਾਜ
- ◆ ਜਲੇ ਹੋਏ ਮਰੀਜ਼ਾਂ ਦਾ ਇਲਾਜ
- ◆ HAIR TRANSPLANT
- ◆ ਲੇਜ਼ਰ ਨਾਲ ਅਣਚਾਹੇ ਵਾਲਾਂ ਦਾ ਇਲਾਜ
- ◆ ਟੈਟੂ ਅਤੇ SCAR ਨੂੰ ਕੱਢਣਾ

**Dr. Raman K. Goyal**

**ਡਾ. ਰਮਨ ਗੋਇਲ**

MBBS, MS, Mch Plastic Surgery  
Trauma, Burn & Cosmetic Super Specialist  
Formerly at CMC Ludhiana  
Regd. No. PMC-32766

**Dr. Ramandeep Goyal**

**ਡਾ. ਰਮਨਦੀਪ ਗੋਇਲ**

MD (Medicine) Ex. PCMS  
Formerly Med. Sp. Civil Hospital, Bathinda  
Regd. No. PMC 34070

Jaywant Singh

Age - 32/Y

B.P - 134/84



Dr. Ramandeep Goyal  
MD Medicine, Ex PCMS  
PMC No. 34070  
Cosmo Superspeciality Hospital

**TIMING : MONDAY TO SATURDAY**

Morning 10:00 am to 02:00 pm

Evening 05:00 pm to 07:00 pm

Sunday : 10:00 am to 02:00 pm

**NOT VALID FOR MEDICO LEGAL PURPOSE**

ਐਮਰਜੈਂਸੀ ਸੇਵਾਵਾਂ 24 ਘੰਟੇ ਲਈ ਉਪਲਬੱਧ ਹੈ।



GUPTA HOSPITAL

# ਗੁਪਤਾ ਹਸਪਤਾਲ ਅਤੇ ਦਰੋਮਾ ਸੈਂਟਰ

ਪਾਵਰ ਹਾਊਸ ਰੋਡ, ਬਠਿੰਡਾ



Goyal Hospital,  
151001 (Pb.)  
8150-23869  
79@gmail.com

ਨਾਮ	ਪੰਕਜ ਕੁਮਾਰ ਪਾਤ 32	ਉਮਰ/ਲਿੰਗ	ਮਿਤੀ
ਪਤਾ	82849298 82	ਰਜਿ:	

ਡਾ. ਅੰਮ੍ਰਿਤ ਗੁਪਤਾ  
ਐਮ.ਐਸ.ਆਰਥੋ

ਡਾ. ਮੋਹਿਤ ਗੁਪਤਾ  
ਐਮ.ਐਸ.ਆਰਥੋ  
ਐਮ.ਸੀ.ਐਚ.ਆਰਥੋ  
ਹੱਡੀਆਂ ਤੇ ਜੋੜਾਂ ਦੇ ਮਾਹਿਰ  
ਗੋਡੇ ਚੂਲੇ ਬਦਲਣ ਦੇ ਮਾਹਿਰ  
ਮੋ 81460-02241

ਡਾ. ਪਾਰੁਲ ਗੁਪਤਾ  
ਐਮ.ਐਸ.ਆਈ  
ਅੱਖਾਂ ਦੇ ਰੋਗਾਂ ਦੇ ਮਾਹਿਰ  
ਫੈਕੋ ਅਤੇ ਲੇਸਿਕ ਸਰਜਨ

ਏ  
6/6  
mic i ok  
L

ENT CENTRE

Goyal  
ਪ ਗੋਇਲ  
line) Ex. PCMS  
ital, Bathinda  
o. PMC 34070

NAME  
02\_MAY\_2023 AM 10:57  
NO. 2393  
SN: 4630630  
REF. DATA  
UD: 12.00 CYL: MIX  
<R> S C A  
+ 0.25 - 0.75 64  
S. E. - 0.25  
<L> S C A  
- 0.50 - 0.25 146  
S. E. - 0.75  
PD: 65.5

TOPCON

ਕੈਟਰੀ ਅਤੇ ਫੁਡਾਓ ਕੇਂਦਰ	ਅੱਖਾਂ ਦੇ ਰੋਗਾਂ ਦੇ ਵਿਭਾਗ	ਔਰਤਾਂ ਦੇ ਰੋਗਾਂ ਦੇ ਵਿਭਾਗ	ਬਲੱਡ ਬੈਂਕ
--------------------------	----------------------------	----------------------------	-----------

(M) 99886-12241  
-52241, 99886-32241

Not Valid for Medico-Legal Purpose

Goyal  
CMS  
4070  
Hospital

- ◆ ਡਾਇਲਿਸਿਸ ਲਈ AV FISTULA
- ◆ ਐਕਸੀਡੈਂਟ ਕੇਸਾਂ ਦਾ ਇਲਾਜ
- ◆ ਹੱਡੀਆਂ ਅਤੇ ਜੋੜਾਂ ਦਾ ਇਲਾਜ
- ◆ ਜਲੇ ਹੋਏ ਮਰੀਜ਼ਾਂ ਦਾ ਇਲਾਜ
- ◆ HAIR TRANSPLANT
- ◆ ਲੇਜ਼ਰ ਨਾਲ ਅਣਚਾਹੇ ਵਾਲਾਂ ਦਾ ਇਲਾਜ
- ◆ ਟੈਟੂ ਅਤੇ SCAR ਨੂੰ ਕੱਢਣਾ

TIMING : MONDAY TO SATURDAY

Morning 10:00 am to 02:00 pm

Evening 05:00 pm to 07:00 pm

Sunday : 10:00 am to 02:00 pm

NOT VALID FOR MEDICO LEGAL PURPOSE

ਐਮਰਜੈਂਸੀ ਸੇਵਾਵਾਂ 24 ਘੰਟੇ ਲਈ ਉਪਲਬੱਧ ਹੈ।

## ਸੁਵਿਧਾਵਾਂ

- ◆ ਦਿਲ, ਛਾਤੀ ਅਤੇ ਪੇਟ ਦੇ ਰੋਗਾਂ ਦਾ ਇਲਾਜ
- ◆ ਸ਼ੂਗਰ, ਬਲੱਡ ਪ੍ਰੈਸ਼ਰ, ਥਾਇਰਾਇਡ ਅਤੇ ਗਠਿਆ ਦਾ ਇਲਾਜ
- ◆ ਕਰੋਨਾ, ਡੈਂਗੂ, ਮਲੇਰੀਆ, ਅਤੇ ਸਵਾਈਨ ਫਲੂ ਆਦਿ ਬਿਮਾਰੀਆਂ ਦਾ ਇਲਾਜ
- ◆ ਸਪਰੇ ਅਤੇ ਸੱਪ ਕੱਟੇ ਮਰੀਜ਼ਾਂ ਦਾ ਇਲਾਜ
- ◆ ਅਧਰੰਗ, ਮਿਰਗੀ ਅਤੇ ਦਿਮਾਗੀ ਬਿਮਾਰੀਆਂ ਦਾ ਇਲਾਜ
- ◆ ਕੰਪਿਊਟਰਾਇਜ਼ਡ ਲੈਬ, ਡਿਜੀਟਲ ਐਕਸ-ਰੇ
- ◆ ਆਈ.ਸੀ.ਯੂ., ਵੇਂਟੀਲੇਟਰ ਅਤੇ ਪ੍ਰਾਈਵੇਟ ਏ.ਸੀ. ਰੂਮ

## ਹੋਰ ਸੁਵਿਧਾਵਾਂ

- ◆ ਪਲਾਸਟਿਕ ਸਰਜਰੀ ਦੀ ਸੁਵਿਧਾ
- ◆ ਡਾਇਲਿਸਿਸ ਲਈ AV FISTULA
- ◆ ਐਕਸੀਡੈਂਟ ਕੇਸਾਂ ਦਾ ਇਲਾਜ
- ◆ ਹੱਡੀਆਂ ਅਤੇ ਜੋੜਾਂ ਦਾ ਇਲਾਜ
- ◆ ਜਲੇ ਹੋਏ ਮਰੀਜ਼ਾਂ ਦਾ ਇਲਾਜ
- ◆ HAIR TRANSPLANT
- ◆ ਲੇਜ਼ਰ ਨਾਲ ਅਣਚਾਹੇ ਵਾਲਾਂ ਦਾ ਇਲਾਜ
- ◆ ਟੈਟੂ ਅਤੇ SCAR ਨੂੰ ਕੱਢਣਾ

Dr. Raman K. Goyal

ਡਾ. ਰਮਨ ਗੋਇਲ

MBBS, MS, Mch Plastic Surgery  
Trauma, Burn & Cosmetic Super Specialist  
Formerly at CMC Ludhiana  
Regd. No. PMC-32766

Dr. Ramandeep Goyal

ਡਾ. ਰਮਨਦੀਪ ਗੋਇਲ

MD (Medicine) Ex. PCMS  
Formerly Med. Sp. Civil Hospital, Bathinda  
Regd. No. PMC 34070

Pankaj Kumar

Age - 32/y

B.P - 112/99

Dr. Ramandeep Goyal  
MD Medicine, Ex PCMS  
PMC No. 34070  
Cosmo Superspeciality Hospital

**TIMING : MONDAY TO SATURDAY**

Morning 10:00 am to 02:00 pm

Evening 05:00 pm to 07:00 pm

Sunday : 10:00 am to 02:00 pm

NOT VALID FOR MEDICO LEGAL PURPOSE

ਐਮਰਜੈਂਸੀ ਸੇਵਾਵਾਂ 24 ਘੰਟੇ ਲਈ ਉਪਲਬਧ ਹੈ।



# ਗੁਪਤਾ ਹਸਪਤਾਲ ਅਤੇ ਦਰੋਮਾ ਸੈਂਟਰ

ਪਾਵਰ ਹਾਊਸ ਰੋਡ, ਬਠਿੰਡਾ



wari Hospital,  
151001 (Pb.)  
98150-23869  
979@gmail.com

ਨਾਮ	ਸ਼ਰੀਤ ਸਿੰਘ	33	ਉਮਰ/ਲਿੰਗ	ਮਿਤੀ	21/5/23
ਪਤਾ	7973189242		ਰਜਿ:		

ਡਾ. ਅੰਮ੍ਰਿਤ ਗੁਪਤਾ  
ਐਮ.ਐਸ.ਆਰਥੋ

6/6

ਡਾ. ਮੋਹਿਤ ਗੁਪਤਾ  
ਐਮ.ਐਸ.ਆਰਥੋ

6/6

*Handwritten signature*

ਐਮ.ਸੀ.ਐਚ.ਆਰਥੋ  
ਹੱਡੀਆਂ ਤੇ ਜੋੜਾਂ ਦੇ ਮਾਹਿਰ  
ਗੋਡੇ ਚੂਲੇ ਬਦਲਣ ਦੇ ਮਾਹਿਰ  
ਮੋ 81460-02241

ਡਾ. ਪਾਰੁਲ ਗੁਪਤਾ  
ਐਮ.ਐਸ.ਆਈ

ਅੱਖਾਂ ਦੇ ਰੋਗਾਂ ਦੇ ਮਾਹਿਰ  
ਫੈਕੋ ਅਤੇ ਲੇਸਿਕ ਸਰਜਨ

NAME

02\_MAY\_2023 AM 11:19  
NO. 2395  
SN: 4630630

REF. DATA

VD: 12.00 CYL: MIX  
 <R> S C A  
 - 0.75 - 1.00 65  
 S. E. - 1.25  
 <L> S C A  
 + 0.25 - 0.50 108  
 S. E. - 0.00

PD: 68.0

TOPCON

ਟਰੀ ਅਤੇ ਡਾਓ ਕੇਂਦਰ	ਅੱਖਾਂ ਦੇ ਰੋਗਾਂ ਦੇ ਵਿਭਾਗ	ਔਰਤਾਂ ਦੇ ਰੋਗਾਂ ਦੇ ਵਿਭਾਗ	ਬਲੱਡ ਬੈਂਕ
----------------------	----------------------------	----------------------------	-----------

99886-12241  
241, 99886-32241

Not Valid for Medico-Legal Purpose

- ◆ ਡਾਇਲਿਸਿਸ ਲਈ AV FISTULA
- ◆ ਐਕਸੀਡੈਂਟ ਕੇਸਾਂ ਦਾ ਇਲਾਜ
- ◆ ਹੱਡੀਆਂ ਅਤੇ ਜੋੜਾਂ ਦਾ ਇਲਾਜ
- ◆ ਜਲੇ ਹੋਏ ਮਰੀਜ਼ਾਂ ਦਾ ਇਲਾਜ
- ◆ HAIR TRANSPLANT
- ◆ ਲੇਜ਼ਰ ਨਾਲ ਅਣਚਾਹੇ ਵਾਲਾਂ ਦਾ ਇਲਾਜ
- ◆ ਟੈਟੂ ਅਤੇ SCAR ਨੂੰ ਕੱਢਣਾ

**TIMING : MONDAY TO SATURDAY**  
 Morning 10:00 am to 02:00 pm  
 Evening 05:00 pm to 07:00 pm  
 Sunday : 10:00 am to 02:00 pm

NOT VALID FOR MEDICO LEGAL PURPOSE

ਐਮਰਜੈਂਸੀ ਸੇਵਾਵਾਂ 24 ਘੰਟੇ ਲਈ ਉਪਲਬਧ ਹੈ।

ANT CENTRE

p Goyal  
ਪ ਗੋਇਲ

Ex. PCMS  
pital, Bathinda  
No. PMC 34070

p Goyal  
e, Ex PCMS  
IC No. 34070  
ality Hospital

## ਸੁਵਿਧਾਵਾਂ

- ◆ ਦਿਲ, ਛਾਤੀ ਅਤੇ ਪੇਟ ਦੇ ਰੋਗਾਂ ਦਾ ਇਲਾਜ
- ◆ ਸ਼ੂਗਰ, ਬਲੱਡ ਪ੍ਰੈਸ਼ਰ, ਥਾਇਰਾਇਡ ਅਤੇ ਗਠਿਆ ਦਾ ਇਲਾਜ
- ◆ ਕਰੋਨਾ, ਡੈਂਗੂ, ਮਲੇਰੀਆ, ਅਤੇ ਸਵਾਈਨ ਫਲੂ ਆਦਿ ਬਿਮਾਰੀਆਂ ਦਾ ਇਲਾਜ
- ◆ ਸਪਰੇ ਅਤੇ ਸੱਪ ਕੱਟੇ ਮਰੀਜ਼ਾਂ ਦਾ ਇਲਾਜ
- ◆ ਅਧਰੰਗ, ਮਿਰਗੀ ਅਤੇ ਦਿਮਾਗੀ ਬਿਮਾਰੀਆਂ ਦਾ ਇਲਾਜ
- ◆ ਕੰਪਿਊਟਰਾਇਜ਼ਡ ਲੈਬ, ਡਿਜੀਟਲ ਐਕਸ-ਰੇ
- ◆ ਆਈ.ਸੀ.ਯੂ., ਵੇਂਟੀਲੇਟਰ ਅਤੇ ਪ੍ਰਾਈਵੇਟ ਏ.ਸੀ. ਰੂਮ

## ਹੋਰ ਸੁਵਿਧਾਵਾਂ

- ◆ ਪਲਾਸਟਿਕ ਸਰਜਰੀ ਦੀ ਸੁਵਿਧਾ
- ◆ ਡਾਇਲਿਸਿਸ ਲਈ AV FISTULA
- ◆ ਐਕਸੀਡੈਂਟ ਕੇਸਾਂ ਦਾ ਇਲਾਜ
- ◆ ਹੱਡੀਆਂ ਅਤੇ ਜੋੜਾਂ ਦਾ ਇਲਾਜ
- ◆ ਜਲੇ ਹੋਏ ਮਰੀਜ਼ਾਂ ਦਾ ਇਲਾਜ
- ◆ HAIR TRANSPLANT
- ◆ ਲੇਜ਼ਰ ਨਾਲ ਅਣਚਾਹੇ ਵਾਲਾਂ ਦਾ ਇਲਾਜ
- ◆ ਟੈਟੂ ਅਤੇ SCAR ਨੂੰ ਕੱਢਣਾ

Dr. Raman K. Goyal

ਡਾ. ਰਮਨ ਗੋਇਲ

MBBS, MS, Mch Plastic Surgery  
Trauma, Burn & Cosmetic Super Specialist  
Formerly at CMC Ludhiana  
Regd. No. PMC-32766

Dr. Ramandeep Goyal

ਡਾ. ਰਮਨਦੀਪ ਗੋਇਲ

MD (Medicine) Ex. PCMS  
Formerly Med. Sp. Civil Hospital, Bathinda  
Regd. No. PMC 34070

Malkeet Singh 33/11

B.P- 138/93

Dr. Ramandeep Goyal  
MD Medicine, Ex PCMS  
PMC No. 34070  
Cosmo Superspeciality Hospital

**TIMING : MONDAY TO SATURDAY**

Morning 10:00 am to 02:00 pm

Evening 05:00 pm to 07:00 pm

Sunday : 10:00 am to 02:00 pm

NOT VALID FOR MEDICO LEGAL PURPOSE

ਐਮਰਜੈਂਸੀ ਸੇਵਾਵਾਂ 24 ਘੰਟੇ ਲਈ ਉਪਲਬੱਧ ਹੈ।



# ਗੁਪਤਾ ਹਸਪਤਾਲ ਅਤੇ ਦਰੋਮਾ ਸੈਂਟਰ

ਪਾਵਰ ਹਾਊਸ ਰੋਡ, ਬਠਿੰਡਾ



vari Hospital,  
151001 (Pb.)  
98150-23869  
979@gmail.com

ਨਾਮ ਰੀਤਮ ਕੁਮਾਰ / 25 ਉਮਰ/ਲਿੰਗ ਮਿਤੀ 2/5/22  
 ਪਤਾ 7033201056 ਰਾਜ:

ANT CENTRE

p Goyal  
ਪ ਗੋਇਲ  
cine) Ex. PCMS  
pital, Bathinda  
No. PMC 34070

14

ਡਾ. ਅੰਮ੍ਰਿਤ ਗੁਪਤਾ  
ਐਮ.ਐਸ.ਆਰਥੋ

6/6  
6/6

ਡਾ. ਮੋਹਿਤ ਗੁਪਤਾ  
ਐਮ.ਐਸ.ਆਰਥੋ

ਐਮ.ਸੀ.ਐਚ.ਆਰਥੋ

ਹੱਡੀਆਂ ਤੇ ਜੋੜਾਂ ਦੇ ਮਾਹਿਰ  
ਗੋਡੇ ਚੁਲੇ ਬਦਲਣ ਦੇ ਮਾਹਿਰ  
ਮੋ 81460-02241

*Handwritten signature*

ਡਾ. ਪਾਰੁਲ ਗੁਪਤਾ  
ਐਮ.ਐਸ.ਆਈ

ਅੱਖਾਂ ਦੇ ਰੋਗਾਂ ਦੇ ਮਾਹਿਰ  
ਫੈਕੋ ਅਤੇ ਲੇਸਿਕ ਸਰਜਨ

NAME

02 MAY 2023 AM 11:25  
NO. 2397

SN: 30630

REF. DATA

M 12.00 CYL: MIX

<R> S C A

+ 0.25

S. E. -0.25

<L> S C A

+ 0.25

S. E. + 0.25

PD: 65.0

TOPCON

ਸਕੈਟਰੀ ਅਤੇ ਸ਼ਾ ਫਤਾਓ ਕੇਂਦਰ	ਅੱਖਾਂ ਦੇ ਰੋਗਾਂ ਦੇ ਵਿਭਾਗ	ਔਰਤਾਂ ਦੇ ਰੋਗਾਂ ਦੇ ਵਿਭਾਗ	ਬਲੱਡ ਬੈਂਕ
------------------------------	----------------------------	----------------------------	-----------

:(M) 99886-12241  
7-52241, 99886-32241

Not Valid for Medico-Legal Purpose

Goyal  
LMS  
4.10  
Hospital

- ◆ ਡਾਇਲਿਸਿਸ ਲਈ AV FISTULA
- ◆ ਐਕਸੀਡੈਂਟ ਕੇਸਾਂ ਦਾ ਇਲਾਜ
- ◆ ਹੱਡੀਆਂ ਅਤੇ ਜੋੜਾਂ ਦਾ ਇਲਾਜ
- ◆ ਜਲੇ ਹੋਏ ਮਰੀਜ਼ਾਂ ਦਾ ਇਲਾਜ
- ◆ HAIR TRANSPLANT
- ◆ ਲੇਜ਼ਰ ਨਾਲ ਅਣਚਾਹੇ ਵਾਲਾਂ ਦਾ ਇਲਾਜ
- ◆ ਟੈਟੂ ਅਤੇ SCAR ਨੂੰ ਕੱਢਣਾ

TIMING : MONDAY TO SATURDAY

Morning 10:00 am to 02:00 pm

Evening 05:00 pm to 07:00 pm

Sunday : 10:00 am to 02:00 pm

NOT VALID FOR MEDICO LEGAL PURPOSE

ਐਮਰਜੈਂਸੀ ਸੇਵਾਵਾਂ 24 ਘੰਟੇ ਲਈ ਉਪਲਬੱਧ ਹੈ।



# Cosmo

SUPER SPECIALITY HOSPITAL  
ਕੋਸਮੋ ਸੁਪਰ ਸਪੈਸ਼ਲਿਟੀ ਹਸਪਤਾਲ

100 Ft. Road, Near Dr. Maheshwari Hospital,  
Bathinda - 151001 (Pb.)  
Ph. 0164-5011301, 98150-23869  
E-mail : drramangoyal1979@gmail.com

**COMPLETE MEDICAL, TRAUMA, COSMETIC, LASER & HAIR TRANSPLANT CENTRE**

## ਸੁਵਿਧਾਵਾਂ

- ◆ ਦਿਲ, ਛਾਤੀ ਅਤੇ ਪੇਟ ਦੇ ਰੋਗਾਂ ਦਾ ਇਲਾਜ
- ◆ ਸ਼ੂਗਰ, ਬਲੱਡ ਪ੍ਰੈਸ਼ਰ, ਬਾਇਰਾਇਡ ਅਤੇ ਗਠਿਆ ਦਾ ਇਲਾਜ
- ◆ ਕਰੋਨਾ, ਡੈਂਗੂ, ਮਲੇਰੀਆ, ਅਤੇ ਸਵਾਈਨ ਫਲੂ ਆਦਿ ਬਿਮਾਰੀਆਂ ਦਾ ਇਲਾਜ
- ◆ ਸਪਰੇ ਅਤੇ ਸੱਪ ਕੱਟੇ ਮਰੀਜ਼ਾਂ ਦਾ ਇਲਾਜ
- ◆ ਅਧਰੰਗ, ਮਿਰਗੀ ਅਤੇ ਦਿਮਾਗੀ ਬਿਮਾਰੀਆਂ ਦਾ ਇਲਾਜ
- ◆ ਕੰਪਿਊਟਰਾਇਜ਼ਡ ਲੈਜ਼, ਡਿਜੀਟਲ ਐਕਸ-ਰੇ
- ◆ ਆਈ.ਸੀ.ਯੂ., ਵੇਂਟੀਲੇਟਰ ਅਤੇ ਪ੍ਰਾਈਵੇਟ ਏ.ਸੀ. ਰੂਮ

## ਹੋਰ ਸੁਵਿਧਾਵਾਂ

- ◆ ਪਲਾਸਟਿਕ ਸਰਜਰੀ ਦੀ ਸੁਵਿਧਾ
- ◆ ਡਾਇਲਿਸਿਸ ਲਈ AV FISTULA
- ◆ ਐਕਸੀਡੈਂਟ ਕੇਸਾਂ ਦਾ ਇਲਾਜ
- ◆ ਹੱਡੀਆਂ ਅਤੇ ਜੋੜਾਂ ਦਾ ਇਲਾਜ
- ◆ ਜਲੇ ਹੋਏ ਮਰੀਜ਼ਾਂ ਦਾ ਇਲਾਜ
- ◆ HAIR TRANSPLANT
- ◆ ਲੇਜ਼ਰ ਨਾਲ ਅਣਚਾਹੇ ਵਾਲਾਂ ਦਾ ਇਲਾਜ
- ◆ ਟੈਟੂ ਅਤੇ SCAR ਨੂੰ ਕੱਢਣਾ

**Dr. Raman K. Goyal**

**ਡਾ. ਰਮਨ ਗੋਇਲ**

MBBS, MS, Mch Plastic Surgery  
Trauma, Burn & Cosmetic Super Specialist  
Formerly at CMC Ludhiana  
Regd. No. PMC-32766

**Dr. Ramandeep Goyal**

**ਡਾ. ਰਮਨਦੀਪ ਗੋਇਲ**

MD (Medicine) Ex. PCMS  
Formerly Med. Sp. Civil Hospital, Bathinda  
Regd. No. PMC 34070

*Relish Kumar 25/11*  
*B.P - 123/74*

Dr. Ramandeep Goyal  
MD Medicine, Ex PCMS  
PMC No. 34070  
Cosmo Superspeciality Hospital

**TIMING : MONDAY TO SATURDAY**

Morning 10:00 am to 02:00 pm

Evening 05:00 pm to 07:00 pm

Sunday : 10:00 am to 02:00 pm

**NOT VALID FOR MEDICO LEGAL PURPOSE**

**ਐਮਰਜੈਂਸੀ ਸੇਵਾਵਾਂ 24 ਘੰਟੇ ਲਈ ਉਪਲਬੱਧ ਹੈ।**



GUPTA HOSPITAL

# ਗੁਪਤਾ ਹਸਪਤਾਲ ਅਤੇ ਦਰੋਮਾ ਸੈਂਟਰ

ਪਾਵਰ ਹਾਊਸ ਰੋਡ, ਬਠਿੰਡਾ



vari Hospital,  
151001 (Pb.)  
98150-23869  
979@gmail.com

ANT CENTRE

p Goyal  
ਪ ਗੋਇਲ  
icine) Ex. PCMS  
pital, Bathinda  
No. PMC 34070

13/Y

ਨਾਮ ਗੁਰਦੀ ਸਿੰਘ / ਪੁਤਰਾ ਉਮਰ/ਲਿੰਗ ਮਿਤੀ 2/5/23  
ਪਤਾ 62801-26392 ਰਜਿ:

ਡਾ. ਅੰਮ੍ਰਿਤ ਗੁਪਤਾ  
ਐਮ.ਐਸ.ਆਰਥੋ

6/6

ਡਾ. ਮੋਹਿਤ ਗੁਪਤਾ  
ਐਮ.ਐਸ.ਆਰਥੋ

6/6

ਐਮ.ਸੀ.ਐਚ.ਆਰਥੋ  
ਹੱਡੀਆਂ ਤੇ ਜੋੜਾਂ ਦੇ ਮਾਹਿਰ  
ਗੋਡੇ ਚੂਲੇ ਬਦਲਣ ਦੇ ਮਾਹਿਰ  
ਮੋ 81460-02241

*Wm...*



ਡਾ. ਪਾਰੁਲ ਗੁਪਤਾ  
ਐਮ.ਐਸ.ਆਈ  
ਅੱਖਾਂ ਦੇ ਰੋਗਾਂ ਦੇ ਮਾਹਿਰ  
ਫੈਕੋ ਅਤੇ ਲੇਸਿਕ ਸਰਜਨ

NAME

02\_MAY\_2023 PM 12:03  
NO. 2420  
SN: 4630630

REF. DATA

VD: 12.00 CYL: MIX

<R> S C A

+ 0.25 + 0.50 149

S. E. + 0.50

<L> S C A

- 0.50 - 0.25 113

S. E. - 0.75

PD: 69.0

TOPCON

ਦਰੀ ਅਤੇ  
ਡਾਓ ਕੇਂਦਰ

ਅੱਖਾਂ ਦੇ ਰੋਗਾਂ  
ਦੇ ਵਿਭਾਗ

ਔਰਤਾਂ ਦੇ ਰੋਗਾਂ  
ਦੇ ਵਿਭਾਗ

ਬਲੱਡ ਬੈਂਕ

99886-12241  
241, 99886-32241

Not Valid for Medico-Legal Purpose

oyal  
PCMS  
34070  
ospital

- ◆ ਡਾਇਲਿਸਿਸ ਲਈ AV FISTULA
- ◆ ਐਕਸੀਡੈਂਟ ਕੇਸਾਂ ਦਾ ਇਲਾਜ
- ◆ ਹੱਡੀਆਂ ਅਤੇ ਜੋੜਾਂ ਦਾ ਇਲਾਜ
- ◆ ਜਲੇ ਹੋਏ ਮਰੀਜ਼ਾਂ ਦਾ ਇਲਾਜ
- ◆ HAIR TRANSPLANT
- ◆ ਲੇਜ਼ਰ ਨਾਲ ਅਣਚਾਹੇ ਵਾਲਾਂ ਦਾ ਇਲਾਜ

TIMING : MONDAY TO SATURDAY

Morning 10:00 am to 02:00 pm

Evening 05:00 pm to 07:00 pm

Sunday : 10:00 am to 02:00 pm

NOT VALID FOR MEDICO LEGAL PURPOSE



# Cosmo

SUPER SPECIALITY HOSPITAL  
ਕੋਸਮੋ ਸੁਪਰ ਸਪੈਸ਼ਲਿਟੀ ਹਸਪਤਾਲ

100 Ft. Road, Near Dr. Maheshwari Hospital,  
Bathinda - 151001 (Pb.)  
Ph. 0164-5011301, 98150-23869  
E-mail : drramangoyal1979@gmail.com

**COMPLETE MEDICAL, TRAUMA, COSMETIC, LASER & HAIR TRANSPLANT CENTRE**

## ਸੁਵਿਧਾਵਾਂ

- ◆ ਦਿਲ, ਛਾਤੀ ਅਤੇ ਪੇਟ ਦੇ ਰੋਗਾਂ ਦਾ ਇਲਾਜ
- ◆ ਸ਼ੂਗਰ, ਬਲੱਡ ਪ੍ਰੈਸ਼ਰ, ਥਾਇਰਾਇਡ ਅਤੇ ਗਠਿਆ ਦਾ ਇਲਾਜ
- ◆ ਕਰੋਨਾ, ਡੈਂਗੂ, ਮਲੇਰੀਆ, ਅਤੇ ਸਵਾਈਨ ਫਲੂ ਆਦਿ ਬਿਮਾਰੀਆਂ ਦਾ ਇਲਾਜ
- ◆ ਸਪਰੇ ਅਤੇ ਸੱਪ ਕੱਟੇ ਮਰੀਜ਼ਾਂ ਦਾ ਇਲਾਜ
- ◆ ਅਧਰੰਗ, ਮਿਰਗੀ ਅਤੇ ਦਿਮਾਗੀ ਬਿਮਾਰੀਆਂ ਦਾ ਇਲਾਜ
- ◆ ਕੰਪਿਊਟਰਾਇਜ਼ਡ ਲੈਬ, ਡਿਜੀਟਲ ਐਕਸ-ਰੇ
- ◆ ਆਈ.ਸੀ.ਯੂ., ਵੇਂਟੀਲੇਟਰ ਅਤੇ ਪ੍ਰਾਈਵੇਟ ਏ.ਸੀ. ਰੂਮ

## ਹੋਰ ਸੁਵਿਧਾਵਾਂ

- ◆ ਪਲਾਸਟਿਕ ਸਰਜਰੀ ਦੀ ਸੁਵਿਧਾ
- ◆ ਡਾਇਲਿਸਿਸ ਲਈ AV FISTULA
- ◆ ਐਕਸੀਡੈਂਟ ਕੇਸਾਂ ਦਾ ਇਲਾਜ
- ◆ ਹੱਡੀਆਂ ਅਤੇ ਜੋੜਾਂ ਦਾ ਇਲਾਜ
- ◆ ਜਲੇ ਹੋਏ ਮਰੀਜ਼ਾਂ ਦਾ ਇਲਾਜ
- ◆ HAIR TRANSPLANT
- ◆ ਲੇਜ਼ਰ ਨਾਲ ਅਣਚਾਹੇ ਵਾਲਾਂ ਦਾ ਇਲਾਜ
- ◆ ਟੈਟੂ ਅਤੇ SCAR ਨੂੰ ਕੱਢਣਾ

### Dr. Raman K. Goyal

**ਡਾ. ਰਮਨ ਗੋਇਲ**

MBBS, MS, Mch Plastic Surgery  
Trauma, Burn & Cosmetic Super Specialist  
Formerly at CMC Ludhiana  
Regd. No. PMC-32766

### Dr. Ramandeep Goyal

**ਡਾ. ਰਮਨਦੀਪ ਗੋਇਲ**

MD (Medicine) Ex. PCMS  
Formerly Med. Sp. Civil Hospital, Bathinda  
Regd. No. PMC 34070

*Ramandeep Goyal 43/Y*

*B.P - 124/80*

Dr. Ramandeep Goyal  
MD Medicine, Ex PCMS  
PMC No. 34070  
Cosmo Superspeciality Hospital

#### TIMING : MONDAY TO SATURDAY

Morning 10:00 am to 02:00 pm

Evening 05:00 pm to 07:00 pm

Sunday : 10:00 am to 02:00 pm

NOT VALID FOR MEDICO LEGAL PURPOSE

**ਐਮਰਜੈਂਸੀ ਸੇਵਾਵਾਂ 24 ਘੰਟੇ ਲਈ ਉਪਲਬੱਧ ਹੈ।**



GUPTA HOSPITAL

# ਗੁਪਤਾ ਹਸਪਤਾਲ ਅਤੇ ਦਰੋਮਾ ਸੈਂਟਰ

ਪਾਵਰ ਹਾਊਸ ਰੋਡ, ਬਠਿੰਡਾ



Wari Hospital,  
- 151001 (Pb.)  
98150-23869  
1979@gmail.com

ਨਾਮ	ਤਰੁਕ ਚੰਦ / 43	ਉਮਰ/ਲਿੰਗ	ਮਿਤੀ	2/5/23
ਪਤਾ	9988 222831		ਰਜਿ:	

ANT CENTRE

ਡਾ. ਅੰਮ੍ਰਿਤ ਗੁਪਤਾ  
ਐਮ.ਐਸ.ਆਰਥੋ

Dr. Anamrit Goyal  
ਪੀਪ ਗੋਇਲ  
Clinic) Ex. PCMS  
Hospital, Bathinda  
No. PMC 34070

ਡਾ. ਮੋਹਿਤ ਗੁਪਤਾ  
ਐਮ.ਐਸ.ਆਰਥੋ  
ਐਮ.ਸੀ.ਐਚ.ਆਰਥੋ  
ਹੱਡੀਆਂ ਤੇ ਜੋੜਾਂ ਦੇ ਮਾਹਿਰ  
ਗੋਡੇ ਚੂਲੇ ਬਦਲਣ ਦੇ ਮਾਹਿਰ  
ਮੋ 81460-02241

6/6  
6/6  
*[Handwritten signature]*  
*[Handwritten mark]*

ਡਾ. ਪਾਰੁਲ ਗੁਪਤਾ  
ਐਮ.ਐਸ.ਆਈ  
ਅੱਖਾਂ ਦੇ ਰੋਗਾਂ ਦੇ ਮਾਹਿਰ  
ਫੈਕੋ ਅਤੇ ਲੇਜ਼ਰ ਥਰੇਪੀ

ੴ

NAME

02\_MAY\_2023 AM 11:27  
NO. 2398  
SN: 4630630

REF. DATA

VD:	12.00	CYL:	MIX
<R>	S	C	A
	0.25	+ 0.25	123
	S. E. 4 0.50		
<L>	S	C	A
	+ 0.25	- 0.50	88
	S. E. - 0.00		

PD: 66.0

TOPCON

ਦਰੋਮਾ ਅਤੇ ਫੁੱਡਾਓ ਕੇਂਦਰ	ਅੱਖਾਂ ਦੇ ਰੋਗਾਂ ਦੇ ਵਿਭਾਗ	ਔਰਤਾਂ ਦੇ ਰੋਗਾਂ ਦੇ ਵਿਭਾਗ	ਬਲੱਡ ਬੈਂਕ
---------------------------	----------------------------	----------------------------	-----------

W) 99886-12241  
2241, 99886-32241

Not Valid for Medico-Legal Purpose

al  
MS  
070  
pital

- ▼ ਪਲਾਸਟਿਕ ਸਰਜਰੀ ਦਾ ਮੁਕਾਬਲਾ
- ◆ ਡਾਇਲਿਸਿਸ ਲਈ AV FISTULA
- ◆ ਐਕਸੀਡੈਂਟ ਕੇਸਾਂ ਦਾ ਇਲਾਜ
- ◆ ਹੱਡੀਆਂ ਅਤੇ ਜੋੜਾਂ ਦਾ ਇਲਾਜ
- ◆ ਜਲੇ ਹੋਏ ਮਰੀਜ਼ਾਂ ਦਾ ਇਲਾਜ
- ◆ HAIR TRANSPLANT
- ◆ ਲੇਜ਼ਰ ਨਾਲ ਅਣਚਾਹੇ ਵਾਲਾਂ ਦਾ ਇਲਾਜ
- ◆ ਟੈਟੂ ਅਤੇ SCAR ਨੂੰ ਕੱਢਣਾ

**TIMING : MONDAY TO SATURDAY**  
 Morning 10:00 am to 02:00 pm  
 Evening 05:00 pm to 07:00 pm  
 Sunday : 10:00 am to 02:00 pm

NOT VALID FOR MEDICO LEGAL PURPOSE

ਐਮਰਜੈਂਸੀ ਸੇਵਾਵਾਂ 24 ਘੰਟੇ ਲਈ ਉਪਲਬਧ ਹੈ।



# Cosmo

## SUPER SPECIALITY HOSPITAL

ਕੋਸਮੋ ਸੁਪਰ ਸਪੈਸ਼ਲਿਟੀ ਹਸਪਤਾਲ

100 Ft. Road, Near Dr. Maheshwari Hospital,  
Bathinda - 151001 (Pb.)  
Ph. 0164-5011301, 98150-23869  
E-mail : drramangoyal1979@gmail.com

**COMPLETE MEDICAL, TRAUMA, COSMETIC, LASER & HAIR TRANSPLANT CENTRE**

### ਸੁਵਿਧਾਵਾਂ

- ◆ ਦਿਲ, ਛਾਤੀ ਅਤੇ ਪੇਟ ਦੇ ਰੋਗਾਂ ਦਾ ਇਲਾਜ
- ◆ ਸ਼ੂਗਰ, ਬਲੱਡ ਪ੍ਰੈਸ਼ਰ, ਥਾਇਰਾਇਡ ਅਤੇ ਗਠਿਆ ਦਾ ਇਲਾਜ
- ਕਰੋਨਾ, ਡੈਂਗੂ, ਮਲੇਰੀਆ, ਅਤੇ ਸਵਾਈਨ ਫਲੂ ਆਦਿ ਬਿਮਾਰੀਆਂ ਦਾ ਇਲਾਜ
- ◆ ਸਪਰੇ ਅਤੇ ਸੱਪ ਕੱਟੇ ਮਰੀਜ਼ਾਂ ਦਾ ਇਲਾਜ
- ◆ ਅਧਰੰਗ, ਮਿਰਗੀ ਅਤੇ ਦਿਮਾਗੀ ਬਿਮਾਰੀਆਂ ਦਾ ਇਲਾਜ
- ◆ ਕੰਪਿਊਟਰਾਇਜ਼ਡ ਲੈਬ, ਡਿਜੀਟਲ ਐਕਸ-ਰੇ
- ਆਈ.ਸੀ.ਯੂ., ਵੇਂਟੀਲੇਟਰ ਅਤੇ ਪ੍ਰਾਈਵੇਟ ਏ.ਸੀ. ਰੂਮ

**Dr. Raman K. Goyal**

**ਡਾ. ਰਮਨ ਗੋਇਲ**

MBBS, MS, Mch Plastic Surgery  
Trauma, Burn & Cosmetic Super Specialist  
Formerly at CMC Ludhiana  
Regd. No. PMC-32766

**Dr. Ramandeep Goyal**

**ਡਾ. ਰਮਨਦੀਪ ਗੋਇਲ**

MD (Medicine) Ex. PCMS  
Formerly Med. Sp. Civil Hospital, Bathinda  
Regd. No. PMC 34070

Tailor Old 43/9  
B.P - 148/92

Dr. Ramandeep Goyal  
MD Medicine, Ex PCMS  
PMC No. 34070  
Cosmo Superspeciality Hospital

### ਹੋਰ ਸੁਵਿਧਾਵਾਂ

- ◆ ਪਲਾਸਟਿਕ ਸਰਜਰੀ ਦੀ ਸੁਵਿਧਾ
- ◆ ਡਾਇਲਿਸਿਸ ਲਈ AV FISTULA
- ◆ ਐਕਸੀਡੈਂਟ ਕੇਸਾਂ ਦਾ ਇਲਾਜ
- ◆ ਹੱਡੀਆਂ ਅਤੇ ਜੋੜਾਂ ਦਾ ਇਲਾਜ
- ◆ ਜਲੇ ਹੋਏ ਮਰੀਜ਼ਾਂ ਦਾ ਇਲਾਜ
- ◆ HAIR TRANSPLANT
- ◆ ਲੇਜ਼ਰ ਨਾਲ ਅਣਚਾਹੇ ਵਾਲਾਂ ਦਾ ਇਲਾਜ
- ◆ ਟੈਟੂ ਅਤੇ SCAR ਨੂੰ ਕੱਢਣਾ

**TIMING : MONDAY TO SATURDAY**

Morning 10:00 am to 02:00 pm

Evening 05:00 pm to 07:00 pm

Sunday : 10:00 am to 02:00 pm

**NOT VALID FOR MEDICO LEGAL PURPOSE**

ਐਮਰਜੈਂਸੀ ਸੇਵਾਵਾਂ 24 ਘੰਟੇ ਲਈ ਉਪਲਬਧ ਹੈ।



# ਗੁਪਤਾ ਹਸਪਤਾਲ ਅਤੇ ਦਰੋਮਾ ਸੈਂਟਰ

ਪਾਵਰ ਹਾਊਸ ਰੋਡ, ਬਠਿੰਡਾ



wari Hospital,  
151001 (Pb.)  
98150-23869  
979@gmail.com

ANT CENTRE

ਨਾਮ	ਸੈਖੀਮ / ਕੁਪ	ਉਮਰ/ਲਿੰਗ	ਮਿਤੀ 25/5/23
ਪਤਾ	9670542205	ਰਜਿ:	

ਡਾ. ਅੰਮ੍ਰਿਤ ਗੁਪਤਾ  
ਐਮ.ਐਸ.ਆਰਥੋ

6/6

ਡਾ. ਮੋਹਿਤ ਗੁਪਤਾ  
ਐਮ.ਐਸ.ਆਰਥੋ

6/6

ਐਮ.ਸੀ.ਐਚ.ਆਰਥੋ  
ਹੱਡੀਆਂ ਤੇ ਜੋੜਾਂ ਦੇ ਮਾਹਿਰ  
ਗੋਡੇ ਚੂਲੇ ਬਦਲਣ ਦੇ ਮਾਹਿਰ  
ਮੋ 81460-02241

*Whe is ok*

ਡਾ. ਪਾਰੁਲ ਗੁਪਤਾ  
ਐਮ.ਐਸ.ਆਈ  
ਅੱਖਾਂ ਦੇ ਰੋਗਾਂ ਦੇ ਮਾਹਿਰ  
ਫੈਕੋ ਅਤੇ ਲੇਸਿਕ ਸਰਜਨ

NAME

02\_MAY\_2023 AM 11:51  
NO. 2411  
SN: 4630630

REF. DATA

VD: 12.00 CYL: MIX  
 <P> S C A  
 - 0.25  
 S. E. - 0.25  
 <L> S C A  
 - 0.75  
 S. E. - 0.75

PD: 67.5

TOPCON

ਟਰੀ ਅਤੇ ਡਾਓ ਕੇਂਦਰ	ਅੱਖਾਂ ਦੇ ਰੋਗਾਂ ਦੇ ਵਿਭਾਗ	ਔਰਤਾਂ ਦੇ ਰੋਗਾਂ ਦੇ ਵਿਭਾਗ	ਬਲੱਡ ਬੈਂਕ
----------------------	----------------------------	----------------------------	-----------

99886-12241  
241, 99886-32241

Not Valid for Medico-Legal Purpose

- ◆ ਡਾਇਲਿਸਿਸ ਲਈ AV FISTULA
- ◆ ਐਕਸੀਡੈਂਟ ਕੇਸਾਂ ਦਾ ਇਲਾਜ
- ◆ ਹੱਡੀਆਂ ਅਤੇ ਜੋੜਾਂ ਦਾ ਇਲਾਜ
- ◆ ਜਲੇ ਹੋਏ ਮਰੀਜ਼ਾਂ ਦਾ ਇਲਾਜ
- ◆ HAIR TRANSPLANT
- ◆ ਲੇਜ਼ਰ ਨਾਲ ਅਣਚਾਹੇ ਵਾਲਾਂ ਦਾ ਇਲਾਜ
- ◆ ਟੈਟੂ ਅਤੇ SCAR ਨੂੰ ਕੱਢਣਾ

**TIMING : MONDAY TO SATURDAY**  
 Morning 10:00 am to 02:00 pm  
 Evening 05:00 pm to 07:00 pm  
 Sunday : 10:00 am to 02:00 pm

NOT VALID FOR MEDICO LEGAL PURPOSE

ਐਮਰਜੈਂਸੀ ਸੇਵਾਵਾਂ 24 ਘੰਟੇ ਲਈ ਉਪਲਬਧ ਹੈ।

jal  
MS  
4070  
spital

# Cosmo

SUPER SPECIALITY HOSPITAL  
ਕੋਸਮੋ ਸੁਪਰ ਸਪੈਸ਼ਲਿਟੀ ਹਸਪਤਾਲ

100 Ft. Road, Near Dr. Maheshwari Hospital,  
Bathinda - 151001 (Pb.)  
Ph. 0164-5011301, 98150-23869  
E-mail : drramangoyal1979@gmail.com

COMPLETE MEDICAL, TRAUMA, COSMETIC, LASER & HAIR TRANSPLANT CENTRE

## ਸੁਵਿਧਾਵਾਂ

- ◆ ਦਿਲ, ਫਾਤੀ ਅਤੇ ਪੇਟ ਦੇ ਰੋਗਾਂ ਦਾ ਇਲਾਜ
- ◆ ਸ਼ੂਗਰ, ਬਲੱਡ ਪ੍ਰੈਸ਼ਰ, ਥਾਇਰਾਇਡ ਅਤੇ ਗਠਿਆ ਦਾ ਇਲਾਜ
- ਕਰੋਨਾ, ਡੈਂਗੂ, ਮਲੇਰੀਆ, ਅਤੇ ਸਵਾਈਨ ਫਲੂ ਆਦਿ ਬਿਮਾਰੀਆਂ ਦਾ ਇਲਾਜ
- ◆ ਸਪਰੇ ਅਤੇ ਸੱਪ ਕੱਟੇ ਮਰੀਜ਼ਾਂ ਦਾ ਇਲਾਜ
- ◆ ਅਧਰੰਗ, ਮਿਰਗੀ ਅਤੇ ਦਿਮਾਗੀ ਬਿਮਾਰੀਆਂ ਦਾ ਇਲਾਜ
- ◆ ਕੰਪਿਊਟਰਾਇਜ਼ਡ ਲੈਬ, ਡਿਜੀਟਲ ਐਕਸ-ਰੇ
- ਆਈ.ਸੀ.ਯੂ., ਵੇਂਟੀਲੇਟਰ ਅਤੇ ਪ੍ਰਾਈਵੇਟ ਏ.ਸੀ. ਰੂਮ

## ਹੋਰ ਸੁਵਿਧਾਵਾਂ

- ◆ ਪਲਾਸਟਿਕ ਸਰਜਰੀ ਦੀ ਸੁਵਿਧਾ
- ◆ ਡਾਇਲਿਸਿਸ ਲਈ AV FISTULA
- ◆ ਐਕਸੀਡੈਂਟ ਕੇਸਾਂ ਦਾ ਇਲਾਜ
- ◆ ਹੱਡੀਆਂ ਅਤੇ ਜੋੜਾਂ ਦਾ ਇਲਾਜ
- ◆ ਜਲੇ ਹੋਏ ਮਰੀਜ਼ਾਂ ਦਾ ਇਲਾਜ
- ◆ HAIR TRANSPLANT
- ◆ ਲੇਜ਼ਰ ਨਾਲ ਅਣਚਾਹੇ ਵਾਲਾਂ ਦਾ ਇਲਾਜ
- ◆ ਟੈਟੂ ਅਤੇ SCAR ਨੂੰ ਕੱਢਣਾ

Dr. Raman K. Goyal

ਡਾ. ਰਮਨ ਗੋਇਲ

MBBS, MS, Mch Plastic Surgery  
Trauma, Burn & Cosmetic Super Specialist  
Formerly at CMC Ludhiana  
Regd. No. PMC-32766

Dr. Ramandeep Goyal

ਡਾ. ਰਮਨਦੀਪ ਗੋਇਲ

MD (Medicine) Ex. PCMS  
Formerly Med. Sp. Civil Hospital, Bathinda  
Regd. No. PMC 34070

Slating 24/7  
B.P - 110/72



Dr. Ramandeep Goyal  
MD Medicine, Ex PCMS  
PMC No. 34070  
Cosmo Superspeciality Hospital

**TIMING : MONDAY TO SATURDAY**

Morning 10:00 am to 02:00 pm

Evening 05:00 pm to 07:00 pm

Sunday : 10:00 am to 02:00 pm

NOT VALID FOR MEDICO LEGAL PURPOSE

87  
ਐਮਰਜੈਂਸੀ ਸੇਵਾਵਾਂ 24 ਘੰਟੇ ਲਈ ਉਪਲਬੱਧ ਹੈ।



# ਗੁਪਤਾ ਹਸਪਤਾਲ ਅਤੇ ਟਰੋਮਾ ਸੈਂਟਰ

ਪਾਵਰ ਹਾਊਸ ਰੋਡ, ਬਠਿੰਡਾ



wari Hospital,  
151001 (Pb.)  
98150-23869  
979@gmail.com

ਨਾਮ	ਸਰਜਨ ਕੁਮਾਰ 24	ਉਮਰ/ਲਿੰਗ	ਮਿਤੀ 25/5/23
ਪਤਾ	8112837273	ਰਜਿ:	

ਡਾ. ਅੰਮ੍ਰਿਤ ਗੁਪਤਾ  
ਐਮ.ਐਸ.ਆਰਥੋ

6/6

ਡਾ. ਮੋਹਿਤ ਗੁਪਤਾ  
ਐਮ.ਐਸ.ਆਰਥੋ

6/6

ਐਮ.ਸੀ.ਐਚ.ਆਰਥੋ  
ਹੱਡੀਆਂ ਤੇ ਜੋੜਾਂ ਦੇ ਮਾਹਿਰ  
ਗੋਡੇ ਚੂਲੇ ਬਦਲਣ ਦੇ ਮਾਹਿਰ  
ਮੋ 81460-02241

Handwritten signature and scribbles

ਡਾ. ਪਾਰੁਲ ਗੁਪਤਾ  
ਐਮ.ਐਸ.ਆਈ

ਅੱਖਾਂ ਦੇ ਰੋਗਾਂ ਦੇ ਮਾਹਿਰ  
ਫੈਕੋ ਅਤੇ ਲੇਸਿਕ ਸਰਜਨ

ANT CENTRE

p Goyal  
ਪਿ ਗੋਇਲ  
icine) Ex. PCMS  
pital, Bathinda  
No. PMC 34070

25/5/23

NAME

02\_MAY\_2023 PM 12:01  
NO. 2418  
SN: 4630630

REF. DATA

VD: 12.00 CYL: MIX

S C A  
- 0.25 - 0.25 170

S. E. - 0.50

<L> S C A

- 0.25

S. E. - 0.25

PD: 63.0

TOPCON

ਕਿੱਟਰੀ ਅਤੇ ਫੁੱਫਾਓ ਕੇਂਦਰ	ਅੱਖਾਂ ਦੇ ਰੋਗਾਂ ਦੇ ਵਿਭਾਗ	ਔਰਤਾਂ ਦੇ ਰੋਗਾਂ ਦੇ ਵਿਭਾਗ	ਬਲੱਡ ਬੈਂਕ
----------------------------	----------------------------	----------------------------	-----------

(M) 99886-12241  
-52241, 99886-32241

Not Valid for Medico-Legal Purpose

oyal  
CMS  
4070  
spital

- ◆ ਡਾਇਲਿਸਿਸ ਲਈ AV FISTULA
- ◆ ਐਕਸੀਡੈਂਟ ਕੇਸਾਂ ਦਾ ਇਲਾਜ
- ◆ ਹੱਡੀਆਂ ਅਤੇ ਜੋੜਾਂ ਦਾ ਇਲਾਜ
- ◆ ਜਲੇ ਹੋਏ ਮਰੀਜ਼ਾਂ ਦਾ ਇਲਾਜ
- ◆ HAIR TRANSPLANT
- ◆ ਲੇਜ਼ਰ ਨਾਲ ਅਣਚਾਹੇ ਵਾਲਾਂ ਦਾ ਇਲਾਜ
- ◆ ਟੈਟੂ ਅਤੇ SCAR ਨੂੰ ਕੱਢਣਾ

TIMING : MONDAY TO SATURDAY

Morning 10:00 am to 02:00 pm

Evening 05:00 pm to 07:00 pm

Sunday : 10:00 am to 02:00 pm

NOT VALID FOR MEDICO LEGAL PURPOSE

88  
ਐਮਰਜੈਂਸੀ ਸੇਵਾਵਾਂ 24 ਘੰਟੇ ਲਈ ਉਪਲਬੱਧ ਹੈ।



# Cosmo

SUPER SPECIALITY HOSPITAL  
ਕੋਸਮੋ ਸੁਪਰ ਸਪੈਸ਼ਲਿਟੀ ਹਸਪਤਾਲ

100 Ft. Road, Near Dr. Maheshwari Hospital,  
Bathinda - 151001 (Pb.)  
Ph. 0164-5011301, 98150-23869  
E-mail : drramangoyal1979@gmail.com

**COMPLETE MEDICAL, TRAUMA, COSMETIC, LASER & HAIR TRANSPLANT CENTRE**

## ਸੁਵਿਧਾਵਾਂ

- ◆ ਦਿਲ, ਛਾਤੀ ਅਤੇ ਪੇਟ ਦੇ ਰੋਗਾਂ ਦਾ ਇਲਾਜ
- ◆ ਸ਼ੂਗਰ, ਬਲੱਡ ਪ੍ਰੈਸ਼ਰ, ਥਾਇਰਾਇਡ ਅਤੇ ਗਠਿਆ ਦਾ ਇਲਾਜ
- ◆ ਕਰੋਨਾ, ਡੈਂਗੂ, ਮਲੇਰੀਆ, ਅਤੇ ਸਵਾਈਨ ਫਲੂ ਆਦਿ ਬਿਮਾਰੀਆਂ ਦਾ ਇਲਾਜ
- ◆ ਸਪਰੇ ਅਤੇ ਸੱਪ ਕੱਟੇ ਮਰੀਜ਼ਾਂ ਦਾ ਇਲਾਜ
- ◆ ਅਧਰੰਗ, ਮਿਰਗੀ ਅਤੇ ਦਿਮਾਗੀ ਬਿਮਾਰੀਆਂ ਦਾ ਇਲਾਜ
- ◆ ਕੰਪਿਊਟਰਾਇਜ਼ਡ ਲੈਬ, ਡਿਜੀਟਲ ਐਕਸ-ਰੇ
- ◆ ਆਈ.ਸੀ.ਯੂ., ਵੇਂਟੀਲੇਟਰ ਅਤੇ ਪ੍ਰਾਈਵੇਟ ਏ.ਸੀ. ਰੂਮ

## ਹੋਰ ਸੁਵਿਧਾਵਾਂ

- ◆ ਪਲਾਸਟਿਕ ਸਰਜਰੀ ਦੀ ਸੁਵਿਧਾ
- ◆ ਡਾਇਲਿਸਿਸ ਲਈ AV FISTULA
- ◆ ਐਕਸੀਡੈਂਟ ਕੇਸਾਂ ਦਾ ਇਲਾਜ
- ◆ ਹੱਡੀਆਂ ਅਤੇ ਜੋੜਾਂ ਦਾ ਇਲਾਜ
- ◆ ਜਲੇ ਹੋਏ ਮਰੀਜ਼ਾਂ ਦਾ ਇਲਾਜ
- ◆ HAIR TRANSPLANT
- ◆ ਲੇਜ਼ਰ ਨਾਲ ਅਣਚਾਹੇ ਵਾਲਾਂ ਦਾ ਇਲਾਜ
- ◆ ਟੈਟੂ ਅਤੇ SCAR ਨੂੰ ਕੱਢਣਾ

**Dr. Raman K. Goyal**

**ਡਾ. ਰਮਨ ਗੋਇਲ**

MBBS, MS, Mch Plastic Surgery  
Trauma, Burn & Cosmetic Super Specialist  
Formerly at CMC Ludhiana  
Regd. No. PMC-32766

**Dr. Ramandeep Goyal**

**ਡਾ. ਰਮਨਦੀਪ ਗੋਇਲ**

MD (Medicine) Ex. PCMS  
Formerly Med. Sp. Civil Hospital, Bathinda  
Regd. No. PMC 34070

*Santosh Kumar 25/11*  
*B.P- 128/77*

Dr. Ramandeep Goyal  
MD Medicine, Ex PCMS  
PMC No. 34070  
Cosmo Superspeciality Hospital

**TIMING : MONDAY TO SATURDAY**

Morning 10:00 am to 02:00 pm

Evening 05:00 pm to 07:00 pm

Sunday : 10:00 am to 02:00 pm

**NOT VALID FOR MEDICO LEGAL PURPOSE**

89  
**ਐਮਰਜੈਂਸੀ ਸੇਵਾਵਾਂ 24 ਘੰਟੇ ਲਈ ਉਪਲਬਧ ਹੈ।**



GUPTA HOSPITAL

# ਗੁਪਤਾ ਹਸਪਤਾਲ ਅਤੇ ਦਰੋਮਾ ਸੈਂਟਰ

ਪਾਵਰ ਹਾਊਸ ਰੋਡ, ਬਠਿੰਡਾ



Swari Hospital,  
- 151001 (Pb.)  
98150-23869  
1979@gmail.com

ਨਾਮ ਰਜੀਵ ਸਿੰਘ 33 ਸਾਕੂ ਉਮਰ/ਲਿੰਗ ਮਿਤੀ 2/5/23  
 ਪਤਾ 7009729779 ਰਜਿ:

**ਡਾ. ਅੰਮ੍ਰਿਤ ਗੁਪਤਾ**  
ਐਮ.ਐਸ.ਆਰਥੋ

**ਡਾ. ਮੋਹਿਤ ਗੁਪਤਾ**

ਐਮ.ਐਸ.ਆਰਥੋ

ਐਮ.ਸੀ.ਐਚ.ਆਰਥੋ

ਹੱਡੀਆਂ ਤੇ ਜੋੜਾਂ ਦੇ ਮਾਹਿਰ

ਗੋਡੇ ਚੂਲੇ ਬਦਲਣ ਦੇ ਮਾਹਿਰ

ਮੋ 81460-02241

**ਡਾ. ਪਾਰੁਲ ਗੁਪਤਾ**

ਐਮ.ਐਸ.ਆਈ

ਅੱਖਾਂ ਦੇ ਰੋਗਾਂ ਦੇ ਮਾਹਿਰ

ਫੈਕੋ ਅਤੇ ਲੇਸਿਕ ਸਰਜਨ

6/6  
6/6  
Vines  
2

ANT CENTRE

**Dr. Goyal**

**ਰੀਪ ਗੋਇਲ**

(Medicine) Ex. PCMS

Hospital, Bathinda

No. PMC 34070

32/11

NAME

02\_MAY\_2023 AM 11:42  
NO. 2407  
SN: 4630630

REF. DATA

VD: 12.00 CYL: MIX

<R> S C A

+ 0.25

S. E. + 0.25

<L> S C A

+ 0.50 - 0.75 157

S. E. + 0.25

PD: 70.0

TOPCON

ਡਾਕਟਰੀ ਅਤੇ  
ਛੱਡਾਓ ਕੇਂਦਰ

ਅੱਖਾਂ ਦੇ ਰੋਗਾਂ  
ਦੇ ਵਿਭਾਗ

ਔਰਤਾਂ ਦੇ ਰੋਗਾਂ  
ਦੇ ਵਿਭਾਗ

ਬਲੱਡ ਬੈਂਕ

M) 99886-12241

99886-32241

Not Valid for Medico-Legal Purpose

Goyal  
PCMS  
34070  
Hospital

- ◆ ਡਾਇਲਿਸਿਸ ਲਈ AV FISTULA
- ◆ ਐਕਸੀਡੈਂਟ ਕੇਸਾਂ ਦਾ ਇਲਾਜ
- ◆ ਹੱਡੀਆਂ ਅਤੇ ਜੋੜਾਂ ਦਾ ਇਲਾਜ
- ◆ ਜਲੇ ਹੋਏ ਮਰੀਜ਼ਾਂ ਦਾ ਇਲਾਜ
- ◆ HAIR TRANSPLANT
- ◆ ਲੇਜ਼ਰ ਨਾਲ ਅਣਚਾਹੇ ਵਾਲਾਂ ਦਾ ਇਲਾਜ
- ◆ ਟੈਟੂ ਅਤੇ SCAR ਨੂੰ ਕੱਢਣਾ

**TIMING : MONDAY TO SATURDAY**

Morning 10:00 am to 02:00 pm

Evening 05:00 pm to 07:00 pm

Sunday : 10:00 am to 02:00 pm

NOT VALID FOR MEDICO LEGAL PURPOSE

**ਐਮਰਜੈਂਸੀ ਸੇਵਾਵਾਂ 24 ਘੰਟੇ ਲਈ ਉਪਲਬੱਧ ਹੈ।**



# Cosmo

## SUPER SPECIALITY HOSPITAL

ਕੋਸਮੋ ਸੁਪਰ ਸਪੈਸ਼ਲਿਟੀ ਹਸਪਤਾਲ

100 Ft. Road, Near Dr. Maheshwari Hospital,  
Bathinda - 151001 (Pb.)  
Ph. 0164-5011301, 98150-23869  
E-mail : drramangoyal1979@gmail.com

**COMPLETE MEDICAL, TRAUMA, COSMETIC, LASER & HAIR TRANSPLANT CENTRE**

### ਸੁਵਿਧਾਵਾਂ

- ◆ ਦਿਲ, ਛਾਤੀ ਅਤੇ ਪੇਟ ਦੇ ਰੋਗਾਂ ਦਾ ਇਲਾਜ
- ◆ ਸ਼ੂਗਰ, ਬਲੱਡ ਪ੍ਰੈਸ਼ਰ, ਥਾਇਰਾਈਡ ਅਤੇ ਗਠਿਆ ਦਾ ਇਲਾਜ
- ◆ ਕਰੋਨਾ, ਡੈਂਗੂ, ਮਲੇਰੀਆ, ਅਤੇ ਸਵਾਈਨ ਫਲੂ ਆਦਿ ਬਿਮਾਰੀਆਂ ਦਾ ਇਲਾਜ
- ◆ ਸਪਰੇ ਅਤੇ ਸੱਪ ਕੱਟੇ ਮਰੀਜ਼ਾਂ ਦਾ ਇਲਾਜ
- ◆ ਅਧਰੰਗ, ਮਿਰਗੀ ਅਤੇ ਦਿਮਾਗੀ ਬਿਮਾਰੀਆਂ ਦਾ ਇਲਾਜ
- ◆ ਕੰਪਿਊਟਰਾਈਜ਼ਡ ਲੈਬ, ਡਿਜੀਟਲ ਐਕਸ-ਰੇ
- ◆ ਆਈ.ਸੀ.ਯੂ., ਵੇਂਟੀਲੇਟਰ ਅਤੇ ਪ੍ਰਾਈਵੇਟ ਏ.ਸੀ. ਰੂਮ

**Dr. Raman K. Goyal**

**ਡਾ. ਰਮਨ ਗੋਇਲ**

MBBS, MS, Mch Plastic Surgery  
Trauma, Burn & Cosmetic Super Specialist  
Formerly at CMC Ludhiana  
Regd. No. PMC-32766

**Dr. Ramandeep Goyal**

**ਡਾ. ਰਮਨਦੀਪ ਗੋਇਲ**

MD (Medicine) Ex. PCMS  
Formerly Med. Sp. Civil Hospital, Bathinda  
Regd. No. PMC 34070

*Mandeep Goyal 32/Y*  
*B.P-133/25*

Dr. Ramandeep Goyal  
MD Medicine, Ex PCMS  
PMC No. 34070  
Cosmo Superspeciality Hospital

### ਹੋਰ ਸੁਵਿਧਾਵਾਂ

- ◆ ਪਲਾਸਟਿਕ ਸਰਜਰੀ ਦੀ ਸੁਵਿਧਾ
- ◆ ਡਾਇਲਿਸਿਸ ਲਈ AV FISTULA
- ◆ ਐਕਸੀਡੈਂਟ ਕੇਸਾਂ ਦਾ ਇਲਾਜ
- ◆ ਹੱਡੀਆਂ ਅਤੇ ਜੋੜਾਂ ਦਾ ਇਲਾਜ
- ◆ ਜਲੇ ਹੋਏ ਮਰੀਜ਼ਾਂ ਦਾ ਇਲਾਜ
- ◆ HAIR TRANSPLANT
- ◆ ਲੇਜ਼ਰ ਨਾਲ ਅਣਚਾਹੇ ਵਾਲਾਂ ਦਾ ਇਲਾਜ
- ◆ ਟੈਟੂ ਅਤੇ SCAR ਨੂੰ ਕੱਢਣਾ

**TIMING : MONDAY TO SATURDAY**

Morning 10:00 am to 02:00 pm

Evening 05:00 pm to 07:00 pm

Sunday : 10:00 am to 02:00 pm

**NOT VALID FOR MEDICO LEGAL PURPOSE**

**ਐਮਰਜੈਂਸੀ ਸੇਵਾਵਾਂ 24 ਘੰਟੇ ਲਈ ਉਪਲਬਧ ਹੈ।**



GUPTA HOSPITAL

# ਗੁਪਤਾ ਹਸਪਤਾਲ ਅਤੇ ਦਰਸ਼ਨ

ਪਾਵਰ ਹਾਊਸ ਰੋਡ, ਬਠਿੰਡਾ

100 Ft. Road, Near Dr. Maheshwari Hospital,  
Bathinda - 151001 (Pb.)  
984-5011301, 98150-23869  
98150-1979@gmail.com

ਨਾਮ	ਗੁਰਮਾਹਿਬ ਸਿੰਘ / 30	ਉਮਰ/ਲਿੰਗ	ਮਿਤੀ 25/5/23
ਪਤਾ	81958-68557		ਰਜਿ:

OPHTHALMOLOGY CENTRE

Dr. P Goyal  
ਪ੍ਰੋਫੈਸਰ ਗੋਇਲ  
Ophthalmologist (Ex. PCMS)  
Bathinda  
No. PMC 34070

ਡਾ. ਅੰਮ੍ਰਿਤ ਗੁਪਤਾ  
ਐਮ.ਐਸ.ਆਰਥੋ

ਡਾ. ਮੋਹਿਤ ਗੁਪਤਾ  
ਐਮ.ਐਸ.ਆਰਥੋ  
ਐਮ.ਸੀ.ਐਚ.ਆਰਥੋ  
ਹੱਡੀਆਂ ਤੇ ਜੋੜਾਂ ਦੇ ਮਾਹਿਰ  
ਗੋਡੇ ਚੂਲੇ ਬਦਲਣ ਦੇ ਮਾਹਿਰ  
ਮੋ 81460-02241

ਡਾ. ਪਾਰੁਲ ਗੁਪਤਾ  
ਐਮ.ਐਸ.ਆਈ  
ਅੱਖਾਂ ਦੇ ਰੋਗਾਂ ਦੇ ਮਾਹਿਰ  
ਫੈਕੋ ਅਤੇ ਲੇਸਿਕ ਸਰਜਨ

6/9  
6/6

vision is  
ok

ELD

filozel

h

NAME

02\_MAY\_2023 AM 10:51  
NO. 2388  
SN: 4630630

REF. DATA

VD:	12.00	CYL:	MIX
<R>	S - C	A	
	- 1.00 - 0.25	71	
	S. E. - 1.25		
<L>	S - C	A	
	- 0.25 - 0.50	81	
	S. E. - 0.50		

PD: 66.5

TOPCON

ਕੈਟਰੀ ਅਤੇ ਫੁਡਾਓ ਕੇਂਦਰ (M) 99886-12241 -52241, 99886-32241	ਅੱਖਾਂ ਦੇ ਰੋਗਾਂ ਦੇ ਵਿਭਾਗ	ਔਰਤਾਂ ਦੇ ਰੋਗਾਂ ਦੇ ਵਿਭਾਗ	ਬਲੱਡ ਬੈਂਕ
--	----------------------------	----------------------------	-----------

Not Valid for Medico-Legal Purpose

yal  
.MS  
1070  
pital

- ◆ ਡਾਇਲਿਸਿਸ ਲਈ AV FISTULA
- ◆ ਐਕਸੀਡੈਂਟ ਕੇਸਾਂ ਦਾ ਇਲਾਜ
- ◆ ਹੱਡੀਆਂ ਅਤੇ ਜੋੜਾਂ ਦਾ ਇਲਾਜ
- ◆ ਜਲੇ ਹੋਏ ਮਰੀਜ਼ਾਂ ਦਾ ਇਲਾਜ
- ◆ HAIR TRANSPLANT
- ◆ ਲੇਜ਼ਰ ਨਾਲ ਅਣਚਾਹੇ ਵਾਲਾਂ ਦਾ ਇਲਾਜ
- ◆ ਟੈਟੂ ਅਤੇ SCAR ਨੂੰ ਕੱਢਣਾ

**TIMING : MONDAY TO SATURDAY**  
 Morning 10:00 am to 02:00 pm  
 Evening 05:00 pm to 07:00 pm  
 Sunday : 10:00 am to 02:00 pm

NOT VALID FOR MEDICO LEGAL PURPOSE

ਐਮਰਜੈਂਸੀ ਸੇਵਾਵਾਂ 24 ਘੰਟੇ ਲਈ ਉਪਲਬੱਧ ਹੈ।





GUPTA HOSPITAL

# ਗੁਪਤਾ ਹਸਪਤਾਲ ਅਤੇ ਦਰੋਮਾ ਸੈਂਟਰ

ਪਾਵਰ ਹਾਊਸ ਰੋਡ, ਬਠਿੰਡਾ



Gupta Hospital,  
151001 (Pb.)  
98150-23869  
979@gmail.com

OPD CENTRE

**p Goyal**  
**ਪਿ ਗੋਇਲ**

MD (Ophthalmology) Ex. PCMS  
Gupta Hospital, Bathinda  
No. PMC 34070

ਨਾਮ <b>ਕਮਲਦੇਵ ਸਿੰਘ / ਗੁਰ</b>	ਉਮਰ/ਲਿੰਗ	ਮਿਤੀ <b>2/5/23</b>
ਪਤਾ <b>88726-27586</b>	ਰਜਿ:	

**ਡਾ. ਅੰਮ੍ਰਿਤ ਗੁਪਤਾ**  
ਐਮ.ਐਸ.ਆਰਥੋ

G/6

**ਡਾ. ਮੋਹਿਤ ਗੁਪਤਾ**  
ਐਮ.ਐਸ.ਆਰਥੋ

G/6

ਐਮ.ਸੀ.ਐਚ.ਆਰਥੋ  
ਹੱਡੀਆਂ ਤੇ ਜੋੜਾਂ ਦੇ ਮਾਹਿਰ  
ਗੋਡੇ ਚੂਲੇ ਬਦਲਣ ਦੇ ਮਾਹਿਰ  
ਮੋ 81460-02241

*Handwritten signature*

*Handwritten signature*

1 38/Y

**ਡਾ. ਪਾਰੁਲ ਗੁਪਤਾ**  
ਐਮ.ਐਸ.ਆਈ  
ਅੱਖਾਂ ਦੇ ਰੋਗਾਂ ਦੇ ਮਾਹਿਰ  
ਫੈਕੋ ਅਤੇ ਲੇਸਿਕ ਸਰਜਨ

NAME

02\_MAY\_2023 PM 12:02  
NO. 2419  
SN: 4630630

REF. DATA

VD: 12.00 CYL: MIX  
<R> S C A  
- 0.75  
S. E. - 0.75  
<L> S C A  
- 0.50 - 0.50 163  
S. E. - 0.75

PD: 65.5

ਕੈਂਟਰੀ ਅਤੇ ਫੁਡਾਓ ਕੇਂਦਰ	ਅੱਖਾਂ ਦੇ ਰੋਗਾਂ ਦੇ ਵਿਭਾਗ	ਔਰਤਾਂ ਦੇ ਰੋਗਾਂ ਦੇ ਵਿਭਾਗ	ਬਲੱਡ ਬੈਂਕ
---------------------------	----------------------------	----------------------------	-----------

(M) 99886-12241  
52241, 99886-32241

Not Valid for Medico-Legal Purpose

- ◆ ਡਾਇਲਿਸਿਸ ਲਈ AV FISTULA
- ◆ ਐਕਸੀਡੈਂਟ ਕੇਸਾਂ ਦਾ ਇਲਾਜ
- ◆ ਹੱਡੀਆਂ ਅਤੇ ਜੋੜਾਂ ਦਾ ਇਲਾਜ
- ◆ ਜਲੇ ਹੋਏ ਮਰੀਜ਼ਾਂ ਦਾ ਇਲਾਜ
- ◆ HAIR TRANSPLANT
- ◆ ਲੇਜ਼ਰ ਨਾਲ ਅਣਚਾਹੇ ਵਾਲਾਂ ਦਾ ਇਲਾਜ
- ◆ ਟੈਟੂ ਅਤੇ SCAR ਨੂੰ ਕੱਢਣਾ

**TIMING : MONDAY TO SATURDAY**  
Morning 10:00 am to 02:00 pm  
Evening 05:00 pm to 07:00 pm  
Sunday : 10:00 am to 02:00 pm

NOT VALID FOR MEDICO LEGAL PURPOSE

**ਐਮਰਜੈਂਸੀ ਸੇਵਾਵਾਂ 24 ਘੰਟੇ ਲਈ ਉਪਲਬੱਧ ਹੈ।**



# Cosmo

SUPER SPECIALITY HOSPITAL  
ਕੋਸਮੋ ਸੁਪਰ ਸਪੈਸ਼ਲਿਟੀ ਹਸਪਤਾਲ

100 Ft. Road, Near Dr. Maheshwari Hospital,  
Bathinda - 151001 (Pb.)  
Ph. 0164-5011301, 98150-23869  
E-mail : drramangoyal1979@gmail.com

**COMPLETE MEDICAL, TRAUMA, COSMETIC, LASER & HAIR TRANSPLANT CENTRE**

## ਸੁਵਿਧਾਵਾਂ

- ◆ ਦਿਲ, ਫਾਤੀ ਅਤੇ ਪੇਟ ਦੇ ਰੋਗਾਂ ਦਾ ਇਲਾਜ
- ◆ ਸ਼ੂਗਰ, ਬਲੱਡ ਪ੍ਰੈਸ਼ਰ, ਥਾਇਰਾਇਡ ਅਤੇ ਗਠਿਆ ਦਾ ਇਲਾਜ
- ◆ ਕਰੋਨਾ, ਡੈਂਗੂ, ਮਲੇਰੀਆ, ਅਤੇ ਸਵਾਈਨ ਫਲੂ ਆਦਿ ਬਿਮਾਰੀਆਂ ਦਾ ਇਲਾਜ
- ◆ ਸਪਰੇ ਅਤੇ ਸੱਪ ਕੱਟੇ ਮਰੀਜ਼ਾਂ ਦਾ ਇਲਾਜ
- ◆ ਅਧਰੰਗ, ਮਿਰਗੀ ਅਤੇ ਦਿਮਾਗੀ ਬਿਮਾਰੀਆਂ ਦਾ ਇਲਾਜ
- ◆ ਕੰਪਿਊਟਰਾਇਜ਼ਡ ਲੈਬ, ਡਿਜੀਟਲ ਐਕਸ-ਰੇ
- ◆ ਆਈ.ਸੀ.ਯੂ., ਵੇਂਟੀਲੇਟਰ ਅਤੇ ਪ੍ਰਾਈਵੇਟ ਏ.ਸੀ. ਰੂਮ

## Dr. Raman K. Goyal

### ਡਾ. ਰਮਨ ਗੋਇਲ

MBBS, MS, Mch Plastic Surgery  
Trauma, Burn & Cosmetic Super Specialist  
Formerly at CMC Ludhiana  
Regd. No. PMC-32766

## Dr. Ramandeep Goyal

### ਡਾ. ਰਮਨਦੀਪ ਗੋਇਲ

MD (Medicine) Ex. PCMS  
Formerly Med. Sp. Civil Hospital, Bathinda  
Regd. No. PMC 34070

Lakhwinder Singh 38/Y

B.P. - 127/86

Dr. Ramandeep Goyal  
MD Medicine, Ex PCMS  
PMC No. 34070  
Cosmo Superspeciality Hospital

## ਹੋਰ ਸੁਵਿਧਾਵਾਂ

- ◆ ਪਲਾਸਟਿਕ ਸਰਜਰੀ ਦੀ ਸੁਵਿਧਾ
- ◆ ਡਾਇਲਿਸਿਸ ਲਈ AV FISTULA
- ◆ ਐਕਸੀਡੈਂਟ ਕੇਸਾਂ ਦਾ ਇਲਾਜ
- ◆ ਹੱਡੀਆਂ ਅਤੇ ਜੋੜਾਂ ਦਾ ਇਲਾਜ
- ◆ ਜਲੇ ਹੋਏ ਮਰੀਜ਼ਾਂ ਦਾ ਇਲਾਜ
- ◆ HAIR TRANSPLANT
- ◆ ਲੇਜ਼ਰ ਨਾਲ ਅਣਚਾਹੇ ਵਾਲਾਂ ਦਾ ਇਲਾਜ
- ◆ ਟੈਟੂ ਅਤੇ SCAR ਨੂੰ ਕੱਢਣਾ

### TIMING : MONDAY TO SATURDAY

Morning 10:00 am to 02:00 pm

Evening 05:00 pm to 07:00 pm

Sunday : 10:00 am to 02:00 pm

NOT VALID FOR MEDICO LEGAL PURPOSE

ਐਮਰਜੈਂਸੀ ਸੇਵਾਵਾਂ 24 ਘੰਟੇ ਲਈ ਉਪਲਬੱਧ ਹੈ।



GUPTA HOSPITAL

# ਗੁਪਤਾ ਹਸਪਤਾਲ ਅਤੇ ਦਰੋਮਾ ਸੈਂਟਰ

ਪਾਵਰ ਹਾਊਸ ਰੋਡ, ਬਠਿੰਡਾ



wari Hospital,  
151001 (Pb.)  
98150-23869  
979@gmail.com

ਨਾਮ	ਮੀ ਕਿਤ	22	ਉਮਰ/ਲਿੰਗ	ਮਿਤੀ 25/5/23
ਪਤਾ	9368524295		ਰਜਿ:	

ਡਾ. ਅੰਮ੍ਰਿਤ ਗੁਪਤਾ  
ਐਮ.ਐਸ.ਆਰਥੋ

ਡਾ. ਮੋਹਿਤ ਗੁਪਤਾ  
ਐਮ.ਐਸ.ਆਰਥੋ

ਐਮ.ਸੀ.ਐਚ.ਆਰਥੋ  
ਹੱਡੀਆਂ ਤੇ ਜੋੜਾਂ ਦੇ ਮਾਹਿਰ  
ਗੋਡੇ ਚੂਲੇ ਬਦਲਣ ਦੇ ਮਾਹਿਰ  
ਮੋ 81460-02241

ਡਾ. ਪਾਰੁਲ ਗੁਪਤਾ  
ਐਮ.ਐਸ.ਆਈ  
ਅੱਖਾਂ ਦੇ ਰੋਗਾਂ ਦੇ ਮਾਹਿਰ  
ਫੋਕੋ ਅਤੇ ਲੇਸਿਕ ਸਰਜਨ

6/6  
6/6

*Handwritten signature*

ANT CENTRE

p Goyal  
ਪ ਗੋਇਲ  
:ine) Ex. PCMS  
ital, Bathinda  
o. PMC 34070

NAME

02\_MAY\_2023 PM 12:00  
NO. 2417  
SN: 4630630

REF. DATA  
VD: 12.00 CYL: MIX  
<R> S C A  
0.25  
S. E. + 0.25  
<L> S C A  
+ 0.50  
S. E. + 0.50  
PD: 69.5

TOPCON

ਸਕੈਟਰੀ ਅਤੇ ਫੁਡਾਓ ਕੇਂਦਰ	ਅੱਖਾਂ ਦੇ ਰੋਗਾਂ ਦੇ ਵਿਭਾਗ	ਔਰਤਾਂ ਦੇ ਰੋਗਾਂ ਦੇ ਵਿਭਾਗ	ਬਲੱਡ ਬੈਂਕ
---------------------------	----------------------------	----------------------------	-----------

(M) 99886-12241  
7-52241, 99886-32241

Not Valid for Medico-Legal Purpose

- ਵਾਲਾਸਾਟਕ ਸਰਜਰੀ ਦੀ ਸੁਵਿਧਾ
- ਡਾਇਲਿਸਿਸ ਲਈ AV FISTULA
- ਐਕਸੀਡੈਂਟ ਕੇਸਾਂ ਦਾ ਇਲਾਜ
- ਹੱਡੀਆਂ ਅਤੇ ਜੋੜਾਂ ਦਾ ਇਲਾਜ
- ਜਲੇ ਹੋਏ ਮਰੀਜ਼ਾਂ ਦਾ ਇਲਾਜ
- HAIR TRANSPLANT
- ਲੇਜ਼ਰ ਨਾਲ ਅਣਚਾਹੇ ਵਾਲਾਂ ਦਾ ਇਲਾਜ
- ਟੈਟੂ ਅਤੇ SCAR ਨੂੰ ਕੱਢਣਾ

**TIMING : MONDAY TO SATURDAY**  
Morning 10:00 am to 02:00 pm  
Evening 05:00 pm to 07:00 pm  
Sunday : 10:00 am to 02:00 pm

NOT VALID FOR MEDICO LEGAL PURPOSE

ਐਮਰਜੈਂਸੀ ਸੇਵਾਵਾਂ 24 ਘੰਟੇ ਲਈ ਉਪਲਬੱਧ ਹੈ।



## ਸੁਵਿਧਾਵਾਂ

- ◆ ਦਿਲ, ਛਾਤੀ ਅਤੇ ਪੇਟ ਦੇ ਰੋਗਾਂ ਦਾ ਇਲਾਜ
- ◆ ਸ਼ੂਗਰ, ਬਲੱਡ ਪ੍ਰੈਸ਼ਰ, ਥਾਇਰਾਇਡ ਅਤੇ ਗਠਿਆ ਦਾ ਇਲਾਜ
- ◆ ਕਰੋਨਾ, ਡੈਂਗੂ, ਮਲੇਰੀਆ, ਅਤੇ ਸਵਾਈਨ ਫਲੂ ਆਦਿ ਬਿਮਾਰੀਆਂ ਦਾ ਇਲਾਜ
- ◆ ਸਪਰੇ ਅਤੇ ਸੱਪ ਕੱਟੇ ਮਰੀਜ਼ਾਂ ਦਾ ਇਲਾਜ
- ◆ ਅਧਰੰਗ, ਮਿਰਗੀ ਅਤੇ ਦਿਮਾਗੀ ਬਿਮਾਰੀਆਂ ਦਾ ਇਲਾਜ
- ◆ ਕੰਪਿਊਟਰਾਇਜ਼ਡ ਲੈਬ, ਡਿਜੀਟਲ ਐਕਸ-ਰੇ
- ◆ ਆਈ.ਸੀ.ਯੂ., ਵੇਂਟੀਲੇਟਰ ਅਤੇ ਪ੍ਰਾਈਵੇਟ ਏ.ਸੀ. ਰੂਮ

## Dr. Raman K. Goyal

### ਡਾ. ਰਮਨ ਗੋਇਲ

MBBS, MS, Mch Plastic Surgery  
Trauma, Burn & Cosmetic Super Specialist  
Formerly at CMC Ludhiana  
Regd. No. PMC-32766

## Dr. Ramandeep Goyal

### ਡਾ. ਰਮਨਦੀਪ ਗੋਇਲ

MD (Medicine) Ex. PCMS  
Formerly Med. Sp. Civil Hospital, Bathinda  
Regd. No. PMC 34070

Ankit

22/7

B.P - 114/72

  
Dr. Ramandeep Goyal  
MD Medicine, Ex PCMS  
PMC No. 34070  
Cosmo Superspeciality Hospital

## ਹੋਰ ਸੁਵਿਧਾਵਾਂ

- ◆ ਪਲਾਸਟਿਕ ਸਰਜਰੀ ਦੀ ਸੁਵਿਧਾ
- ◆ ਡਾਇਲਿਸਿਸ ਲਈ AV FISTULA
- ◆ ਐਕਸੀਡੈਂਟ ਕੇਸਾਂ ਦਾ ਇਲਾਜ
- ◆ ਹੱਡੀਆਂ ਅਤੇ ਜੋੜਾਂ ਦਾ ਇਲਾਜ
- ◆ ਜਲੇ ਹੋਏ ਮਰੀਜ਼ਾਂ ਦਾ ਇਲਾਜ
- ◆ HAIR TRANSPLANT
- ◆ ਲੇਜ਼ਰ ਨਾਲ ਅਣਚਾਹੇ ਵਾਲਾਂ ਦਾ ਇਲਾਜ
- ◆ ਟੈਟੂ ਅਤੇ SCAR ਨੂੰ ਕੱਢਣਾ

### TIMING : MONDAY TO SATURDAY

Morning 10:00 am to 02:00 pm

Evening 05:00 pm to 07:00 pm

Sunday : 10:00 am to 02:00 pm

NOT VALID FOR MEDICO LEGAL PURPOSE

ਐਮਰਜੈਂਸੀ ਸੇਵਾਵਾਂ 24 ਘੰਟੇ ਲਈ ਉਪਲਬੱਧ ਹੈ।



GUPTA HOSPITAL

# ਗੁਪਤਾ ਹਸਪਤਾਲ ਅਤੇ ਦਰੋਮਾ ਸੈਂਟਰ

ਪਾਵਰ ਹਾਊਸ ਰੋਡ, ਬਠਿੰਡਾ



wari Hospital,  
151001 (Pb.)  
98150-23869  
979@gmail.com

ਨਾਮ	ਸ਼ੀਕਤ / ਗਿਆਨ	ਉਮਰ/ਲਿੰਗ	ਮਿਤੀ 25/5/23
ਪਤਾ	6232443040		ਰਜਿ:

ਡਾ. ਅੰਮ੍ਰਿਤ ਗੁਪਤਾ  
ਐਮ.ਐਸ.ਆਰਥੋ

G/G  
G/G

ਡਾ. ਮੋਹਿਤ ਗੁਪਤਾ  
ਐਮ.ਐਸ.ਆਰਥੋ  
ਐਮ.ਸੀ.ਐਚ.ਆਰਥੋ  
ਹੱਡੀਆਂ ਤੇ ਜੋੜਾਂ ਦੇ ਮਾਹਿਰ  
ਗੋਡੇ ਚੁਲੇ ਬਦਲਣ ਦੇ ਮਾਹਿਰ  
ਮੋ 81460-02241

*Handwritten signature*

ਡਾ. ਪਾਰੁਲ ਗੁਪਤਾ  
ਐਮ.ਐਸ.ਆਈ  
ਅੱਖਾਂ ਦੇ ਰੋਗਾਂ ਦੇ ਮਾਹਿਰ  
ਅਤੇ ਪੜੇ ਲੇਸਿਕ ਸਰਜਨ

ANT CENTRE

Dr. P. Goyal  
ਪੈਪ ਗੋਇਲ  
(Ophthalmology) Ex. PCMS  
Hospital, Bathinda  
No. PMC 34070

NAME

02\_MAY\_2023 AM 11:59  
NO. 2416  
SN: 4630630

REF. DATA

VD: 12.00 CYL: MIX  
 <R> S C A  
 + 0.50 - 0.50 76  
 S. E. + 0.25  
 <L> S C A  
 - 0.00 - 0.25 50  
 S. E. - 0.25

PD: 66.0

TOPCON

ਸਕੈਟਰੀ ਅਤੇ ਮਾ ਫੁਡਾਓ ਕੇਂਦਰ	ਅੱਖਾਂ ਦੇ ਰੋਗਾਂ ਦੇ ਵਿਭਾਗ	ਔਰਤਾਂ ਦੇ ਰੋਗਾਂ ਦੇ ਵਿਭਾਗ	ਬਲੱਡ ਬੈਂਕ
------------------------------	----------------------------	----------------------------	-----------

ਫੋਨ : (M) 99886-12241  
97-52241, 99886-32241

Not Valid for Medico-Legal Purpose

- ◆ ਡਾਇਲਿਸਿਸ ਲਈ AV FISTULA
- ◆ ਐਕਸੀਡੈਂਟ ਕੇਸਾਂ ਦਾ ਇਲਾਜ
- ◆ ਹੱਡੀਆਂ ਅਤੇ ਜੋੜਾਂ ਦਾ ਇਲਾਜ
- ◆ ਜਲੇ ਹੋਏ ਮਰੀਜ਼ਾਂ ਦਾ ਇਲਾਜ
- ◆ HAIR TRANSPLANT
- ◆ ਲੇਜ਼ਰ ਨਾਲ ਅਣਚਾਹੇ ਵਾਲਾਂ ਦਾ ਇਲਾਜ
- ◆ ਟੈਟੂ ਅਤੇ SCAR ਨੂੰ ਕੱਢਣਾ

TIMING : MONDAY TO SATURDAY

Morning 10:00 am to 02:00 pm

Evening 05:00 pm to 07:00 pm

Sunday : 10:00 am to 02:00 pm

NOT VALID FOR MEDICO LEGAL PURPOSE

ਐਮਰਜੈਂਸੀ ਸੇਵਾਵਾਂ 24 ਘੰਟੇ ਲਈ ਉਪਲਬੱਧ ਹੈ।

il  
is  
70  
tal



# Cosmo

SUPER SPECIALITY HOSPITAL  
ਕੋਸਮੋ ਸੁਪਰ ਸਪੈਸ਼ਲਿਟੀ ਹਸਪਤਾਲ

100 Ft. Road, Near Dr. Maheshwari Hospital,  
Bathinda - 151001 (Pb.)  
Ph. 0164-5011301, 98150-23869  
E-mail : drramangoyal1979@gmail.com

**COMPLETE MEDICAL, TRAUMA, COSMETIC, LASER & HAIR TRANSPLANT CENTRE**

## ਸੁਵਿਧਾਵਾਂ

- ◆ ਦਿਲ, ਫਾਤੀ ਅਤੇ ਪੇਟ ਦੇ ਰੋਗਾਂ ਦਾ ਇਲਾਜ
- ◆ ਸ਼ੂਗਰ, ਬਲੱਡ ਪ੍ਰੈਸ਼ਰ, ਥਾਇਰਾਇਡ ਅਤੇ ਗਠਿਆ ਦਾ ਇਲਾਜ
- ◆ ਕਰੋਨਾ, ਡੈਂਗੂ, ਮਲੇਰੀਆ, ਅਤੇ ਸਵਾਈਨ ਫਲੂ ਆਦਿ ਬਿਮਾਰੀਆਂ ਦਾ ਇਲਾਜ
- ◆ ਸਪਰੇ ਅਤੇ ਸੱਪ ਕੱਟੇ ਮਰੀਜ਼ਾਂ ਦਾ ਇਲਾਜ
- ◆ ਅਧਰੰਗ, ਮਿਰਗੀ ਅਤੇ ਦਿਮਾਗੀ ਬਿਮਾਰੀਆਂ ਦਾ ਇਲਾਜ
- ◆ ਕੰਪਿਊਟਰਾਇਜ਼ਡ ਲੈਬ, ਡਿਜੀਟਲ ਐਕਸ-ਰੇ
- ◆ ਆਈ.ਸੀ.ਯੂ., ਵੇਂਟੀਲੇਟਰ ਅਤੇ ਪ੍ਰਾਈਵੇਟ ਏ.ਸੀ. ਰੂਮ

## ਹੋਰ ਸੁਵਿਧਾਵਾਂ

- ◆ ਪਲਾਸਟਿਕ ਸਰਜਰੀ ਦੀ ਸੁਵਿਧਾ
- ◆ ਡਾਇਲਿਸਿਸ ਲਈ AV FISTULA
- ◆ ਐਕਸੀਡੈਂਟ ਕੇਸਾਂ ਦਾ ਇਲਾਜ
- ◆ ਹੱਡੀਆਂ ਅਤੇ ਜੋੜਾਂ ਦਾ ਇਲਾਜ
- ◆ ਜਲੇ ਹੋਏ ਮਰੀਜ਼ਾਂ ਦਾ ਇਲਾਜ
- ◆ HAIR TRANSPLANT
- ◆ ਲੇਜ਼ਰ ਨਾਲ ਅਣਚਾਹੇ ਵਾਲਾਂ ਦਾ ਇਲਾਜ
- ◆ ਟੈਟੂ ਅਤੇ SCAR ਨੂੰ ਕੱਢਣਾ

### Dr. Raman K. Goyal

ਡਾ. ਰਮਨ ਗੋਇਲ

MBBS, MS, Mch Plastic Surgery  
Trauma, Burn & Cosmetic Super Specialist  
Formerly at CMC Ludhiana  
Regd. No. PMC-32766

### Dr. Ramandeep Goyal

ਡਾ. ਰਮਨਦੀਪ ਗੋਇਲ

MD (Medicine) Ex. PCMS  
Formerly Med. Sp. Civil Hospital, Bathinda  
Regd. No. PMC 34070

Amrit

21/7

B.P- 118/72

Dr. Ramandeep Goyal  
MD Medicine, Ex PCMS  
PMC No. 34070  
Cosmo Superspeciality Hospital

#### TIMING : MONDAY TO SATURDAY

Morning 10:00 am to 02:00 pm

Evening 05:00 pm to 07:00 pm

Sunday : 10:00 am to 02:00 pm

NOT VALID FOR MEDICO LEGAL PURPOSE

ਐਮਰਜੈਂਸੀ ਸੇਵਾਵਾਂ 24 ਘੰਟੇ ਲਈ ਉਪਲਬਧ ਹੈ।



# ਗੁਪਤਾ ਹਸਪਤਾਲ ਅਤੇ ਦਰੋਮਾ ਸੈਂਟਰ

ਪਾਵਰ ਹਾਊਸ ਰੋਡ, ਬਠਿੰਡਾ



Swari Hospital,  
151001 (Pb.)  
98150-23869  
979@gmail.com

ਨਾਮ	ਕਾਰਣ ਕਪੂਰੀ ਸਮ/30	ਉਮਰ/ਲਿੰਗ	ਮਿਤੀ 2/5/23
ਪਤਾ	6397166439		ਰਜਿ:

ਡਾ. ਅੰਮ੍ਰਿਤ ਗੁਪਤਾ  
ਐਮ.ਐਸ.ਆਰਥੋ

6/6

ਡਾ. ਮੋਹਿਤ ਗੁਪਤਾ  
ਐਮ.ਐਸ.ਆਰਥੋ  
ਐਮ.ਸੀ.ਐਚ.ਆਰਥੋ

6/6

ਹੱਡੀਆਂ ਤੇ ਜੋੜਾਂ ਦੇ ਮਾਹਿਰ  
ਗੋਡੇ ਚੁਲੇ ਬਦਲਣ ਦੇ ਮਾਹਿਰ  
ਮੋ 81460-02241

ਡਾ. ਪਾਰੁਲ ਗੁਪਤਾ  
ਐਮ.ਐਸ.ਆਈ  
ਅੱਖਾਂ ਦੇ ਰੋਗਾਂ ਦੇ ਮਾਹਿਰ  
ਤੇ ਹੋਰ ਵੇਰਿਕ ਸ਼ਾਸ਼ਾ

*Allye  
Cant  
M...  
OK*

**ANT CENTRE**  
**Dr. Pooja Goyal**  
**ਪੀ ਗੋਇਲ**  
Clinic) Ex. PCMS  
Hospital, Bathinda  
No. PMC 34070

NAME

02\_MAY\_2023 AM 11:52  
NO. 2412  
SN: 4630630

REF. DATA

VD: 12.00 CYL: MIX  
 <R> S C A  
 0.00  
 S. E. - 0.00  
 <L> S C A  
 + 0.25 + 0.75 1  
 S. E. + 0.75

PD: 67.5

TOPCON

ਦਰੀ ਅਤੇ ਡਾਓ ਕੇਂਦਰ 99886-12241	ਅੱਖਾਂ ਦੇ ਰੋਗਾਂ ਦੇ ਵਿਭਾਗ 241, 99886-32241	ਔਰਤਾਂ ਦੇ ਰੋਗਾਂ ਦੇ ਵਿਭਾਗ	ਬਲੱਡ ਬੈਂਕ
-------------------------------------	--	----------------------------	-----------

Not Valid for Medico-Legal Purpose

- ਵਿਸ਼ੇਸ਼ ਮਾਨਿਕ ਨਰਸਿੰਗ ਦਾ ਸੁਵਿਧਾ
- ਡਾਇਲਿਸਿਸ ਲਈ AV FISTULA
- ਐਕਸੀਡੈਂਟ ਕੇਸਾਂ ਦਾ ਇਲਾਜ
- ਹੱਡੀਆਂ ਅਤੇ ਜੋੜਾਂ ਦਾ ਇਲਾਜ
- ਜਲੇ ਹੋਏ ਮਰੀਜ਼ਾਂ ਦਾ ਇਲਾਜ
- HAIR TRANSPLANT
- ਲੇਜ਼ਰ ਨਾਲ ਅਣਚਾਹੇ ਵਾਲਾਂ ਦਾ ਇਲਾਜ
- ਟੈਟੂ ਅਤੇ SCAR ਨੂੰ ਕੱਢਣਾ

**TIMING : MONDAY TO SATURDAY**  
 Morning 10:00 am to 02:00 pm  
 Evening 05:00 pm to 07:00 pm  
 Sunday : 10:00 am to 02:00 pm

NOT VALID FOR MEDICO LEGAL PURPOSE

ਐਮਰਜੈਂਸੀ ਸੇਵਾਵਾਂ 24 ਘੰਟੇ ਲਈ ਉਪਲਬਧ ਹੈ।

al  
AS  
70  
ital

# Cosmo

## SUPER SPECIALITY HOSPITAL

ਕੋਸਮੋ ਸੁਪਰ ਸਪੈਸ਼ਲਿਟੀ ਹਸਪਤਾਲ

100 Ft. Road, Near Dr. Maheshwari Hospital,  
Bathinda - 151001 (Pb.)  
Ph. 0164-5011301, 98150-23869  
E-mail : drramangoyal1979@gmail.com

**COMPLETE MEDICAL, TRAUMA, COSMETIC, LASER & HAIR TRANSPLANT CENTRE**

### ਸੁਵਿਧਾਵਾਂ

- ◆ ਦਿਲ, ਫਾਤੀ ਅਤੇ ਪੇਟ ਦੇ ਰੋਗਾਂ ਦਾ ਇਲਾਜ
- ◆ ਸ਼ੂਗਰ, ਬਲੱਡ ਪ੍ਰੈਸ਼ਰ, ਬਾਇਰਾਇਡ ਅਤੇ ਗਠਿਆ ਦਾ ਇਲਾਜ
- ਕਰੋਨਾ, ਡੈਂਗੂ, ਮਲੇਰੀਆ, ਅਤੇ ਸਵਾਈਨ ਫਲੂ ਆਦਿ ਬਿਮਾਰੀਆਂ ਦਾ ਇਲਾਜ
- ◆ ਸਪਰੇ ਅਤੇ ਸੱਪ ਕੱਟੇ ਮਰੀਜ਼ਾਂ ਦਾ ਇਲਾਜ
- ◆ ਅਧਰੰਗ, ਮਿਰਗੀ ਅਤੇ ਦਿਮਾਗੀ ਬਿਮਾਰੀਆਂ ਦਾ ਇਲਾਜ
- ◆ ਕੰਪਿਊਟਰਾਇਜ਼ਡ ਲੈਬ, ਡਿਜੀਟਲ ਐਕਸ-ਰੇ
- ਆਈ.ਸੀ.ਯੂ., ਵੇਂਟੀਲੇਟਰ ਅਤੇ ਪ੍ਰਾਈਵੇਟ ਏ.ਸੀ. ਰੂਮ

### ਹੋਰ ਸੁਵਿਧਾਵਾਂ

- ◆ ਪਲਾਸਟਿਕ ਸਰਜਰੀ ਦੀ ਸੁਵਿਧਾ
- ◆ ਡਾਇਲਿਸਿਸ ਲਈ AV FISTULA
- ◆ ਐਕਸੀਡੈਂਟ ਕੇਸਾਂ ਦਾ ਇਲਾਜ
- ◆ ਹੱਡੀਆਂ ਅਤੇ ਜੋੜਾਂ ਦਾ ਇਲਾਜ
- ◆ ਜਲੇ ਹੋਏ ਮਰੀਜ਼ਾਂ ਦਾ ਇਲਾਜ
- ◆ HAIR TRANSPLANT
- ◆ ਲੇਜ਼ਰ ਨਾਲ ਅਣਚਾਹੇ ਵਾਲਾਂ ਦਾ ਇਲਾਜ
- ◆ ਟੈਟੂ ਅਤੇ SCAR ਨੂੰ ਕੱਢਣਾ

**Dr. Raman K. Goyal**

**ਡਾ. ਰਮਨ ਗੋਇਲ**

MBBS, MS, Mch Plastic Surgery  
Trauma, Burn & Cosmetic Super Specialist  
Formerly at CMC Ludhiana  
Regd. No. PMC-32766

**Dr. Ramandeep Goyal**

**ਡਾ. ਰਮਨਦੀਪ ਗੋਇਲ**

MD (Medicine) Ex. PCMS  
Formerly Med. Sp. Civil Hospital, Bathinda  
Regd. No. PMC 34070

Arum 30/y  
B.P - 122/70



Dr. Ramandeep Goyal  
MD Medicine, Ex PCMS  
PMC No. 34070  
Cosmo Superspeciality Hospital

**TIMING : MONDAY TO SATURDAY**

Morning 10:00 am to 02:00 pm

Evening 05:00 pm to 07:00 pm

Sunday : 10:00 am to 02:00 pm

**NOT VALID FOR MEDICO LEGAL PURPOSE**

**ਐਮਰਜੈਂਸੀ ਸੇਵਾਵਾਂ 24 ਘੰਟੇ ਲਈ ਉਪਲਬੱਧ ਹੈ।**



# ਗੁਪਤਾ ਹਸਪਤਾਲ ਅਤੇ ਦਰੋਮਾ ਸੈਂਟਰ

ਪਾਵਰ ਹਾਊਸ ਰੋਡ, ਬਠਿੰਡਾ



Goyal Hospital,  
151001 (Pb.)  
98150-23869  
979@gmail.com

ANT CENTRE

Dr. P. Goyal  
ਪੀ ਐਚ ਡੀ

(Ophthalmology) Ex. PCMS  
Hospital, Bathinda  
No. PMC 34070

ਨਾਮ ਸਾਨੀਸ਼ ਕੁਮਾਰ / 28 ਸਾਲ ਉਮਰ/ਲਿੰਗ ਮ ਮਿਤੀ 21/5/20  
 ਪਤਾ 6239979151 ਰਾਜ: \_\_\_\_\_

ਡਾ. ਅੰਮ੍ਰਿਤ ਗੁਪਤਾ  
ਐਮ.ਐਸ.ਆਰਥੋ

6/6

ਡਾ. ਮੋਹਿਤ ਗੁਪਤਾ  
ਐਮ.ਐਸ.ਆਰਥੋ

6/6

ਐਮ.ਸੀ.ਐਚ.ਆਰਥੋ  
ਹੱਡੀਆਂ ਤੇ ਜੋੜਾਂ ਦੇ ਮਾਹਿਰ  
ਗੋਡੇ ਚੁਲੇ ਬਦਲਣ ਦੇ ਮਾਹਿਰ  
ਮੋ 81460-02241

*Handwritten signature*

*Handwritten signature*

ਡਾ. ਪਾਰੁਲ ਗੁਪਤਾ

ਐਮ.ਐਸ.ਆਈ  
ਅੱਖਾਂ ਦੇ ਰੋਗਾਂ ਦੇ ਮਾਹਿਰ  
ਫੈਕੋ ਅਤੇ ਲੇਸਿਕ ਸਰਜਨ

DATE: 02\_MAY\_2023 AM 10:53  
NO. 2390  
SN: 4630630

REF. DATA  
 UD: 12.00 CYL: MIX  
 <R> S C A  
 -0.25 - 0.50 160  
 S. E. - 0.50  
 <L> S C A  
 +0.25 - 1.25 167  
 S. E. - 0.50  
 D: 69.0

ਸਕੈਟਰੀ ਅਤੇ ਫੁਡਾਓ ਕੇਂਦਰ | ਅੱਖਾਂ ਦੇ ਰੋਗਾਂ ਦੇ ਵਿਭਾਗ | ਔਰਤਾਂ ਦੇ ਰੋਗਾਂ ਦੇ ਵਿਭਾਗ | ਬਲੱਡ ਬੈਂਕ

(M) 99886-12241  
-52241, 99886-32241

Not Valid for Medico-Legal Purpose

- ◆ ਡਾਇਲਿਸਿਸ ਲਈ AV FISTULA
- ◆ ਐਕਸੀਡੈਂਟ ਕੇਸਾਂ ਦਾ ਇਲਾਜ
- ◆ ਹੱਡੀਆਂ ਅਤੇ ਜੋੜਾਂ ਦਾ ਇਲਾਜ
- ◆ ਜਲੇ ਹੋਏ ਮਰੀਜ਼ਾਂ ਦਾ ਇਲਾਜ
- ◆ HAIR TRANSPLANT
- ◆ ਲੇਜ਼ਰ ਨਾਲ ਅਣਚਾਹੇ ਵਾਲਾਂ ਦਾ ਇਲਾਜ
- ◆ ਟੈਟੂ ਅਤੇ SCAR ਨੂੰ ਕੱਢਣਾ

**TIMING : MONDAY TO SATURDAY**  
 Morning 10:00 am to 02:00 pm  
 Evening 05:00 pm to 07:00 pm  
 Sunday : 10:00 am to 02:00 pm

NOT VALID FOR MEDICO LEGAL PURPOSE

ਐਮਰਜੈਂਸੀ ਸੇਵਾਵਾਂ 24 ਘੰਟੇ ਲਈ ਉਪਲਬੱਧ ਹੈ।

Goyal  
PCMS  
34070  
Hospital

## ਸੁਵਿਧਾਵਾਂ

- ◆ ਦਿਲ, ਫਾਤੀ ਅਤੇ ਪੇਟ ਦੇ ਰੋਗਾਂ ਦਾ ਇਲਾਜ
- ◆ ਸ਼ੂਗਰ, ਬਲੱਡ ਪ੍ਰੈਸ਼ਰ, ਥਾਇਰਾਇਡ ਅਤੇ ਗਠਿਆ ਦਾ ਇਲਾਜ
- ◆ ਕਰੋਨਾ, ਡੈਂਗੂ, ਮਲੇਰੀਆ, ਅਤੇ ਸਵਾਈਨ ਫਲੂ ਆਦਿ ਬਿਮਾਰੀਆਂ ਦਾ ਇਲਾਜ
- ◆ ਸਪਰੇ ਅਤੇ ਸੱਪ ਕੱਟੇ ਮਰੀਜ਼ਾਂ ਦਾ ਇਲਾਜ
- ◆ ਅਧਰੰਗ, ਮਿਰਗੀ ਅਤੇ ਦਿਮਾਗੀ ਬਿਮਾਰੀਆਂ ਦਾ ਇਲਾਜ
- ◆ ਕੰਪਿਊਟਰਾਇਜ਼ਡ ਲੈਬ, ਡਿਜੀਟਲ ਐਕਸ-ਰੇ
- ◆ ਆਈ.ਸੀ.ਯੂ., ਵੇਂਟੀਲੇਟਰ ਅਤੇ ਪ੍ਰਾਈਵੇਟ ਏ.ਸੀ. ਰੂਮ

## ਹੋਰ ਸੁਵਿਧਾਵਾਂ

- ◆ ਪਲਾਸਟਿਕ ਸਰਜਰੀ ਦੀ ਸੁਵਿਧਾ
- ◆ ਡਾਇਲਿਸਿਸ ਲਈ AV FISTULA
- ◆ ਐਕਸੀਡੈਂਟ ਕੇਸਾਂ ਦਾ ਇਲਾਜ
- ◆ ਹੱਡੀਆਂ ਅਤੇ ਜੋੜਾਂ ਦਾ ਇਲਾਜ
- ◆ ਜਲੇ ਹੋਏ ਮਰੀਜ਼ਾਂ ਦਾ ਇਲਾਜ
- ◆ HAIR TRANSPLANT
- ◆ ਲੇਜ਼ਰ ਨਾਲ ਅਣਚਾਹੇ ਵਾਲਾਂ ਦਾ ਇਲਾਜ
- ◆ ਟੈਟੂ ਅਤੇ SCAR ਨੂੰ ਕੱਢਣਾ

Dr. Raman K. Goyal

ਡਾ. ਰਮਨ ਗੋਇਲ

MBBS, MS, Mch Plastic Surgery  
Trauma, Burn & Cosmetic Super Specialist  
Formerly at CMC Ludhiana  
Regd. No. PMC-32766

Dr. Ramandeep Goyal

ਡਾ. ਰਮਨਦੀਪ ਗੋਇਲ

MD (Medicine) Ex. PCMS  
Formerly Med. Sp. Civil Hospital, Bathinda  
Regd. No. PMC 34070

Munish Kumar

Age - 28 / Y

B.P - 145/100



Dr. Ramandeep Goyal  
MD Medicine, Ex PCMS  
PMC No. 34070  
Cosmo Superspeciality Hospital

**TIMING : MONDAY TO SATURDAY**

Morning 10:00 am to 02:00 pm

Evening 05:00 pm to 07:00 pm

Sunday : 10:00 am to 02:00 pm

NOT VALID FOR MEDICO LEGAL PURPOSE

ਐਮਰਜੈਂਸੀ ਸੇਵਾਵਾਂ 24 ਘੰਟੇ ਲਈ ਉਪਲਬੱਧ ਹੈ।



# ਗੁਪਤਾ ਹਸਪਤਾਲ ਅਤੇ ਦਰੋਮਾ ਸੈਂਟਰ

ਪਾਵਰ ਹਾਊਸ ਰੋਡ, ਬਠਿੰਡਾ



vari Hospital,  
151001 (Pb.)  
98150-23869  
779@gmail.com

ਨਾਮ	ਕਸ਼ਮੀਰ ਸਿੰਘ / ਪਾ	ਉਮਰ/ਲਿੰਗ	ਮਿਤੀ 2/5/23
ਪਤਾ	9417966134		ਰਜਿ:

ਡਾ. ਅੰਮ੍ਰਿਤ ਗੁਪਤਾ  
ਐਮ.ਐਸ.ਆਰਥੋ

6/6  
6/6


ਡਾ. ਮੋਹਿਤ ਗੁਪਤਾ  
ਐਮ.ਐਸ.ਆਰਥੋ

ਐਮ.ਸੀ.ਐਚ.ਆਰਥੋ  
ਹੱਡੀਆਂ ਤੇ ਜੋੜਾਂ ਦੇ ਮਾਹਿਰ  
ਗੋਡੇ ਚੂਲੇ ਬਦਲਣ ਦੇ ਮਾਹਿਰ  
ਮੋ 81460-02241

*Handwritten signature*

ਡਾ. ਪਾਰੁਲ ਗੁਪਤਾ  
ਐਮ.ਐਸ.ਆਈ

ਅੱਖਾਂ ਦੇ ਰੋਗਾਂ ਦੇ ਮਾਹਿਰ



NAME

02\_MAY\_2023 PM 12:26  
NO. 2433  
SN: 4630630

REF. DATA

VD: 12.00	CYL: MIX
<R> S C A	
- 0.25 - 0.50 80	
S. E. - 0.50	
<L> S C A	
- 0.00 -	
S. E. - 0.00	

PD: 61.5

TOPCON

ਰੀ ਅਤੇ ਓ ਕੇਂਦਰ	ਅੱਖਾਂ ਦੇ ਰੋਗਾਂ ਦੇ ਵਿਭਾਗ	ਔਰਤਾਂ ਦੇ ਰੋਗਾਂ ਦੇ ਵਿਭਾਗ	ਬਲੱਡ ਬੈਂਕ
99886-12241			
41, 99886-32241			

Not Valid for Medico-Legal Purpose

- ▼ ਪਲਾਸਟਿਕ ਸਰਜਰੀ ਦਾ ਗੁਪਤਾ
- ◆ ਡਾਇਲਿਸਿਸ ਲਈ AV FISTULA
- ◆ ਐਕਸੀਡੈਂਟ ਕੇਸਾਂ ਦਾ ਇਲਾਜ
- ◆ ਹੱਡੀਆਂ ਅਤੇ ਜੋੜਾਂ ਦਾ ਇਲਾਜ
- ◆ ਜਲੇ ਹੋਏ ਮਰੀਜ਼ਾਂ ਦਾ ਇਲਾਜ
- ◆ HAIR TRANSPLANT
- ◆ ਲੇਜ਼ਰ ਨਾਲ ਅਣਚਾਹੇ ਵਾਲਾਂ ਦਾ ਇਲਾਜ
- ◆ ਟੈਟੂ ਅਤੇ SCAR ਨੂੰ ਕੱਢਣਾ

TIMING : MONDAY TO SATURDAY

Morning 10:00 am to 02:00 pm

Evening 05:00 pm to 07:00 pm

Sunday : 10:00 am to 02:00 pm

NOT VALID FOR MEDICO LEGAL PURPOSE

ਐਮਰਜੈਂਸੀ ਸੇਵਾਵਾਂ 24 ਘੰਟੇ ਲਈ ਉਪਲਬਧ ਹੈ।

ANT CENTRE

p Goyal  
ਪਿ ਗੋਇਲ

(Clinic) Ex. PCMS  
Hospital, Bathinda  
No. PMC 34070

41/1

Goyal  
PCMS  
34070  
Hospital

# Cosmo

SUPER SPECIALITY HOSPITAL  
ਕੋਸਮੋ ਸੁਪਰ ਸਪੈਸ਼ਲਿਟੀ ਹਸਪਤਾਲ

100 Ft. Road, Near Dr. Maheshwari Hospital,  
Bathinda - 151001 (Pb.)  
Ph. 0164-5011301, 98150-23869  
E-mail : drramangoyal1979@gmail.com

COMPLETE MEDICAL, TRAUMA, COSMETIC, LASER & HAIR TRANSPLANT CENTRE

## ਸੁਵਿਧਾਵਾਂ

- ◆ ਦਿਲ, ਛਾਤੀ ਅਤੇ ਪੇਟ ਦੇ ਰੋਗਾਂ ਦਾ ਇਲਾਜ
- ◆ ਸ਼ੂਗਰ, ਬਲੱਡ ਪ੍ਰੈਸ਼ਰ, ਥਾਇਰਾਇਡ ਅਤੇ ਗਠਿਆ ਦਾ ਇਲਾਜ
- ◆ ਕਰੋਨਾ, ਡੈਂਗੂ, ਮਲੇਰੀਆ, ਅਤੇ ਸਵਾਈਨ ਫਲੂ ਆਦਿ ਬਿਮਾਰੀਆਂ ਦਾ ਇਲਾਜ
- ◆ ਸਪਰੇ ਅਤੇ ਸੱਪ ਕੱਟੇ ਮਰੀਜ਼ਾਂ ਦਾ ਇਲਾਜ
- ◆ ਅਧਰੰਗ, ਮਿਰਗੀ ਅਤੇ ਦਿਮਾਗੀ ਬਿਮਾਰੀਆਂ ਦਾ ਇਲਾਜ
- ◆ ਕੰਪਿਊਟਰਾਇਜ਼ਡ ਲੈਬ, ਡਿਜੀਟਲ ਐਕਸ-ਰੇ
- ◆ ਆਈ.ਸੀ.ਯੂ., ਵੇਂਟੀਲੇਟਰ ਅਤੇ ਪ੍ਰਾਈਵੇਟ ਏ.ਸੀ. ਰੂਮ

## ਹੋਰ ਸੁਵਿਧਾਵਾਂ

- ◆ ਪਲਾਸਟਿਕ ਸਰਜਰੀ ਦੀ ਸੁਵਿਧਾ
- ◆ ਡਾਇਲਿਸਿਸ ਲਈ AV FISTULA
- ◆ ਐਕਸੀਡੈਂਟ ਕੇਸਾਂ ਦਾ ਇਲਾਜ
- ◆ ਹੱਡੀਆਂ ਅਤੇ ਜੋੜਾਂ ਦਾ ਇਲਾਜ
- ◆ ਜਲੇ ਹੋਏ ਮਰੀਜ਼ਾਂ ਦਾ ਇਲਾਜ
- ◆ HAIR TRANSPLANT
- ◆ ਲੇਜ਼ਰ ਨਾਲ ਅਣਚਾਹੇ ਵਾਲਾਂ ਦਾ ਇਲਾਜ
- ◆ ਟੈਟੂ ਅਤੇ SCAR ਨੂੰ ਕੱਢਣਾ

Dr. Raman K. Goyal

ਡਾ. ਰਮਨ ਗੋਇਲ

MBBS, MS, Mch Plastic Surgery  
Trauma, Burn & Cosmetic Super Specialist  
Formerly at CMC Ludhiana  
Regd. No. PMC-32766

Dr. Ramandeep Goyal

ਡਾ. ਰਮਨਦੀਪ ਗੋਇਲ

MD (Medicine) Ex. PCMS  
Formerly Med. Sp. Civil Hospital, Bathinda  
Regd. No. PMC 34070

Kashmir Singh 4/1/24  
B.P - 139/84

  
Dr. Ramandeep Goyal  
MD Medicine, Ex PCMS  
PMC No. 34070  
Cosmo Superspeciality Hospital

**TIMING : MONDAY TO SATURDAY**

Morning 10:00 am to 02:00 pm

Evening 05:00 pm to 07:00 pm

Sunday : 10:00 am to 02:00 pm

NOT VALID FOR MEDICO LEGAL PURPOSE

ਐਮਰਜੈਂਸੀ ਸੇਵਾਵਾਂ 24 ਘੰਟੇ ਲਈ ਉਪਲਬੱਧ ਹੈ।



# ਗੁਪਤਾ ਹਸਪਤਾਲ ਅਤੇ ਦਰੋਮਾ ਸੈਂਟਰ

ਪਾਵਰ ਹਾਊਸ ਰੋਡ, ਬਠਿੰਡਾ



wari Hospital,  
151001 (Pb.)  
98150-23869  
979@gmail.com

ਨਾਮ	ਵਰਿੰਦ ਕੌਰ / 35 ਸਾਲ	ਉਮਰ/ਲਿੰਗ	ਮਿਤੀ 2/5/23
ਪਤਾ	99881-0070		ਰਜਿ:

ਡਾ. ਅੰਮ੍ਰਿਤ ਗੁਪਤਾ  
ਐਮ.ਐਸ.ਆਰਥੋ

ਡਾ. ਮੋਹਿਤ ਗੁਪਤਾ  
ਐਮ.ਐਸ.ਆਰਥੋ  
ਐਮ.ਸੀ.ਐਚ.ਆਰਥੋ  
ਹੱਡੀਆਂ ਤੇ ਜੋੜਾਂ ਦੇ ਮਾਹਿਰ  
ਗੋਡੇ ਚੁਲੇ ਬਦਲਣ ਦੇ ਮਾਹਿਰ  
ਮੋ 81460-02241

ਡਾ. ਪਾਰੁਲ ਗੁਪਤਾ  
ਐਮ.ਐਸ.ਆਈ  
ਅੱਖਾਂ ਦੇ ਰੋਗਾਂ ਦੇ ਮਾਹਿਰ  
ਫੈਕੋ ਅਤੇ ਲੇਸਿਕ ਸਰਜਨ

G/6  
6/6

*Handwritten signature/initials*

ANT CENTRE

p Goyal  
ਪਿ ਗੋਇਲ  
icine) Ex. PCMS  
spital, Bathinda  
No. PMC 34070

35/11

NAME

02\_MAY\_2023 PM 12:27  
NO. 2434  
SN: 4630630

REF. DATA

VD: 12.00 CYL: MIX

<R> S C A

+ 0.50 - 0.75 175

S. E. + 0.25

<L> S C A

+ 0.50

S. E. + 0.50

PD: 61.0

TOPCON

ਸਕੈਟਰੀ ਅਤੇ ਸ਼ਾ ਫੁਡਾਓ ਕੇਂਦਰ	ਅੱਖਾਂ ਦੇ ਰੋਗਾਂ ਦੇ ਵਿਭਾਗ	ਔਰਤਾਂ ਦੇ ਰੋਗਾਂ ਦੇ ਵਿਭਾਗ	ਬਲੱਡ ਬੈਂਕ
-------------------------------	----------------------------	----------------------------	-----------

ਤ: (M) 99886-12241  
37-52241, 99886-32241

Not Valid for Medico-Legal Purpose

- ◆ ਡਾਇਲਿਸਿਸ ਲਈ AV FISTULA
- ◆ ਐਕਸੀਡੈਂਟ ਕੇਸਾਂ ਦਾ ਇਲਾਜ
- ◆ ਹੱਡੀਆਂ ਅਤੇ ਜੋੜਾਂ ਦਾ ਇਲਾਜ
- ◆ ਜਲੇ ਹੋਏ ਮਰੀਜ਼ਾਂ ਦਾ ਇਲਾਜ
- ◆ HAIR TRANSPLANT
- ◆ ਲੇਜ਼ਰ ਨਾਲ ਅਣਚਾਹੇ ਵਾਲਾਂ ਦਾ ਇਲਾਜ
- ◆ ਟੈਟੂ ਅਤੇ SCAR ਨੂੰ ਕੱਢਣਾ

**TIMING : MONDAY TO SATURDAY**  
Morning 10:00 am to 02:00 pm  
Evening 05:00 pm to 07:00 pm  
Sunday : 10:00 am to 02:00 pm

NOT VALID FOR MEDICO LEGAL PURPOSE

ਐਮਰਜੈਂਸੀ ਸੇਵਾਵਾਂ 24 ਘੰਟੇ ਲਈ ਉਪਲਬਧ ਹੈ।

Goyal  
CMS  
34070  
spital



# Cosmo

SUPER SPECIALITY HOSPITAL  
ਕੋਸਮੋ ਸੁਪਰ ਸਪੈਸ਼ਲਿਟੀ ਹਸਪਤਾਲ

100 Ft. Road, Near Dr. Maheshwari Hospital,  
Bathinda - 151001 (Pb.)  
Ph. 0164-5011301, 98150-23869  
E-mail : drramangoyal1979@gmail.com

**COMPLETE MEDICAL, TRAUMA, COSMETIC, LASER & HAIR TRANSPLANT CENTRE**

## ਸੁਵਿਧਾਵਾਂ

- ◆ ਦਿਲ, ਫਾਤੀ ਅਤੇ ਪੇਟ ਦੇ ਰੋਗਾਂ ਦਾ ਇਲਾਜ
- ◆ ਸ਼ੂਗਰ, ਬਲੱਡ ਪ੍ਰੈਸ਼ਰ, ਥਾਇਰਾਇਡ ਅਤੇ ਗਠਿਆ ਦਾ ਇਲਾਜ
- ◆ ਕਰੋਨਾ, ਡੈਂਗੂ, ਮਲੇਰੀਆ, ਅਤੇ ਸਵਾਈਨ ਫਲੂ ਆਦਿ ਬਿਮਾਰੀਆਂ ਦਾ ਇਲਾਜ
- ◆ ਸਪਰੇ ਅਤੇ ਸੱਪ ਕੱਟੇ ਮਰੀਜ਼ਾਂ ਦਾ ਇਲਾਜ
- ◆ ਅਧਰੰਗ, ਮਿਰਗੀ ਅਤੇ ਦਿਮਾਗੀ ਬਿਮਾਰੀਆਂ ਦਾ ਇਲਾਜ
- ◆ ਕੰਪਿਊਟਰਾਇਜ਼ਡ ਲੈਬ, ਡਿਜੀਟਲ ਐਕਸ-ਰੇ
- ◆ ਆਈ.ਸੀ.ਯੂ., ਵੇਂਟੀਲੇਟਰ ਅਤੇ ਪ੍ਰਾਈਵੇਟ ਏ.ਸੀ. ਰੂਮ

## ਹੋਰ ਸੁਵਿਧਾਵਾਂ

- ◆ ਪਲਾਸਟਿਕ ਸਰਜਰੀ ਦੀ ਸੁਵਿਧਾ
- ◆ ਡਾਇਲਿਸਿਸ ਲਈ AV FISTULA
- ◆ ਐਕਸੀਡੈਂਟ ਕੇਸਾਂ ਦਾ ਇਲਾਜ
- ◆ ਹੱਡੀਆਂ ਅਤੇ ਜੋੜਾਂ ਦਾ ਇਲਾਜ
- ◆ ਜਲੇ ਹੋਏ ਮਰੀਜ਼ਾਂ ਦਾ ਇਲਾਜ
- ◆ HAIR TRANSPLANT
- ◆ ਲੇਜ਼ਰ ਨਾਲ ਅਣਚਾਹੇ ਵਾਲਾਂ ਦਾ ਇਲਾਜ
- ◆ ਟੈਟੂ ਅਤੇ SCAR ਨੂੰ ਕੱਢਣਾ

### Dr. Raman K. Goyal

ਡਾ. ਰਮਨ ਗੋਇਲ

MBBS, MS, Mch Plastic Surgery  
Trauma, Burn & Cosmetic Super Specialist  
Formerly at CMC Ludhiana  
Regd. No. PMC-32766

### Dr. Ramandeep Goyal

ਡਾ. ਰਮਨਦੀਪ ਗੋਇਲ

MD (Medicine) Ex. PCMS  
Formerly Med. Sp. Civil Hospital, Bathinda  
Regd. No. PMC 34070

Harinder Singh  
B.P - 136/76

35/Y

  
Dr. Ramandeep Goyal  
MD Medicine, Ex PCMS  
PMC No. 34070  
Cosmo Superspeciality Hospital

**TIMING : MONDAY TO SATURDAY**

Morning 10:00 am to 02:00 pm

Evening 05:00 pm to 07:00 pm

Sunday : 10:00 am to 02:00 pm

NOT VALID FOR MEDICO LEGAL PURPOSE

ਐਮਰਜੈਂਸੀ ਸੇਵਾਵਾਂ 24 ਘੰਟੇ ਲਈ ਉਪਲਬਧ ਹੈ।



GUPTA HOSPITAL

# ਗੁਪਤਾ ਹਸਪਤਾਲ ਅਤੇ ਦਰੋਮਾ ਸੈਂਟਰ

ਪਾਵਰ ਹਾਊਸ ਰੋਡ, ਬਠਿੰਡਾ



wari Hospital,  
151001 (Pb.)  
98150-23869  
979@gmail.com

ਨਾਮ	ਚਕਰੀ ਸਿੰਘ / 28 ਸਾਲ, ਉਮਰ/ਲਿੰਗ	ਮਿਤੀ	25/5/23
ਪਤਾ	81463-69696	ਰਜਿ:	

**ਡਾ. ਅੰਮ੍ਰਿਤ ਗੁਪਤਾ**

ਐਮ.ਐਸ.ਆਰਥੋ

6/6

**ਡਾ. ਮੋਹਿਤ ਗੁਪਤਾ**

ਐਮ.ਐਸ.ਆਰਥੋ

ਐਮ.ਸੀ.ਐਚ.ਆਰਥੋ

ਹੱਡੀਆਂ ਤੇ ਜੋੜਾਂ ਦੇ ਮਾਹਿਰ

ਗੋਡੇ ਚੂਲੇ ਬਦਲਣ ਦੇ ਮਾਹਿਰ

ਮੋ 81460-02241

6/6

*Handwritten signature*

*Handwritten signature*

**ਡਾ. ਪਾਰੁਲ ਗੁਪਤਾ**

ਐਮ.ਐਸ.ਆਈ

ਅੱਖਾਂ ਦੇ ਰੋਗਾਂ ਦੇ ਮਾਹਿਰ

ਫੈਕੋ ਅਤੇ ਲੇਸਿਕ ਸਰਜਨ

ANT CENTRE

**Dr. P. Goyal**

**ਪੀ ਗੋਇਲ**

(Ophthalmology) Ex. PCMS  
Hospital, Bathinda  
No. PMC 34070

ral  
MS  
170  
ital

NAME

02\_MAY\_2023 AM 11:37  
NO. 2403  
SN: 4630630

REF. DATA

VD: 12.00 CYL: MIX  
 <R> S C A  
 + 0.50 - 0.50 152  
 S. E. ± 0.25  
 <L> S C A  
 + 0.50 - 0.75 99  
 S. E. + 0.25

PD: 67.5

TOPCON

ਕੰਟੈਰੀ ਅਤੇ

ਫੁਡਾਓ ਕੇਂਦਰ

(M) 99886-12241

32241, 99886-32241

ਅੱਖਾਂ ਦੇ ਰੋਗਾਂ

ਦੇ ਵਿਭਾਗ

ਔਰਤਾਂ ਦੇ ਰੋਗਾਂ

ਦੇ ਵਿਭਾਗ

ਬਲੱਡ ਬੈਂਕ

Not Valid for Medico-Legal Purpose

- ◆ ਡਾਇਲਿਸਿਸ ਲਈ AV FISTULA
- ◆ ਐਕਸੀਡੈਂਟ ਕੇਸਾਂ ਦਾ ਇਲਾਜ
- ◆ ਹੱਡੀਆਂ ਅਤੇ ਜੋੜਾਂ ਦਾ ਇਲਾਜ
- ◆ ਜਲੇ ਹੋਏ ਮਰੀਜ਼ਾਂ ਦਾ ਇਲਾਜ
- ◆ HAIR TRANSPLANT
- ◆ ਲੇਜ਼ਰ ਨਾਲ ਅਣਚਾਹੇ ਵਾਲਾਂ ਦਾ ਇਲਾਜ
- ◆ ਟੈਟੂ ਅਤੇ SCAR ਨੂੰ ਕੱਢਣਾ

**TIMING : MONDAY TO SATURDAY**

Morning 10:00 am to 02:00 pm

Evening 05:00 pm to 07:00 pm

Sunday : 10:00 am to 02:00 pm

NOT VALID FOR MEDICO LEGAL PURPOSE

**ਐਮਰਜੈਂਸੀ ਸੇਵਾਵਾਂ 24 ਘੰਟੇ ਲਈ ਉਪਲਬੱਧ ਹੈ।**



# Cosmo

SUPER SPECIALITY HOSPITAL  
ਕੋਸਮੋ ਸੁਪਰ ਸਪੈਸ਼ਲਿਟੀ ਹਸਪਤਾਲ

100 Ft. Road, Near Dr. Maheshwari Hospital,  
Bathinda - 151001 (Pb.)  
Ph. 0164-5011301, 98150-23869  
E-mail : drramangoyal1979@gmail.com

**COMPLETE MEDICAL, TRAUMA, COSMETIC, LASER & HAIR TRANSPLANT CENTRE**

## ਸੁਵਿਧਾਵਾਂ

- ◆ ਦਿਲ, ਛਾਤੀ ਅਤੇ ਪੇਟ ਦੇ ਰੋਗਾਂ ਦਾ ਇਲਾਜ
- ◆ ਸ਼ੂਗਰ, ਬਲੱਡ ਪ੍ਰੈਸ਼ਰ, ਥਾਇਰਾਇਡ ਅਤੇ ਗਠਿਆ ਦਾ ਇਲਾਜ
- ◆ ਕਰੋਨਾ, ਡੈਂਗੂ, ਮਲੇਰੀਆ, ਅਤੇ ਸਵਾਈਨ ਫਲੂ ਆਦਿ ਬਿਮਾਰੀਆਂ ਦਾ ਇਲਾਜ
- ◆ ਸਪਰੇ ਅਤੇ ਸੱਪ ਕੱਟੇ ਮਰੀਜ਼ਾਂ ਦਾ ਇਲਾਜ
- ◆ ਅਧਰੰਗ, ਮਿਰਗੀ ਅਤੇ ਦਿਮਾਗੀ ਬਿਮਾਰੀਆਂ ਦਾ ਇਲਾਜ
- ◆ ਕੰਪਿਊਟਰਾਇਜ਼ਡ ਲੈਬ, ਡਿਜੀਟਲ ਐਕਸ-ਰੇ
- ◆ ਆਈ.ਸੀ.ਯੂ., ਵੇਂਟੀਲੇਟਰ ਅਤੇ ਪ੍ਰਾਈਵੇਟ ਏ.ਸੀ. ਰੂਮ

## Dr. Raman K. Goyal

### ਡਾ. ਰਮਨ ਗੋਇਲ

MBBS, MS, Mch Plastic Surgery  
Trauma, Burn & Cosmetic Super Specialist  
Formerly at CMC Ludhiana  
Regd. No. PMC-32766

## Dr. Ramandeep Goyal

### ਡਾ. ਰਮਨਦੀਪ ਗੋਇਲ

MD (Medicine) Ex. PCMS  
Formerly Med. Sp. Civil Hospital, Bathinda  
Regd. No. PMC 34070

Balwant Singh  
B.P - 133/70

Dr. Ramandeep Goyal  
MD Medicine, Ex PCMS  
PMC No. 34070  
Cosmo Superspeciality Hospital

## ਹੋਰ ਸੁਵਿਧਾਵਾਂ

- ◆ ਪਲਾਸਟਿਕ ਸਰਜਰੀ ਦੀ ਸੁਵਿਧਾ
- ◆ ਡਾਇਲਿਸਿਸ ਲਈ AV FISTULA
- ◆ ਐਕਸੀਡੈਂਟ ਕੇਸਾਂ ਦਾ ਇਲਾਜ
- ◆ ਹੱਡੀਆਂ ਅਤੇ ਜੋੜਾਂ ਦਾ ਇਲਾਜ
- ◆ ਜਲੇ ਹੋਏ ਮਰੀਜ਼ਾਂ ਦਾ ਇਲਾਜ
- ◆ HAIR TRANSPLANT
- ◆ ਲੇਜ਼ਰ ਨਾਲ ਅਣਚਾਹੇ ਵਾਲਾਂ ਦਾ ਇਲਾਜ
- ◆ ਟੈਟੂ ਅਤੇ SCAR ਨੂੰ ਕੱਢਣਾ

### TIMING : MONDAY TO SATURDAY

Morning 10:00 am to 02:00 pm

Evening 05:00 pm to 07:00 pm

Sunday : 10:00 am to 02:00 pm

NOT VALID FOR MEDICO LEGAL PURPOSE

ਐਮਰਜੈਂਸੀ ਸੇਵਾਵਾਂ 24 ਘੰਟੇ ਲਈ ਉਪਲਬਧ ਹੈ।



GUPTA HOSPITAL

# ਗੁਪਤਾ ਹਸਪਤਾਲ ਅਤੇ ਟਰੋਮਾ ਸੈਂਟਰ

ਪਾਵਰ ਹਾਊਸ ਰੋਡ, ਬਠਿੰਡਾ



Swari Hospital,  
- 151001 (Pb.)  
98150-23869  
1979@gmail.com

ਨਾਮ	ਗੋਪਾਲ / 36	ਉਮਰ/ਲਿੰਗ	ਮਿਤੀ 25/5/23
ਪਤਾ	75081-24039	ਰਜਿ:	

ਡਾ. ਅੰਮ੍ਰਿਤ ਗੁਪਤਾ  
ਐਮ.ਐਸ.ਆਰਥੋ

6/6

ਡਾ. ਮੋਹਿਤ ਗੁਪਤਾ  
ਐਮ.ਐਸ.ਆਰਥੋ

6/6

ਐਮ.ਸੀ.ਐਚ.ਆਰਥੋ  
ਹੱਡੀਆਂ ਤੇ ਜੋੜਾਂ ਦੇ ਮਾਹਿਰ  
ਗੋਡੇ ਚੂਲੇ ਬਦਲਣ ਦੇ ਮਾਹਿਰ  
ਮੋ 81460-02241

ਡਾ. ਪਾਰੁਲ ਗੁਪਤਾ  
ਐਮ.ਐਸ.ਆਈ  
ਅੱਖਾਂ ਦੇ ਰੋਗਾਂ ਦੇ ਮਾਹਿਰ  
ਫੈਕੋ ਅਤੇ ਲੇਸਿਕ ਸਰਜਨ

*Handwritten signature*

ANT CENTRE

Dr. Goyal  
ਰੀਪ ਗੋਇਲ  
Medicine) Ex. PCMS  
Hospital, Bathinda  
No. PMC 34070

6/6

ਆਰਥੋਪੈਡਿਕਸ ਅਤੇ ਟਰੋਮਾ ਸੈਂਟਰ	ਸਕੈਟਰੀ ਅਤੇ ਨਸ਼ਾ ਫੁਡਾਓ ਕੇਂਦਰ	ਅੱਖਾਂ ਦੇ ਰੋਗਾਂ ਦੇ ਵਿਭਾਗ	ਔਰਤਾਂ ਦੇ ਰੋਗਾਂ ਦੇ ਵਿਭਾਗ	ਬਲੱਡ ਬੈਂਕ
-------------------------------	--------------------------------	----------------------------	----------------------------	-----------

Contact for Appointment : (M) 99886-12241  
for further queries : 99887-52241, 99886-32241

Not Valid for Medico-Legal Purpose

- ◆ ਡਾਇਲਿਸਿਸ ਲਈ AV FISTULA
- ◆ ਐਕਸੀਡੈਂਟ ਕੇਸਾਂ ਦਾ ਇਲਾਜ
- ◆ ਹੱਡੀਆਂ ਅਤੇ ਜੋੜਾਂ ਦਾ ਇਲਾਜ
- ◆ ਜਲੇ ਹੋਏ ਮਰੀਜ਼ਾਂ ਦਾ ਇਲਾਜ
- ◆ HAIR TRANSPLANT
- ◆ ਲੇਜ਼ਰ ਨਾਲ ਅਣਚਾਹੇ ਵਾਲਾਂ ਦਾ ਇਲਾਜ
- ◆ ਟੈਟੂ ਅਤੇ SCAR ਨੂੰ ਕੱਢਣਾ

**TIMING : MONDAY TO SATURDAY**  
Morning 10:00 am to 02:00 pm  
Evening 05:00 pm to 07:00 pm  
Sunday : 10:00 am to 02:00 pm

NOT VALID FOR MEDICO LEGAL PURPOSE

ਐਮਰਜੈਂਸੀ ਸੇਵਾਵਾਂ 24 ਘੰਟੇ ਲਈ ਉਪਲਬੱਧ ਹੈ।

15  
70  
tal

# Cosmo

## SUPER SPECIALITY HOSPITAL

ਕੋਸਮੋ ਸੁਪਰ ਸਪੈਸ਼ਲਿਟੀ ਹਸਪਤਾਲ

100 Ft. Road, Near Dr. Maheshwari Hospital,  
Bathinda - 151001 (Pb.)  
Ph. 0164-5011301, 98150-23869  
E-mail : drramangoyal1979@gmail.com

**COMPLETE MEDICAL, TRAUMA, COSMETIC, LASER & HAIR TRANSPLANT CENTRE**

### ਸੁਵਿਧਾਵਾਂ

- ◆ ਦਿਲ, ਫਾਤੀ ਅਤੇ ਪੇਟ ਦੇ ਰੋਗਾਂ ਦਾ ਇਲਾਜ
- ◆ ਸ਼ੂਗਰ, ਬਲੱਡ ਪ੍ਰੈਸ਼ਰ, ਥਾਇਰਾਇਡ ਅਤੇ ਗਠਿਆ ਦਾ ਇਲਾਜ
- ◆ ਕਰੋਨਾ, ਡੈਂਗੂ, ਮਲੇਰੀਆ, ਅਤੇ ਸਵਾਈਨ ਫਲੂ ਆਦਿ ਬਿਮਾਰੀਆਂ ਦਾ ਇਲਾਜ
- ◆ ਸਪਰੇ ਅਤੇ ਸੱਪ ਕੱਟੇ ਮਰੀਜ਼ਾਂ ਦਾ ਇਲਾਜ
- ◆ ਅਧਰੰਗ, ਮਿਰਗੀ ਅਤੇ ਦਿਮਾਗੀ ਬਿਮਾਰੀਆਂ ਦਾ ਇਲਾਜ
- ◆ ਕੰਪਿਊਟਰਾਇਜ਼ਡ ਲੈਬ, ਡਿਜੀਟਲ ਐਕਸ-ਰੇ
- ◆ ਆਈ.ਸੀ.ਯੂ., ਵੇਂਟੀਲੇਟਰ ਅਤੇ ਪ੍ਰਾਈਵੇਟ ਏ.ਸੀ. ਰੂਮ

### ਹੋਰ ਸੁਵਿਧਾਵਾਂ

- ◆ ਪਲਾਸਟਿਕ ਸਰਜਰੀ ਦੀ ਸੁਵਿਧਾ
- ◆ ਡਾਇਲਿਸਿਸ ਲਈ AV FISTULA
- ◆ ਐਕਸੀਡੈਂਟ ਕੇਸਾਂ ਦਾ ਇਲਾਜ
- ◆ ਹੱਡੀਆਂ ਅਤੇ ਜੋੜਾਂ ਦਾ ਇਲਾਜ
- ◆ ਜਲੇ ਹੋਏ ਮਰੀਜ਼ਾਂ ਦਾ ਇਲਾਜ
- ◆ HAIR TRANSPLANT
- ◆ ਲੇਜ਼ਰ ਨਾਲ ਅਣਚਾਹੇ ਵਾਲਾਂ ਦਾ ਇਲਾਜ
- ◆ ਟੈਟੂ ਅਤੇ SCAR ਨੂੰ ਕੱਢਣਾ

**Dr. Raman K. Goyal**

**ਡਾ. ਰਮਨ ਗੋਇਲ**

MBBS, MS, Mch Plastic Surgery  
Trauma, Burn & Cosmetic Super Specialist  
Formerly at CMC Ludhiana  
Regd. No. PMC-32766

**Dr. Ramandeep Goyal**

**ਡਾ. ਰਮਨਦੀਪ ਗੋਇਲ**

MD (Medicine) Ex. PCMS  
Formerly Med. Sp. Civil Hospital, Bathinda  
Regd. No. PMC 34070

Mangal Ram

31/11

B.P- 128/73

  
Dr. Ramandeep Goyal  
MD Medicine, Ex PCMS  
PMC No. 34070  
Cosmo Superspeciality Hospital

**TIMING : MONDAY TO SATURDAY**

Morning 10:00 am to 02:00 pm

Evening 05:00 pm to 07:00 pm

Sunday : 10:00 am to 02:00 pm

NOT VALID FOR MEDICO LEGAL PURPOSE

ਐਮਰਜੈਂਸੀ ਸੇਵਾਵਾਂ 24 ਘੰਟੇ ਲਈ ਉਪਲਬੱਧ ਹੈ।





# Cosmo

## SUPER SPECIALITY HOSPITAL

ਕੋਸਮੋ ਸੁਪਰ ਸਪੈਸ਼ਲਿਟੀ ਹਸਪਤਾਲ

100 Ft. Road, Near Dr. Maheshwari Hospital,  
Bathinda - 151001 (Pb.)  
Ph. 0164-5011301, 98150-23869  
E-mail : drramangoyal1979@gmail.com

**COMPLETE MEDICAL, TRAUMA, COSMETIC, LASER & HAIR TRANSPLANT CENTRE**

### ਸੁਵਿਧਾਵਾਂ

- ◆ ਦਿਲ, ਛਾਤੀ ਅਤੇ ਪੇਟ ਦੇ ਰੋਗਾਂ ਦਾ ਇਲਾਜ
- ◆ ਸ਼ੂਗਰ, ਬਲੱਡ ਪ੍ਰੈਸ਼ਰ, ਥਾਇਰਾਇਡ ਅਤੇ ਗਠਿਆ ਦਾ ਇਲਾਜ
- ◆ ਕਰੋਨਾ, ਡੈਂਗੂ, ਮਲੇਰੀਆ, ਅਤੇ ਸਵਾਈਨ ਫਲੂ ਆਦਿ ਬਿਮਾਰੀਆਂ ਦਾ ਇਲਾਜ
- ◆ ਸਪਰੇ ਅਤੇ ਸੱਪ ਕੱਟੇ ਮਰੀਜ਼ਾਂ ਦਾ ਇਲਾਜ
- ◆ ਅਧਰੰਗ, ਮਿਰਗੀ ਅਤੇ ਦਿਮਾਗੀ ਬਿਮਾਰੀਆਂ ਦਾ ਇਲਾਜ
- ◆ ਕੰਪਿਊਟਰਾਇਜ਼ਡ ਲੈਬ, ਡਿਜੀਟਲ ਐਕਸ-ਰੇ
- ◆ ਆਈ.ਸੀ.ਯੂ., ਵੇਂਟੀਲੇਟਰ ਅਤੇ ਪ੍ਰਾਈਵੇਟ ਏ.ਸੀ. ਰੂਮ

### ਹੋਰ ਸੁਵਿਧਾਵਾਂ

- ◆ ਪਲਾਸਟਿਕ ਸਰਜਰੀ ਦੀ ਸੁਵਿਧਾ
- ◆ ਡਾਇਲਿਸਿਸ ਲਈ AV FISTULA
- ◆ ਐਕਸੀਡੈਂਟ ਕੇਸਾਂ ਦਾ ਇਲਾਜ
- ◆ ਹੱਡੀਆਂ ਅਤੇ ਜੋੜਾਂ ਦਾ ਇਲਾਜ
- ◆ ਜਲੇ ਹੋਏ ਮਰੀਜ਼ਾਂ ਦਾ ਇਲਾਜ
- ◆ HAIR TRANSPLANT
- ◆ ਲੇਜ਼ਰ ਨਾਲ ਅਣਚਾਹੇ ਵਾਲਾਂ ਦਾ ਇਲਾਜ
- ◆ ਟੈਟੂ ਅਤੇ SCAR ਨੂੰ ਕੱਢਣਾ

### Dr. Raman K. Goyal

#### ਡਾ. ਰਮਨ ਗੋਇਲ

MBBS, MS, Mch Plastic Surgery  
Trauma, Burn & Cosmetic Super Specialist  
Formerly at CMC Ludhiana  
Regd. No. PMC-32766

### Dr. Ramandeep Goyal

#### ਡਾ. ਰਮਨਦੀਪ ਗੋਇਲ

MD (Medicine) Ex. PCMS  
Formerly Med. Sp. Civil Hospital, Bathinda  
Regd. No. PMC 34070

Bhimder Singh 33y/M

BP-136/80 mmHg.

Dr. Ramandeep Goyal  
MD Medicine, Ex PCMS  
PMC No. 34070  
Cosmo Superspeciality Hospital

#### TIMING : MONDAY TO SATURDAY

Morning 10:00 am to 02:00 pm

Evening 05:00 pm to 07:00 pm

Sunday : 10:00 am to 02:00 pm

NOT VALID FOR MEDICO LEGAL PURPOSE

ਐਮਰਜੈਂਸੀ ਸੇਵਾਵਾਂ 24 ਘੰਟੇ ਲਈ ਉਪਲਬਧ ਹੈ।



# ਗੁਪਤਾ ਹਸਪਤਾਲ ਅਤੇ ਰੋਮਾ ਸੈਂਟਰ

ਪਾਵਰ ਹਾਊਸ ਰੋਡ, ਬਠਿੰਡਾ



wari Hospital,  
151001 (Pb.)  
98150-23869  
979@gmail.com

ਨਾਮ ਸੁਖੀਤ ਸਿੰਘ / 32 ਸਾਲ	ਉਮਰ/ਲਿੰਗ	ਮਿਤੀ 25/5/23
ਪਤਾ 99156-12718	ਰਜਿ:	

ਡਾ. ਅੰਮ੍ਰਿਤ ਗੁਪਤਾ  
ਐਮ.ਐਸ.ਆਰਥੋ

6/6

ਡਾ. ਮੋਹਿਤ ਗੁਪਤਾ  
ਐਮ.ਐਸ.ਆਰਥੋ

6/6

ਐਮ.ਸੀ.ਐਚ.ਆਰਥੋ  
ਹੱਡੀਆਂ ਤੇ ਜੋੜਾਂ ਦੇ ਮਾਹਿਰ  
ਗੋਡੇ ਚੂਲੇ ਬਦਲਣ ਦੇ ਮਾਹਿਰ  
ਮੋ 81460-02241

VISION OK

ਡਾ. ਪਾਰੁਲ ਗੁਪਤਾ  
ਐਮ.ਐਸ.ਆਈ

ਅੱਖਾਂ ਦੇ ਰੋਗਾਂ ਦੇ ਮਾਹਿਰ  
ਫੈਕੋ ਅਤੇ ਲੇਸਿਕ ਸਰਜਨ

ANT CENTRE

Dr. Pooja Goyal  
ਪੀ ਗੋਇਲ  
(Ophthalmologist) Ex. PCMS  
Hospital, Bathinda  
No. PMC 34070

32/10

NAME

02\_MAY\_2023 AM 11:41  
NO. 2406  
SN: 4630630

REF. DATA

VD: 12.00 CYL: MIX  
<R> S C A  
- 0.00  
S. E. - 0.00  
<L> S C A  
+ 0.25 - 0.25 109  
S. E. + 0.25

PD: 72.0

TOPCON

ਕੈਟਰੀ ਅਤੇ ਫੁਡਾਓ ਕੇਂਦਰ	ਅੱਖਾਂ ਦੇ ਰੋਗਾਂ ਦੇ ਵਿਭਾਗ	ਔਰਤਾਂ ਦੇ ਰੋਗਾਂ ਦੇ ਵਿਭਾਗ	ਬਲੱਡ ਬੈਂਕ
--------------------------	----------------------------	----------------------------	-----------

(M) 99886-12241  
-52241, 99886-32241

Not Valid for Medico-Legal Purpose

- ♦ ਪਲਾਸਟਿਕ ਸਰਜਰੀ ਦਾ ਵਿਭਾਗ
- ♦ ਡਾਇਲਿਸਿਸ ਲਈ AV FISTULA
- ♦ ਐਕਸੀਡੈਂਟ ਕੇਸਾਂ ਦਾ ਇਲਾਜ
- ♦ ਹੱਡੀਆਂ ਅਤੇ ਜੋੜਾਂ ਦਾ ਇਲਾਜ
- ♦ ਜਲੇ ਹੋਏ ਮਰੀਜ਼ਾਂ ਦਾ ਇਲਾਜ
- ♦ HAIR TRANSPLANT
- ♦ ਲੇਜ਼ਰ ਨਾਲ ਅਣਚਾਹੇ ਵਾਲਾਂ ਦਾ ਇਲਾਜ
- ♦ ਟੈਟੂ ਅਤੇ SCAR ਨੂੰ ਕੱਢਣਾ

TIMING : MONDAY TO SATURDAY

Morning 10:00 am to 02:00 pm

Evening 05:00 pm to 07:00 pm

Sunday : 10:00 am to 02:00 pm

NOT VALID FOR MEDICO LEGAL PURPOSE

ਐਮਰਜੈਂਸੀ ਸੇਵਾਵਾਂ 24 ਘੰਟੇ ਲਈ ਉਪਲਬੱਧ ਹੈ।

ਰਮਨ ਗੋਇਲ  
 (ਪਲਾਸਟਿਕ ਸਰਜਨ  
 ਟਰਾਮਾ ਸਪੈਸ਼ਲਿਸਟ  
 ਕੋਸਮੋ ਸੁਪਰ ਸਪੈਸ਼ਲਿਟੀ ਹਸਪਤਾਲ  
 ਮਹਿੰਦਰਾ ਹਸਪਤਾਲ  
 BATHINDA  
 HOSPI

# Cosmo

## SUPER SPECIALITY HOSPITAL

ਕੋਸਮੋ ਸੁਪਰ ਸਪੈਸ਼ਲਿਟੀ ਹਸਪਤਾਲ

100 Ft. Road, Near Dr. Maheshwari Hospital,  
 Bathinda - 151001 (Pb.)  
 Ph. 0164-5011301, 98150-23869  
 E-mail : drramangoyal1979@gmail.com

**COMPLETE MEDICAL, TRAUMA, COSMETIC, LASER & HAIR TRANSPLANT CENTRE**

### ਸੁਵਿਧਾਵਾਂ

- ◆ ਦਿਲ, ਫਾਤੀ ਅਤੇ ਪੇਟ ਦੇ ਰੋਗਾਂ ਦਾ ਇਲਾਜ
- ◆ ਸ਼ੂਗਰ, ਬਲੱਡ ਪ੍ਰੈਸ਼ਰ, ਥਾਇਰਾਈਡ ਅਤੇ ਗਠਿਆ ਦਾ ਇਲਾਜ
- ◆ ਕਰੋਨਾ, ਡੈਂਗੂ, ਮਲੇਰੀਆ, ਅਤੇ ਸਵਾਈਨ ਫਲੂ ਆਦਿ ਬਿਮਾਰੀਆਂ ਦਾ ਇਲਾਜ
- ◆ ਸਪਰੇ ਅਤੇ ਸੱਪ ਕੱਟੇ ਮਰੀਜ਼ਾਂ ਦਾ ਇਲਾਜ
- ◆ ਅਧਰੰਗ, ਮਿਰਗੀ ਅਤੇ ਦਿਮਾਗੀ ਬਿਮਾਰੀਆਂ ਦਾ ਇਲਾਜ
- ◆ ਕੰਪਿਊਟਰਾਇਜ਼ਡ ਲੈਬ, ਡਿਜੀਟਲ ਐਕਸ-ਰੇ
- ◆ ਆਈ.ਸੀ.ਯੂ., ਵੇਂਟੀਲੇਟਰ ਅਤੇ ਪ੍ਰਾਈਵੇਟ ਏ.ਸੀ. ਰੂਮ

**Dr. Raman K. Goyal**

**ਡਾ. ਰਮਨ ਗੋਇਲ**

MBBS, MS, Mch Plastic Surgery  
 Trauma, Burn & Cosmetic Super Specialist  
 Formerly at CMC Ludhiana  
 Regd. No. PMC-32766

**Dr. Ramandeep Goyal**

**ਡਾ. ਰਮਨਦੀਪ ਗੋਇਲ**

MD (Medicine) Ex. PCMS  
 Formerly Med. Sp. Civil Hospital, Bathinda  
 Regd. No. PMC 34070

*Manjeet Singh 32/10*  
*B.P- 126176*



Dr. Ramandeep Goyal  
 MD Medicine, Ex PCMS  
 PMC No. 34070  
 Cosmo Superspeciality Hospital

### ਹੋਰ ਸੁਵਿਧਾਵਾਂ

- ◆ ਪਲਾਸਟਿਕ ਸਰਜਰੀ ਦੀ ਸੁਵਿਧਾ
- ◆ ਡਾਇਲਿਸਿਸ ਲਈ AV FISTULA
- ◆ ਐਕਸੀਡੈਂਟ ਕੇਸਾਂ ਦਾ ਇਲਾਜ
- ◆ ਹੱਡੀਆਂ ਅਤੇ ਜੋੜਾਂ ਦਾ ਇਲਾਜ
- ◆ ਜਲੇ ਹੋਏ ਮਰੀਜ਼ਾਂ ਦਾ ਇਲਾਜ
- ◆ HAIR TRANSPLANT
- ◆ ਲੇਜ਼ਰ ਨਾਲ ਅਣਚਾਹੇ ਵਾਲਾਂ ਦਾ ਇਲਾਜ
- ◆ ਟੈਟੂ ਅਤੇ SCAR ਨੂੰ ਕੱਢਣਾ

**TIMING : MONDAY TO SATURDAY**

Morning 10:00 am to 02:00 pm

Evening 05:00 pm to 07:00 pm

Sunday : 10:00 am to 02:00 pm

**NOT VALID FOR MEDICO LEGAL PURPOSE**

**ਐਮਰਜੈਂਸੀ ਸੇਵਾਵਾਂ 24 ਘੰਟੇ ਲਈ ਉਪਲਬੱਧ ਹੈ।**



# ਗੁਪਤਾ ਹਸਪਤਾਲ ਅਤੇ ਦਰੋਮਾ ਸੈਂਟਰ

ਪਾਵਰ ਹਾਊਸ ਰੋਡ, ਬਠਿੰਡਾ



vari Hospital,  
151001 (Pb.)  
08150-23869  
179@gmail.com

ਨਾਮ	ਦੀਪਕ ਪਾਠ / 24	ਉਮਰ/ਲਿੰਗ	ਮਿਤੀ 2/5/23
ਪਤਾ	827/795035		ਰਜਿ:

INT CENTRE

p Goyal  
ਪ ਗੋਇਲ  
:line) Ex. PCMS  
ital, Bathinda  
lo. PMC 34070

24/5

ਡਾ. ਅੰਮ੍ਰਿਤ ਗੁਪਤਾ  
ਐਮ.ਐਸ.ਆਰਥੋ

6/6

ਡਾ. ਮੋਹਿਤ ਗੁਪਤਾ  
ਐਮ.ਐਸ.ਆਰਥੋ

6/6

ਐਮ.ਸੀ.ਐਚ.ਆਰਥੋ  
ਹੱਡੀਆਂ ਤੇ ਜੋੜਾਂ ਦੇ ਮਾਹਿਰ  
ਗੋਡੇ ਚੁਲੇ ਬਦਲਣ ਦੇ ਮਾਹਿਰ  
ਮੋ 81460-02241

*Handwritten signature*

*Handwritten checkmark*

ਡਾ. ਪਾਰੁਲ ਗੁਪਤਾ  
ਐਮ.ਐਸ.ਆਈ

ਅੱਖਾਂ ਦੇ ਰੋਗਾਂ ਦੇ ਮਾਹਿਰ  
ਫੈਕੋ ਅਤੇ ਲੇਸਿਕ ਸਰਜਨ

NAME  
02\_MAY\_2023 PM 12:04  
NO. 2421  
SN: 4630630  
REF. DATA  
VD: 12.00 CYL: MIX  
<R> S C A  
- 0.00 - 0.25 165  
S. E. - 0.25  
<L> S C A  
+ 0.25 - 0.25 18  
S. E. + 0.25  
PD: 64.5  
TOPCON

Goyal  
Ex PCMS  
lo. 34070  
Hospital

ਕੰਟਰੀ ਅਤੇ ਛੁੱਟੀ ਕੇਂਦਰ	ਅੱਖਾਂ ਦੇ ਰੋਗਾਂ ਦੇ ਵਿਭਾਗ	ਔਰਤਾਂ ਦੇ ਰੋਗਾਂ ਦੇ ਵਿਭਾਗ	ਬਲੱਡ ਬੈਂਕ
--------------------------	----------------------------	----------------------------	-----------

M) 99886-12241  
32241, 99886-32241

Not Valid for Medico-Legal Purpose

- ◆ ਡਾਇਲਿਸਿਸ ਲਈ AV FISTULA
- ◆ ਐਕਸੀਡੈਂਟ ਕੇਸਾਂ ਦਾ ਇਲਾਜ
- ◆ ਹੱਡੀਆਂ ਅਤੇ ਜੋੜਾਂ ਦਾ ਇਲਾਜ
- ◆ ਜਲੇ ਹੋਏ ਮਰੀਜ਼ਾਂ ਦਾ ਇਲਾਜ
- ◆ HAIR TRANSPLANT
- ◆ ਲੇਜ਼ਰ ਨਾਲ ਅਣਚਾਹੇ ਵਾਲਾਂ ਦਾ ਇਲਾਜ
- ◆ ਟੈਟੂ ਅਤੇ SCAR ਨੂੰ ਕੱਢਣਾ

**TIMING : MONDAY TO SATURDAY**  
Morning 10:00 am to 02:00 pm  
Evening 05:00 pm to 07:00 pm  
Sunday : 10:00 am to 02:00 pm

NOT VALID FOR MEDICO LEGAL PURPOSE

ਐਮਰਜੈਂਸੀ ਸੇਵਾਵਾਂ 24 ਘੰਟੇ ਲਈ ਉਪਲਬੱਧ ਹੈ।



# Cosmo

SUPER SPECIALITY HOSPITAL  
ਕੋਸਮੋ ਸੁਪਰ ਸਪੈਸ਼ਲਿਟੀ ਹਸਪਤਾਲ

100 Ft. Road, Near Dr. Maheshwari Hospital,  
Bathinda - 151001 (Pb.)  
Ph. 0164-5011301, 98150-23869  
E-mail : drramangoyal1979@gmail.com

**COMPLETE MEDICAL, TRAUMA, COSMETIC, LASER & HAIR TRANSPLANT CENTRE**

## ਸੁਵਿਧਾਵਾਂ

- ◆ ਦਿਲ, ਫਾਤੀ ਅਤੇ ਪੇਟ ਦੇ ਰੋਗਾਂ ਦਾ ਇਲਾਜ
- ◆ ਸ਼ੂਗਰ, ਬਲੱਡ ਪ੍ਰੈਸ਼ਰ, ਥਾਇਰਾਇਡ ਅਤੇ ਗਠਿਆ ਦਾ ਇਲਾਜ
- ◆ ਕਰੋਨਾ, ਡੈਂਗੂ, ਮਲੇਰੀਆ, ਅਤੇ ਸਵਾਈਨ ਫਲੂ ਆਦਿ ਬਿਮਾਰੀਆਂ ਦਾ ਇਲਾਜ
- ◆ ਸਪਰੇ ਅਤੇ ਸੱਪ ਕੱਟੇ ਮਰੀਜ਼ਾਂ ਦਾ ਇਲਾਜ
- ◆ ਅਧਰੰਗ, ਮਿਰਗੀ ਅਤੇ ਦਿਮਾਗੀ ਬਿਮਾਰੀਆਂ ਦਾ ਇਲਾਜ
- ◆ ਕੰਪਿਊਟਰਾਇਜ਼ਡ ਲੈਬ, ਡਿਜੀਟਲ ਐਕਸ-ਰੇ
- ◆ ਆਈ.ਸੀ.ਯੂ., ਵੇਂਟੀਲੇਟਰ ਅਤੇ ਪ੍ਰਾਈਵੇਟ ਏ.ਸੀ. ਰੂਮ

## ਹੋਰ ਸੁਵਿਧਾਵਾਂ

- ◆ ਪਲਾਸਟਿਕ ਸਰਜਰੀ ਦੀ ਸੁਵਿਧਾ
- ◆ ਡਾਇਲਿਸਿਸ ਲਈ AV FISTULA
- ◆ ਐਕਸੀਡੈਂਟ ਕੇਸਾਂ ਦਾ ਇਲਾਜ
- ◆ ਹੱਡੀਆਂ ਅਤੇ ਜੋੜਾਂ ਦਾ ਇਲਾਜ
- ◆ ਜਲੇ ਹੋਏ ਮਰੀਜ਼ਾਂ ਦਾ ਇਲਾਜ
- ◆ HAIR TRANSPLANT
- ◆ ਲੇਜ਼ਰ ਨਾਲ ਅਣਚਾਹੇ ਵਾਲਾਂ ਦਾ ਇਲਾਜ
- ◆ ਟੈਟੂ ਅਤੇ SCAR ਨੂੰ ਕੱਢਣਾ

**Dr. Raman K. Goyal**

**ਡਾ. ਰਮਨ ਗੋਇਲ**

MBBS, MS, Mch Plastic Surgery  
Trauma, Burn & Cosmetic Super Specialist  
Formerly at CMC Ludhiana  
Regd. No. PMC-32766

**Dr. Ramandeep Goyal**

**ਡਾ. ਰਮਨਦੀਪ ਗੋਇਲ**

MD (Medicine) Ex. PCMS  
Formerly Med. Sp. Civil Hospital, Bathinda  
Regd. No. PMC 34070

*Ripak Pal*  
BP - 115/73

24/11

*Dr. Ramandeep Goyal*  
MD Medicine, Ex PCMS  
PMC No. 34070  
Cosmo Superspeciality Hospital

**TIMING : MONDAY TO SATURDAY**

Morning 10:00 am to 02:00 pm

Evening 05:00 pm to 07:00 pm

Sunday : 10:00 am to 02:00 pm

**NOT VALID FOR MEDICO LEGAL PURPOSE**

**ਐਮਰਜੈਂਸੀ ਸੇਵਾਵਾਂ 24 ਘੰਟੇ ਲਈ ਉਪਲਬਧ ਹੈ।**





# Cosmo

SUPER SPECIALITY HOSPITAL  
ਕੋਸਮੋ ਸੁਪਰ ਸਪੈਸ਼ਲਿਟੀ ਹਸਪਤਾਲ

100 Ft. Road, Near Dr. Maheshwari Hospital,  
Bathinda - 151001 (Pb.)  
Ph. 0164-5011301, 98150-23869  
E-mail : drramangoyal1979@gmail.com

**COMPLETE MEDICAL, TRAUMA, COSMETIC, LASER & HAIR TRANSPLANT CENTRE**

## ਸੁਵਿਧਾਵਾਂ

- ◆ ਦਿਲ, ਛਾਤੀ ਅਤੇ ਪੇਟ  
ਦੇ ਰੋਗਾਂ ਦਾ ਇਲਾਜ
- ◆ ਸ਼ੂਗਰ, ਬਲੱਡ ਪ੍ਰੈਸ਼ਰ, ਥਾਇਰਾਇਡ  
ਅਤੇ ਗਠਿਆ ਦਾ ਇਲਾਜ
- ◆ ਕਰੋਨਾ, ਡੈਂਗੂ, ਮਲੇਰੀਆ, ਅਤੇ  
ਸਵਾਈਨ ਫਲੂ ਆਦਿ  
ਬਿਮਾਰੀਆਂ ਦਾ ਇਲਾਜ
- ◆ ਸਪਰੇ ਅਤੇ ਸੱਪ ਕੱਟੇ  
ਮਰੀਜ਼ਾਂ ਦਾ ਇਲਾਜ
- ◆ ਅਧਰੰਗ, ਮਿਰਗੀ ਅਤੇ  
ਦਿਮਾਗੀ ਬਿਮਾਰੀਆਂ ਦਾ ਇਲਾਜ
- ◆ ਕੰਪਿਊਟਰਾਇਜ਼ਡ ਲੈਬ,  
ਡਿਜੀਟਲ ਐਕਸ-ਰੇ
- ◆ ਆਈ.ਸੀ.ਯੂ., ਵੇਂਟੀਲੇਟਰ  
ਅਤੇ ਪ੍ਰਾਈਵੇਟ ਏ.ਸੀ. ਰੂਮ

**Dr. Raman K. Goyal**

**ਡਾ. ਰਮਨ ਗੋਇਲ**

MBBS, MS, Mch Plastic Surgery  
Trauma, Burn & Cosmetic Super Specialist  
Formerly at CMC Ludhiana  
Regd. No. PMC-32766

**Dr. Ramandeep Goyal**

**ਡਾ. ਰਮਨਦੀਪ ਗੋਇਲ**

MD (Medicine) Ex. PCMS  
Formerly Med. Sp. Civil Hospital, Bathinda  
Regd. No. PMC 34070

*Ravinder Singh 49/A*  
*B.P- 122/84*

  
Dr. Ramandeep Goyal  
MD Medicine, Ex PCMS  
PMC No. 34070  
Cosmo Superspeciality Hospital

## ਹੋਰ ਸੁਵਿਧਾਵਾਂ

- ◆ ਪਲਾਸਟਿਕ ਸਰਜਰੀ ਦੀ ਸੁਵਿਧਾ
- ◆ ਡਾਇਲਿਸਿਸ ਲਈ AV FISTULA
- ◆ ਐਕਸੀਡੈਂਟ ਕੇਸਾਂ ਦਾ ਇਲਾਜ
- ◆ ਹੱਡੀਆਂ ਅਤੇ ਜੋੜਾਂ ਦਾ ਇਲਾਜ
- ◆ ਜਲੇ ਹੋਏ ਮਰੀਜ਼ਾਂ ਦਾ ਇਲਾਜ
- ◆ HAIR TRANSPLANT
- ◆ ਲੇਜ਼ਰ ਨਾਲ ਅਣਚਾਹੇ ਵਾਲਾਂ  
ਦਾ ਇਲਾਜ
- ◆ ਟੈਟੂ ਅਤੇ SCAR ਨੂੰ ਕੱਢਣਾ

**TIMING : MONDAY TO SATURDAY**

Morning 10:00 am to 02:00 pm

Evening 05:00 pm to 07:00 pm

Sunday : 10:00 am to 02:00 pm

**NOT VALID FOR MEDICO LEGAL PURPOSE**

**ਐਮਰਜੈਂਸੀ ਸੇਵਾਵਾਂ 24 ਘੰਟੇ ਲਈ ਉਪਲਬੱਧ ਹੈ।**

## Details of the training training

Fire training was held on 26 Dec 22 and following personnel's were present during the training session

- |                        |                      |
|------------------------|----------------------|
| 1. Sh. Dhirendra Singh | 14. Sh. Manoj Kumar  |
| 2. Sh. Virendra Singh  | 15. Sh. Mallik Singh |
| 3. Sh. Mukesh Singh    | 16. Sh. Balinder     |
| 4. Sh. Aman            |                      |
| 5. Sh. Jagdeep         |                      |
| 6. Sh. Jaskaran        |                      |
| 7. Sh. Anand pal       |                      |
| 8. Sh. Sarvan          |                      |
| 9. Sh. Vimal           |                      |
| 10. Sh. Pankaj         |                      |
| 11. Sh. Bhushan        |                      |
| 12. Sh. Jagdish        |                      |
| 13. Sh. Ashdeep        |                      |

Following points were discussed during the training session

1. What is Fire
2. Fire triangle
3. How to control fire initially
4. How to select fire Extinguisher
5. Classification's of fire
6. How to use hydrant system
7. How to install branch (Nozzle)

Sanjiv Industries Limited  
Director

Sanjiv Aggarwal  
Factory Manager

## Details of the training

Machine safety training was held on 13-01-23  
following persons were present during  
the training session:

Follows

1. Dhirendra Singh
2. Jaspreet Singh
3. Virender Singh
4. Jaspreet Singh
5. Bhupesh Bansal
6. Malkit Singh
7. Malkit Singh
8. Bikar Singh
9. Komal Rani
10. Sunita
11. Kanta
12. Jagdeep Singh

Following points were discussed during  
the training session.

1. Don't bypass or remove any guard or  
other safety device.
2. Remove from service any damaged equipment.
3. Inspect and check machine safety features before  
use.
4. Do not use universal multi socket plug handset  
they being unsecured.

Jan


## Details of the training training.

Fire training was held on 26 Dec<sup>22</sup> and following personnel's were present during the training session

- |                       |                       |
|-----------------------|-----------------------|
| 1. Sh. Devendra Singh | 14. Sh. Manish Sharma |
| 2. Sh. Virendra Singh | 15. Sh. Mallik Singh  |
| 3. Sh. Mukesh Singh   | 16. Sh. Balinder      |
| 4. Sh. Aman           |                       |
| 5. Sh. Jagdeep        |                       |
| 6. Sh. Jaskaran       |                       |
| 7. Sh. Amrendra Pal   |                       |
| 8. Sh. Sarvan         |                       |
| 9. Sh. Manoj          |                       |
| 10. Sh. Pankaj        |                       |
| 11. Sh. Bhushan       |                       |
| 12. Sh. Jagdish       |                       |
| 13. Sh. Aash Deep     |                       |

Following points were discussed during the training session

1. What is Fire.
2. Fire triangle.
3. How to control fire in industry.
4. How to select fire Extinguishers.
5. Classification's of fire.
6. How to use hydrant system.
7. How to install branches (Nozzle)

For P. Industries Limited  
Dist. 

Sanjay Aggarwal  
(Factory Manager)

## Details of the meeting of the Society Committee held on 3 Nov 2022

The following personnel were attending the meeting

1. Sh. Devinder Singh
2. Sh. Jag Mohan Singh
3. Sh. Sanjay Aggarwal
4. Sh. Madrit Singh
5. Sh. Jyoti Mani
6. Sh. Animesh
7. Sh. Balkrishna Singh
8. Sh. Kapil
9. Sh. Ashok Kumar
10. Sh. Sachin Singh


The following points were discussed in meeting

1. What is Permit System or Permit to work system (P.T.W)
2. Why permit system is required.
3. Who is discussing about who will issue the permit and who will receive it was discussed in meeting.
4. Discussed about types of permit.

For BCL Industries Limited  
(Distillery Unit)

Sanjay Aggarwal









**Punjab Fire Services**  
(Bathinda MC)

**FIRE SAFETY CERTIFICATE**  
ਫਾਇਰ ਸੇਫਟੀ ਸਰਟੀਫਿਕੇਟ



NOC No 1307-54928-Fire/38786

NOC Type Renew

Dated 07-Jun-2022

Certified that the BCL INDUSTRIES LTD at BCL INDUSTRIES LTD, VILL MACHANA, SANGAT KALAN, BATHINDA comprised of 0 basements and 1 (Upper floor) owned/occupied by KM GUPTA have complied with the fire prevention and fire safety requirements of National Building Code and verified by the officer concerned of fire service on 06-Jun-2022 in the presence of KM GUPTA (Name of the owner or his representative) and that the building / premises is fit for occupancy group GROUP-G subdivision G2 (As per NBC) for period of one year from issue date. Subject to the following conditions:

Issued on 07-Jun-2022 at Bathinda MC

ਤਸਦੀਕ ਕੀਤਾ ਜਾਂਦਾ ਹੈ ਕਿ BCL INDUSTRIES LTD ਜੋ ਕਿ BCL INDUSTRIES LTD, VILL MACHANA, SANGAT KALAN, BATHINDA ਸਮੇਤ 0 ਬੇਸਮੈਂਟ ਅਤੇ 1 (ਉਪਰਲੀ ਮੰਜਿਲ) ਮਲਕੀਅਤ/ਕਾਬਜ਼ਦਾਰ KM GUPTA ਨੂੰ ਅੱਗ ਬੁਝਾਉਣ ਦੇ ਪ੍ਰਭਾਵੀ ਅਤੇ ਬਚਾਅ ਦੇ ਚਾਸਟਰੀ ਬਿਲਡਿੰਗ ਕੋਡ ਅਨੁਸਾਰ ਜਿਸ ਨੂੰ ਸਬੰਧਤ ਅੱਗ ਬੁਝਾਉ ਅਧਿਕਾਰੀ ਵੱਲੋਂ ਪ੍ਰਮਾਣਿਤ ਕੀਤਾ ਗਿਆ 06-Jun-2022 ਮੋਜ਼ਦਗੀ ਵਿੱਚ KM GUPTA (ਮਾਲਕ ਦਾ ਨਾਮ ਜਾਂ ਉਸ ਦਾ ਪ੍ਰਤੀਨਿਧੀ) ਅਤੇ ਇਮਾਰਤ / ਬਿਲਡਿੰਗ ਆਬਾਦੀ ਲਈ ਯੋਗ ਹੈ। Occupancy Group GROUP-G subdivision G2 (ਐਨ. ਬੀ. ਸੀ. ਦੇ ਅਨੁਸਾਰ) ਦੇ ਪ੍ਰਭਾਵੀ ਸਮੇਂ ਤੋਂ ਇੱਕ ਸਾਲ ਤੱਕ ਜਿਸ ਲਈ ਨਿਮਨ ਅਨੁਸਾਰ ਹਦਾਇਤਾਂ ਹਨ।

ਜਾਰੀ ਕਰਨ ਦੀ ਮਿਤੀ 07-Jun-2022 ਕਿੱਥੇ Bathinda MC

1. Fire Safety arrangements shall be kept in working condition at all the times.  
ਹਰ ਸਮੇਂ ਅੱਗ ਤੋਂ ਬਚਾਅ ਦੇ ਯੰਤਰਾ ਨੂੰ ਚਾਲੂ/ਚੰਗੀ ਹਾਲਤ ਵਿੱਚ ਰੱਖਿਆ ਜਾਵੇ।
2. No, alteration/ addition/ change in use of occupancy is allowed.  
ਕਿਸੇ ਵੀ ਤਰ੍ਹਾਂ ਦੇ ਬਦਲਾਅ/ ਵਾਧੇ/ ਕਾਬਜ਼ਕਾਰ ਵਿੱਚ ਬਦਲਾਵ ਦੀ ਮਨਾਹੀ ਹੈ।
3. Occupants/ owner should have trained staff to operate the operation of fire safety system provided there in.  
ਉਪਲੱਬਧ ਅੱਗ ਬੁਝਾਉਣ ਦੇ ਯੰਤਰਾ ਦੀ ਵਰਤੋਂ ਤੋਂ ਰਹਿਣ ਵਾਲੇ ਸੇਵਾ / ਮਾਲਕ ਨੂੰ ਜਾਣੂ ਕਰਵਾਇਆ ਜਾਣਾ ਯਕੀਨੀ ਬਣਾਇਆ ਜਾਵੇ।
4. Fire Officer can check the arrangements of fire safety at any time, this certificate will be withdrawn without any notice if any deficiency is found.  
ਫਾਇਰ ਓਫਿਸਰ ਕਿਸੇ ਵੀ ਵਕਤ ਇਨ੍ਹਾਂ ਸਾਰੇ ਪ੍ਰਬੰਧਾਂ ਨੂੰ ਚੈੱਕ ਕਰ ਸਕਦਾ ਹੈ, ਜੇ ਕਰ ਕੇਹੀ ਕਮੀ ਪਾਈ ਗਈ ਤਾਂ ਬਿਨਾਂ ਕਿਸੇ ਨੋਟਿਸ ਦੇ ਇਹ ਸਰਟੀਫਿਕੇਟ ਰੱਦ ਸਮਝਿਆ ਜਾਵੇਗਾ।
5. Occupants/ owner should apply for renewal of fire safety certificate one month prior to expiry of this certificate.

ਮਾਲਕ ਜਾਰੀ ਕੀਤੇ ਗਏ ਫਾਇਰ ਸੇਫਟੀ ਸਰਟੀਫਿਕੇਟ ਦੀ ਮਿਤੀ ਖਤਮ ਹੋਣ ਤੋਂ ਇੱਕ ਮਹੀਨਾ ਪਹਿਲਾਂ ਡੀਜੀਫੂ ਕਰਵਾਉਣ ਲਈ ਪਾਬੰਦ ਹੋਵੇਗਾ।

\* Above Details cannot be used as ownership proof.

ਉਪਰੋਕਤ ਦਰਸਾਈ ਗਈ ਜਾਣਕਾਰੀ ਨੂੰ ਮਾਲਕਾਨਾ ਦੇ ਸਬੂਤ ਵਜੋਂ ਨਹੀਂ ਵਰਤਿਆ ਜਾਵੇਗਾ।

\* This is digitally created certificate, no signature are needed

ਇਹ ਡਿਜੀਟਲੀ (ਕੰਪਿਊਟਰਾਈਜ਼ਡ) ਤਿਆਰ ਕੀਤਾ ਗਿਆ ਸਰਟੀਫਿਕੇਟ ਹੈ, ਜਿਸ ਵਿੱਚ ਦਸਤਖਤ ਦੀ ਖੋਜੀ ਜਾਣ ਨਹੀਂ ਹੈ।

*Hanish*

Er. HANISH GUPTA

Competent Person

Approved Under Factory Act 1948

License No. 1250513/2021

valid 10-12-2021

Inspection Report by Fire Officer

*Om*

Inspector

(Signature)

प्ररूप XV  
(प्रथम अनुसूची का अनुच्छेद 6 देखिए)  
FORM XV  
(see Article 6 of the First Schedule)



अधिष्ठापनों में पेट्रोलियम के आयात और भंडारकरण के लिए अनुज्ञप्ति  
LICENCE TO IMPORT AND STORE PETROLEUM IN AN INSTALLATION

अनुज्ञप्ति सं. (Licence No.) : P/HQ/PB/15/2012(P430444)

फीस रूप (Fee Rs.) 50000/- per year

M/s. BCL Industries Ltd, Hazi Rattan Link Road,, Bathinda City-151001, PB., Bathinda, Taluka: Bathinda, District: BATHINDA, State: Punjab, PIN: 151001 को केवल इसमें यथा विनिर्दिष्ट वर्ग और मात्राओं में पेट्रोलियम 1135.00 KL आयात करने के लिए और उसका नीचे वर्णित और अनुमोदित नक्शा संख्या P/HQ/PB/15/2012(P430444) तारीख 19/12/2018 जो कि इससे उपाबद्ध है, में दिखाए गए स्थान पर भण्डारकरण के लिए पेट्रोलियम अधिनियम, 1934 के उपबंधों या उसके अधीन बनाए गए नियमों तथा इस अनुज्ञप्ति की अतिरिक्त शर्तों के अधीन रहते हुए, यह अनुज्ञप्ति अन्दत्त की जाती है ।

Licence is hereby granted to M/s. BCL Industries Ltd, Hazi Rattan Link Road,, Bathinda City-151001, PB., Bathinda, Taluka: Bathinda, District: BATHINDA, State: Punjab, PIN: 151001 valid only for the importation and storage of 1135.00 KL Petroleum of the class and quantities as herein specified and storage thereof in the place described below and shown on the approved plan No P/HQ/PB/15/2012(P430444) dated 19/12/2018 attached hereto subject to the provisions of the Petroleum Act, 1934 and the rule made thereunder and to the further conditions of this Licence.

यह अनुज्ञप्ति 31st day of December 2022 तक प्रवृत्त रहेगी ।

The Licence shall remain in force till the 31st day of December 2022.

पेट्रोलियम का विवरण /Description of Petroleum

अनुज्ञप्त मात्रा (किलोलीटरों में) /Quantity  
licenced in KL

वर्ग क प्रपुंज पेट्रोलियम /Petroleum Class A in bulk	1135.00 KL
वर्ग क प्रपुंज पेट्रोलियम से भिन्न /Petroleum Class A, otherwise than in bulk	NIL
वर्ग ख प्रपुंज पेट्रोलियम /Petroleum Class B in bulk	NIL
वर्ग ख प्रपुंज पेट्रोलियम से भिन्न /Petroleum Class B, otherwise than in bulk	NIL
वर्ग ग प्रपुंज पेट्रोलियम /Petroleum Class C in bulk	NIL
वर्ग ग प्रपुंज पेट्रोलियम से भिन्न /Petroleum Class C, otherwise than in bulk	NIL
कुल क्षमता /Total Capacity	1135.00 KL

December 19, 2018

  
For Chief Controller of Explosives  
HQ, Nagpur

अनुज्ञप्त परिसरों का विवरण और अवस्थान  
DESCRIPTION AND LOCATION OF THE LICENSED PREMISES

अनुज्ञप्त परिसर जिसकी विन्यास सीमाएं अन्य विशिष्टयां संलग्न अनुमोदित नक्शों में दिखाई गई हैं Khasra No: 148/1/2, 148/2/2 & 149/2, Village Sangat Kalan, Dabwall Road, Bathinda Bathinda, Punjab, Bathinda, Machhana/ Sangat Kalan, Bathinda, Taluka: Bathinda, District: BATHINDA, State: Punjab, PIN: 151005 स्थान पर अवस्थित है तथा उसमें निम्नलिखित 3 Above Ground tank(s) for CLASS A, सम्मिलित हैं ।

The licensed premises, the layout, boundaries and other particulars of which are shown in the attached approved plan are situated at Khasra No: 148/1/2, 148/2/2 & 149/2, Village Sangat Kalan, Dabwall Road, Bathinda Bathinda, Punjab, Bathinda, Machhana/ Sangat Kalan, Bathinda, Taluka: Bathinda, District: BATHINDA, State: Punjab, PIN: 151005 and consists of 3 Above Ground tank(s) for CLASS A, together with connected facilities.

अनुज्ञप्ति संख्या-(Licence No.) P/HQ/PB/15/2012 (P430444)

नवीनीकरण के लिए स्थान  
SPACE FOR EN. CONCERNED AT OF RENEWAL

पेट्रोलियम अधिनियम, 1934 के उपबन्धों या उनके अधीन बनाए गए नियमों या इस अनुज्ञप्ति की शर्तों का उल्लंघन होने की दशा में यह अनुज्ञप्ति फिस में बिना किसी छूट के दस वर्ष तक नवीकृत की जा सकेगी।

नवीनीकरण की तिथि  
Date of Renewal

समाप्ति की तिथि  
Date of Expiry of licence

अनुज्ञापन प्राधिकारी के हस्ताक्षर  
Signature and office stamp of Licensing authority

This licence shall be renewable without any concession in fee for ten years in the absence of contravention of any provisions of the Petroleum Act, 1934 or of the rules framed thereunder or of any of the conditions of this licence.

यदि अनुज्ञप्ति परिसर इसमें उपाबद्ध विवरण और शर्तों के अनुरूप नहीं पाए जाते हैं और जिन नियमों और शर्तों के अधीन यह अनुज्ञप्ति मंजूर की गई है उनमें से किसी का उल्लंघन होने की दशा में यह अनुज्ञप्ति रद्द की जा सकती है और अनुज्ञप्तिधारी प्रथम अपराध के लिए साधारण कारावास से, जो एक मास तक हो सकता है, या जुर्माने से, जो एक हजार रुपये तक हो सकता है, या दोनों से, और प्रत्येक पश्चातवर्ती अपराध के लिए साधारण कारावास से जो तीन मास तक हो सकता है, या जुर्माने से, जो पांच हजार रुपये तक हो सकता है, या दोनों से, दण्डनीय होगा।  
This licence is liable to be cancelled if the licensed premises are not found conforming to the description given on the approved plan attached hereto and contravention of any of the rules and conditions under which this licence is granted and the holder of this licence is also punishable for the first offence with simple imprisonment which may be extend to one month, or with fine which may extend to one thousand rupees, or with both and for every subsequent offence with simple imprisonment which may extend to three months, or with fine which may extend to five thousand rupees or with both.



भारत सरकार

Government of India

वाणिज्य और उद्योग मंत्रालय

Ministry of Commerce & Industry

पेट्रोलियम तथा विस्फोटक सुरक्षा संगठन (पैसो)

Petroleum & Explosives Safety Organisation (PESO)

हाल संख्या 502 एवं 507, लेवल-5, ब्लॉक II, पुराना सी.जी.ओ. काम्प्लेक्स, एन.एच.4

फरीदाबाद- 121001

Hall No. 502 & 507, Level 5, Block B, Old CGO Complex, NH-4,

Faridabad - 121001

E-mail : jtccefaridabad@explosives.gov.in

Phone/Fax No : 0129 - 2410734, 2410732

संख्या /No : P/HQ/PB/15/2012 (P430444)

दिनांक /Dated : 17/10/2022

सेवा में  
/To.

M/s. BCL Industries Ltd,  
Hazi Rattan Link Road,,  
Bathinda City-151001, PB.,  
Bathinda,  
Taluka: Bathinda,  
District: BATHINDA,  
State: Punjab  
PIN: 151001

विषय /Sub : Khasra No, 148/1/2, 148/2/2 & 149/2, Village Sangat Kalan, Dabwall Road, Bathinda Bathinda, Punjab, Bathinda, Machhana/ Sangat Kalan, Bathinda, Taluka: Bathinda, District: BATHINDA, State: Punjab, PIN: 151005 में स्थित विद्यमान पेट्रोलियम वर्ग A अधिष्ठापन में अनुज्ञप्ति सं P/HQ/PB/15/2012 (P430444) के नवीकरण के संदर्भ में।  
Existing Petroleum Class A Installation at Khasra No, 148/1/2, 148/2/2 & 149/2, Village Sangat Kalan, Dabwall Road, Bathinda Bathinda, Punjab, Bathinda, Machhana/ Sangat Kalan, Bathinda, Taluka: Bathinda, District: BATHINDA, State: Punjab, PIN: 151005 - Licence No. P/HQ/PB/15/2012 (P430444) - Renewal regarding.

महोदय  
/Sir(s).

कृपया आपके पत्र क्रमांक OIN1180184 दिनांक 12/10/2022 का अवलोकन करें।

Please refer to your letter No.: OIN1180184, dated 12/10/2022

अनुज्ञप्ति संख्या P/HQ/PB/15/2012 (P430444) दिनांक 19/12/2018 को दिनांक 31/12/2027 तक नवीनीकृत कर इस पत्र के साथ अग्रपिठ की जा रही है।

Licence No. P/HQ/PB/15/2012 (P430444) dated 19/12/2018 is forwarded herewith duly renewed upto 31/12/2027.

कृपया पेट्रोलियम नियम 2002 के अधीन बनाए गए नियम 148 में दी गई प्रक्रिया का कड़ाई से पालन करें। अनुज्ञप्ति के नवीकरण हेतु समस्त दस्तावेजों को अनुज्ञप्ति की वैधता समाप्त होने की तिथि से कम से कम 30 दिन पूर्व Dy. Chief Controller of Explosives, Chandigarh कार्यालय को प्रेषित करें।

Please follow the procedure strictly as laid down in rule 148 of the Petroleum Rules, 2002 and submit complete documents for the Renewal of the licence to Dy. Chief Controller of Explosives, Chandigarh, so as to reach his office on or before the date on which Licence expires.

कृपया पावती दें।

Please acknowledge the receipt.

भवदीय /Yours faithfully,

((आर.एन.मीना)  
(R.N.Meena))

संयुक्त मुख्य विस्फोटक नियंत्रक  
Jt. Chief Controller of Explosives  
फरीदाबाद/Faridabad

**Note:-This is system generated document does not require signature.**

(अधिक जानकारी जैसे आवेदन की स्थिति, शुल्क तथा अन्य विवरण के लिए हमारी वेबसाइट : <http://peso.gov.in> देखें)

(For more information regarding status, fees and other details please visit our website: <http://peso.gov.in>)



प्ररूप XV  
(प्रथम अनुसूची का अनुच्छेद 6 देखिए)  
FORM XV  
(see Article 6 of the First Schedule)

अधिष्ठापनों में पेट्रोलियम के आयात और भंडारकरण के लिए अनुज्ञप्ति  
LICENCE TO IMPORT AND STORE PETROLEUM IN AN INSTALLATION

अनुज्ञप्ति सं. (Licence No.): P/HQ/PB/15/2012(P430444)

फीस रूप (Fee Rs.) 50000/- per year

M/s. BCL Industries Ltd, Hazi Rattan Link Road,, Bathinda City-151001, PB., Bathinda, Taluka: Bathinda, District: BATHINDA, State: Punjab, PIN: 151001 को केवल इसमें यथा विनिर्दिष्ट वर्ग और मात्राओं में पेट्रोलियम 1135.00 KL आयात करने के लिए और उसका, नीचे वर्णित और अनुमोदित नक्शा संख्या P/HQ/PB/15/2012(P430444) तारीख 17/10/2022 जो कि इससे उपाबद्ध हैं, में दिखाए गए स्थान पर भण्डारकरण के लिए पेट्रोलियम अधिनियम, 1934 के उपबंधों या उसके अधीन बनाए गए नियमों तथा इस अनुज्ञप्ति की अतिरिक्त शर्तों के अधीन रहते हुए, यह अनुज्ञप्ति अनुदत्त की जाती है।

Licence is hereby granted to M/s. BCL Industries Ltd, Hazi Rattan Link Road,, Bathinda City-151001, PB., Bathinda, Taluka: Bathinda, District: BATHINDA, State: Punjab, PIN: 151001 valid only for the importation and storage of 1135.00 KL Petroleum of the class and quantities as herein specified and storage thereof in the place described below and shown on the approved plan No P/HQ/PB/15/2012(P430444) dated 17/10/2022 attached hereto subject to the provisions of the Petroleum Act, 1934 and the rule made thereunder and to the further conditions of this Licence.

यह अनुज्ञप्ति 31st day of December 2027 तक प्रवृत्त रहेगी।  
The Licence shall remain in force till the 31st day of December 2027

पेट्रोलियम का विवरण /Description of Petroleum	अनुज्ञप्त मात्रा (किलोलीटरों में) /Quantity licenced in KL
वर्ग क प्रपुंज पेट्रोलियम /Petroleum Class A in bulk	1135.00 KL
वर्ग क प्रपुंज पेट्रोलियम से भिन्न /Petroleum Class A, otherwise than in bulk	NIL
वर्ग ख प्रपुंज पेट्रोलियम /Petroleum Class B in bulk	NIL
वर्ग ख प्रपुंज पेट्रोलियम से भिन्न /Petroleum Class B, otherwise than in bulk	NIL
वर्ग ग प्रपुंज पेट्रोलियम /Petroleum Class C in bulk	NIL
वर्ग ग प्रपुंज पेट्रोलियम से भिन्न /Petroleum Class C, otherwise than in bulk	NIL
कुल क्षमता /Total Capacity	1135.00 KL

December 19, 2018

For Chief Controller of Explosives  
HQ, Nagpur

अनुज्ञप्त परिसरों का विवरण और अवस्थान  
DESCRIPTION AND LOCATION OF THE LICENSED PREMISES

अनुज्ञप्त परिसर जिसकी विन्यास सीमाएं अन्य विशिष्टां संलग्न अनुमोदित नक्शों में दिखाई गई हैं Khasra No: 148/1/2, 148/2/2 & 149/2, Village Sangat Kalan, Dabwall Road, Bathinda Bathinda, Punjab, Bathinda, Machhana/ Sangat Kalan, Bathinda, Taluka: Bathinda, District: BATHINDA, State: Punjab, PIN: 151005 स्थान पर अवस्थित है तथा उसमें निम्नलिखित 3 Above Ground tank(s) for CLASS A, सम्मिलित हैं।

The licensed premises, the layout, boundaries and other particulars of which are shown in the attached approved plan are situated at Khasra No: 148/1/2, 148/2/2 & 149/2, Village Sangat Kalan, Dabwall Road, Bathinda Bathinda, Punjab, Bathinda, Machhana/ Sangat Kalan, Bathinda, Taluka: Bathinda, District: BATHINDA, State: Punjab, PIN: 151005 and consists of 3 Above Ground tank(s) for CLASS A, together with connected facilities.

Note:-This is system generated document does not require

signature.

अनुज्ञप्ति संख्या-(Licence No.) P/HQ/PB/15/2012 (P430444)

**नवीनीकरण के पृष्ठांकन के लिए स्थान**  
**SPACE FOR ENDORSEMENT OF RENEWALS**

पेट्रोलियम अधिनियम, १९३४ के उपबन्धों या नवीकरण की तारीख समाप्ति की तारीख अनुज्ञापन प्राधिकारी के हस्ताक्षर और उनके अधीन बनाए गए नियमों या इस अनुज्ञप्ति **Date of** **Date of** **स्टाम्प** की शर्तों का उल्लंघन न होने की दशा में यह **Renewal** **Expiry of license** **Signature and office stamp of the अनुज्ञप्ति फ़िस में बिना किसी छूट के दस वर्ष तक नवीकृत की जा सकेगी।** **licencing authority.**

This licence shall be renewable without any concession in fee for ten years in the absence of contravention of any provisions of the Petroleum Act, 1934 or of the rules framed thereunder or of any of the conditions of this licence.

1).

17/10/2022 31/12/2027 R.N.Meena  
Jt. Chief Controller of  
Explosives  
Faridabad

यदि अनुज्ञप्ति परिसर इसमें उपाबद्ध विवरण और शर्तों के अनुरूप नहीं पाए जाते हैं और जिन नियमों और शर्तों के अधीन यह अनुज्ञप्ति मंजूर की गई है उनमें से किसी का उल्लंघन होने की दशा में यह अनुज्ञप्ति रद्द की जा सकती है और अनुज्ञप्तिधारी प्रथम अपराध के लिए साधारण कारावास से, जो एक मास तक हो सकता है, या जुर्माने से, जो एक हजार रुपये तक हो सकता है, या दोनों से, और प्रत्येक पश्चात्तवर्ती अपराध के लिए साधारण कारावास से जो तीन मास तक हो सकता है, या जुर्माने से, जो पांच हजार रुपये तक हो सकता है, या दोनों से, दण्डनीय होगा।

This licence is liable to be cancelled if the licensed premises are not found conforming to the description given on the approved plan attached hereto and contravention of any of the rules and conditions under which this licence is granted and the holder of this licence is also punishable for the first offence with simple imprisonment which may be extend to one month, or with fine which may extend to one thousand rupees, or with both and for every subsequent offence with simple imprisonment which may extend to three months, or with fine which may extend to five thousand rupees or with both.

**Note:-This is system generated document does not require signature.**



भारत सरकार  
Government of India  
श्रीलोक अरु उद्योग विभाग  
Ministry of Commerce & Industry  
दक्षिण रसायन सुरक्षा संगठन (रेसी)  
Petroleum & Explosives Safety Organisation (PESO)  
एफआर रोड, पुणे, महाराष्ट्र, श्री.सी.जी.सिन्हा रोड, श्रीमती प्रेम  
सिंगर - 440006  
5th Floor, A-Block, CGO Complex, Seminary Hills,  
Nagpur - 440006

E-mail : explosives@explosives.gov.in  
Phone/Fax No : 0712-2510248, Fax-2510577

फोन/फैक्स : 051022022

संख्या/नं. : PH/D/PE/15/2022 (P/529659)  
संख्या सं./नं.

M/s. BCL INDUSTRIES LTD. (DISTILLERY UNIT),  
HAZI RAJAN LINK LINK ROAD,  
Bathinda,  
Taluka: Bathinda,  
District: BATHINDA,  
State: Punjab  
PIN: 151005

खसारा नं. 125/2, 126/2, 127/2, 132/1/2, 133/1/2, 134/1/2, V. MACHHANA KH. NO. 2894, 2895, 2900, 2901/1/2, 2902/1/2, 2903 V. SANGAT KALAN, MACHHANA & SANGAT KALAN, Bathinda, Taluka: Bathinda, District: BATHINDA, State: Punjab, PIN: 151401 से दक्षिण भारत A वा अतिरिक्त अग्रणी जारी करे जाई ।  
Petroleum Class A Installation at Khussa No. 125/2, 126/2, 127/2, 132/1/2, 133/1/2, 134/1/2, V. MACHHANA KH. NO. 2894, 2895, 2900, 2901/1/2, 2902/1/2, 2903 V. SANGAT KALAN, MACHHANA & SANGAT KALAN, Bathinda, Taluka: Bathinda, District: BATHINDA, State: Punjab, PIN: 151401 Grant of License regarding.

श्रीलोक  
(स/स/15)

प्रस्ताव संख्या/नं. OMI/288430 दिनांक 25/01/2023 वा अग्रणीकरण करे ।

Please refer to your letter No. OMI/288430 dated 25/01/2023

विद्यमान/अतिरिक्त अग्रणीकरण दस्तावेज के वर्ग तथा मात्रा के संश्लेषण के लिए दक्षिण भारत, 2002 के अधिनियम - XV में संशोधन, दिनांक 31/12/2027 तक ही अग्रणीकरण होगा PH/D/PE/15/2022 (P/529659) 11 फरवरी 06/02/2023 तक वा वर्ग है ।  
Licence No. PH/D/PE/15/2022 (P/529659) dated 06/02/2023 granted in Form XV under the Petroleum Rules, 2002 and valid till 31/12/2027 for the storage of the following kinds and quantities of Petroleum at the subject installation is forwarded herewith.

दक्षिण भारत विवरण /Description of Petroleum	श्रीलोक/रेसी में अग्रणीकरण क्षमता /Quantity licensed in KL
वर्ग अ प्रस्ताव दक्षिण भारत /Petroleum Class A in bulk	4200.00 KL
वर्ग अ प्रस्ताव दक्षिण भारत से विना /Petroleum Class A, otherwise than in bulk	NIL
वर्ग अ प्रस्ताव दक्षिण भारत /Petroleum Class B in bulk	NIL
वर्ग अ प्रस्ताव दक्षिण भारत से विना /Petroleum Class B, otherwise than in bulk	NIL
वर्ग अ प्रस्ताव दक्षिण भारत /Petroleum Class C in bulk	NIL
वर्ग अ प्रस्ताव दक्षिण भारत से विना /Petroleum Class C, otherwise than in bulk	NIL
कुल क्षमता /Total Capacity	4200.00 KL

प्रस्ताव दक्षिण भारत नियम 2002 के अधिनियम तालिका 148 में दी गई प्रक्रिया का अंतर्गत से प्रस्ताव करे और अग्रणीकरण के संबंधित किंगडम/क्षेत्र/क्षेत्रों को अग्रणीकरण की सेवाएं प्रदान की जा सकती हैं।  
Please follow the procedure strictly as laid down in rule 148 of the Petroleum Rules, 2002 and submit complete documents for the Renewal of the licence to Dy. Chief Controller of Explosives, Chandigarh, so as to reach his office on or before the date on which Licence expires.

इस अग्रणीकरण अग्रणीकरण अंतर्गत अग्रणीकरण प्रस्ताव करने से वा प्रस्ताव अग्रणीकरण से पूरा नहीं करे ।

This approval/permission, however, does not absolve from obtaining necessary permission/clearance from other authorities or under other statutes as applicable.

महोदय /Mrs./Ms./Mx.

(श्रीलोक/रेसी)  
(Shivchandra D. Mishra)  
दक्षिण भारत विभाग  
Controller of Explosives  
एफआर रोड, पुणे, महाराष्ट्र  
For Chief Controller of Explosives  
सिंगर/Nagpur

For Chief Controller of Explosives  
Nagpur

Copy forwarded to :-

1. The District Magistrate, BATHINDA(Punjab) with reference to his NOC No 2546 Dated 17/06/2022
2. Jt. Chief Controller of Explosives, North Circle, FARIDABAD, A Copy of the licence along with approved plan is enclosed.
3. The Dy. Chief Controller of Explosives, Chandigarh. A Copy of the licence along with approved plan is enclosed.

(अतिरिक्त जानकारी के लिए अधिकारी को संपर्क करें)  
(For more information regarding status, fees and other details please visit our website <http://peso.gov.in>)

Note:- This is system generated document does not require signature.

प्ररूप XV  
(प्रथम अनुसूची का अनुच्छेद 6 देखिए)  
FORM XV  
(see Article 6 of the First Schedule)

अधिष्ठापनों में पेट्रोलियम के आयात और भंडारकरण के लिए अनुज्ञप्ति  
LICENCE TO IMPORT AND STORE PETROLEUM IN AN INSTALLATION

अनुज्ञप्ति सं. (Licence No.): P/HQ/PB/15/2032(P529659)

फीस रूपए (Fee Rs.) 50000/- per year

M/s. BCL INDUSTRIES LTD. (DISTILLERY UNIT), HAZI RATAN LINK LINK ROAD,, Bathinda, Taluka: Bathinda, District: BATHINDA, State: Punjab, PIN: 151005 को केवल इसमें यथा विनिर्दिष्ट वर्ग और मात्राओं में पेट्रोलियम 4200.00 KL आयात करने के लिए और उसका, नीचे वर्णित और अनुमोदित नक्शा संख्या P/HQ/PB/15/2032(P529659) तारीख 06/02/2023 जो कि इससे उपाबद्ध हैं, में दिखाए गए स्थान पर भण्डारकरण के लिए पेट्रोलियम अधिनियम, 1934 के उपबंधों या उसके अधीन बनाए गए नियमों तथा इस अनुज्ञप्ति की अतिरिक्त शर्तों के अधीन रहते हुए, यह अनुज्ञप्ति अनुदत्त की जाती है।

Licence is hereby granted to M/s. BCL INDUSTRIES LTD. (DISTILLERY UNIT), HAZI RATAN LINK LINK ROAD,, Bathinda, Taluka: Bathinda, District: BATHINDA, State: Punjab, PIN: 151005 valid only for the importation and storage of 4200.00 KL Petroleum of the class and quantities as herein specified and storage thereof in the place described below and shown on the approved plan No P/HQ/PB/15/2032(P529659) dated 06/02/2023 attached hereto subject to the provisions of the Petroleum Act, 1934 and the rule made thereunder and to the further conditions of this Licence.

यह अनुज्ञप्ति 31st day of December 2027 तक प्रवृत्त रहेगी।  
The Licence shall remain in force till the 31st day of December 2027

पेट्रोलियम का विवरण /Description of Petroleum	अनुज्ञप्त मात्रा (किलोलीटरों में) /Quantity licenced in KL
वर्ग क प्रपुंज पेट्रोलियम /Petroleum Class A in bulk	4200.00 KL
वर्ग क प्रपुंज पेट्रोलियम से भिन्न /Petroleum Class A, otherwise than in bulk	NIL
वर्ग ख प्रपुंज पेट्रोलियम /Petroleum Class B in bulk	NIL
वर्ग ख प्रपुंज पेट्रोलियम से भिन्न /Petroleum Class B, otherwise than in bulk	NIL
वर्ग ग प्रपुंज पेट्रोलियम /Petroleum Class C in bulk	NIL
वर्ग ग प्रपुंज पेट्रोलियम से भिन्न /Petroleum Class C, otherwise than in bulk	NIL
कुल क्षमता /Total Capacity	4200.00 KL

February 6, 2023

For Chief Controller of Explosives  
HQ, Nagpur

अनुज्ञप्त परिसरों का विवरण और अवस्थान  
DESCRIPTION AND LOCATION OF THE LICENSED PREMISES

अनुज्ञप्त परिसर जिसकी विन्यास सीमाएं अन्य विशिष्टां संलग्न अनुमोदित नक्शों में दिखाई गई हैं Khasra No: 125/2,126/2 ,127/2,132/1/2 ,133/1 /2,, 134/1 /2, V. MACHHANA KH. NO. 2894,2895,2900,2901/1/2 ,2902/1 /2, 2903 V. SANGAT KALAN, MACHHANA & SANGAT KALAN, Bathinda, Taluka: Bathinda, District: BATHINDA, State: Punjab, PIN: 151401 स्थान पर अवस्थित है तथा उसमें निम्नलिखित 5 Above Ground tank(s) for CLASS A शामिल हैं।

The licensed premises, the layout , boundaries and other particulars of which are shown in the attached approved plan are situated at Khasra No: 125/2,126/2 ,127/2,132/1/2 ,133/1 /2,, 134/1 /2, V. MACHHANA KH. NO. 2894,2895,2900,2901/1/2 ,2902/1 /2, 2903 V. SANGAT KALAN, MACHHANA & SANGAT KALAN, Bathinda, Taluka: Bathinda, District: BATHINDA, State: Punjab, PIN: 151401 and consists of 5 Above Ground tank(s) for CLASS A together with connected facilities.

Note:-This is system generated document does not require signature.

Digitally signed by SHIVCHANDRA DAYAKANT MISHRA  
Reason: Licence No. : P/HQ/PB/15/2032  
Location:Nagpur [P529659]  
Date:06-02-2023 18:13:20 PM



**नवीनीकरण के पृष्ठांकन के लिए स्थान**  
**SPACE FOR ENDORSEMENT OF RENEWALS**


पेट्रोलियम अधिनियम, १९३४ के उपबन्धों या नवीकरण की तारीख उनके अधीन बनाए गए नियमों या इस अनुज्ञप्ति की शर्तों का उल्लंघन न होने की दशा में यह अनुज्ञप्ति फ़िस में बिना किसी छूट के दस वर्ष तक नवीकृत की जा सकेगी।	Date of Renewal	समाप्ति की तारीख Date of Expiry of license	अनुज्ञापन प्राधिकारी के हस्ताक्षर और स्टाम्प Signature and office stamp of the licencing authority.
---	-----------------	---	--

This licence shall be renewable without any concession in fee for ten years in the absence of contravention of any provisions of the Petroleum Act, 1934 or of the rules framed thereunder or of any of the conditions of this licence.

यदि अनुज्ञप्ति परिसर इसमें उपाबद्ध विवरण और शर्तों के अनुरूप नहीं पाए जाते हैं और जिन नियमों और शर्तों के अधीन यह अनुज्ञप्ति मंजूर की गई है उनमें से किसी का उल्लंघन होने की दशा में यह अनुज्ञप्ति रद्द की जा सकती है और अनुज्ञप्तिधारी प्रथम अपराध के लिए साधारण कारावास से, जो एक मास तक हो सकता है, या जुर्माने से, जो एक हजार रुपये तक हो सकता है, या दोनों से, और प्रत्येक पश्चातवर्ती अपराध के लिए साधारण कारावास से जो तीन मास तक हो सकता है, या जुर्माने से, जो पांच हजार रुपये तक हो सकता है, या दोनों से, दण्डनीय होगा।

This licence is liable to be cancelled if the licensed premises are not found conforming to the description given on the approved plan attached hereto and contravention of any of the rules and conditions under which this licence is granted and the holder of this licence is also punishable for the first offence with simple imprisonment which may be extend to one month, or with fine which may extend to one thousand rupees, or with both and for every subsequent offence with simple imprisonment which may extend to three months, or with fine which may extend to five thousand rupees or with both.

**Note:-This is system generated document does not require signature.**



M. K. M. Gupta  
2

HWM  
Annexure 10

**PUNJAB POLLUTION CONTROL BOARD**

Zonal Office, Street no. 12, Power House Road, Bathinda

Website:- www.ppcb.gov.in

Office Dispatch No : 1429

Registered/Speed Post

Date: 21/3/2022

Industry Registration ID : R17BTI5059897

Application No : 17783699

To,

Rajinder Mittal  
BCL Industries Ltd. (Distillery Unit), Hazi Rattan Link Road, Bathinda  
Bathinda, Bathinda-151005

Subject: Fresh Authorization for operating a facility for Collection, Generation, Reuse, of Hazardous Wastes as per the Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016.

Rajinder Mittal of Bcl industries ltd. (distillery unit) dedicated ethanol plant is hereby granted an authorisation based on the enclosed signed inspection report for Collection, Generation, Reuse, on the premises situated at Village machhana and sangat kalan, tehsil and district bathinda, Bathinda, Bathinda-151401

1. Particulars of Authorization granted to the Industry

Authorization No	HWM/Fresh/BTI/2022/17783699
Date of issue :	18/03/2022
Date of expiry :	17/03/2027
Authorization Type :	Fresh

2. Particulars of the Industry

Name & Designation of the Applicant	Sgt Narain Goyal, (Whole Time Director)
Address of Industrial premises	Bcl industries ltd. (distillery unit) dedicated ethanol plant, Village machhana and sangat kalan, tehsil and district bathinda, Bathinda, Bathinda-151401
Capital Investment of the Industry	41378.0 lakhs
Category of Industry	Red
Type of Industry	Distilleries
Scale of the Industry	Large
Office District	Bathinda

"This is computer generated document from OCMMS by PPCB"

Bcl industries ltd. (distillery unit) dedicated ethanol plant, Village machhana and sangat kalan, tehsil and district bathinda, Bathinda, Bathinda, Bathinda, 151401

Page 1



3. Particulars of Wastes

Category of Hazardous Waste as per the Schedules I,II and III of these rules	Authorised mode of disposal or recycling or utilisation or co-processing, etc	Quantity (ton/annum)
Schedule I 5.1-Used or spent oil	Generation , Collection , Reuse	0.01 KL/Annum

4. The authorisation is subject to the general and specific conditions as appended with the Authorization.



18/03/2022

(Ruby Sidhu)  
Asstt Environmental Engineer

For & on behalf

of

(Punjab Pollution Control Board)

PUNJAB

Endst. No.:

Dated:

A copy of the above is forwarded to the following for information and necessary action please:

A copy of the above is forwarded to the Environmental Engineer, Punjab Pollution Control Board, Regional office, Bathinda for information.



18/03/2022

(Ruby Sidhu)  
Asstt Environmental Engineer

For & on behalf

of

(Punjab Pollution Control Board)

## TERMS AND CONDITIONS

### A. GENERAL CONDITIONS

1. The authorised person shall comply with the provisions of the Environment (Protection) Act, 1986, and the rules made there under.
2. The authorisation or its renewal shall be produced for inspection at the request of an officer authorised by the State Pollution Control Board.
3. The person authorised shall not rent, lend, sell, transfer or otherwise transport the hazardous and other wastes except what is permitted through this authorisation.
4. Any unauthorised change in personnel, equipment or working conditions as mentioned in the application by the person authorised shall constitute a breach of his authorisation.
5. The person authorised shall implement Emergency Response Procedure (ERP) for which this authorisation is being granted considering all site specific possible scenarios such as spillages, leakages, fire etc. and their possible impacts and also carry out mock drill in this regard at regular interval of time;
6. The person authorised shall comply with the provisions outlined in the Central Pollution Control Board guidelines on  $i\frac{1}{2}$ Implementing Liabilities for Environmental Damages due to Handling and Disposal of Hazardous Waste and Penalty $i\frac{1}{2}$ .
7. It is the duty of the authorised person to take prior permission of the State Pollution Control Board to close down the facility.
8. The imported hazardous and other wastes shall be fully insured for transit as well as for any accidental occurrence and its clean-up operation.
9. The record of consumption and fate of the imported hazardous and other wastes shall be maintained.
10. The hazardous and other waste which gets generated during recycling or reuse or recovery or pre-processing or utilisation of imported hazardous or other wastes shall be treated and disposed of as per specific conditions of authorisation.
11. The importer or exporter shall bear the cost of import or export and mitigation of damages if any.
12. An application for the renewal of an authorisation shall be made as laid down under these Rules.
13. Any other conditions for compliance as per the Guidelines issued by the Ministry of Environment, Forest and Climate Change or Central Pollution Control Board from time to time.
14. Annual return shall be filed by June 30th for the period ensuring 31st March of the year.

### B. SPECIFIC CONDITIONS

*The industry will make an arrangement with the authorized dealer for lifting of hazardous waste of category 5.1, in case it fails to reuse the same and shall maintain proper record of the hazardous waste generated and re-used.*



18/03/2022

(Ruby Sidhu)  
Asstt Environmental Engineer

For & on behalf

of

(Punjab Pollution Control Board)





M. K. M. Gupta  
2

**PUNJAB POLLUTION CONTROL BOARD**  
Zonal Office, Street no. 12, Power House Road, Bathinda  
Website:- www.ppcb.gov.in

Office Dispatch No : 1629

Registered/Speed Post

Date: 21/3/2022

Industry Registration ID : R17BT15059897

Application No : 17783699

To,

Rajinder Mittal  
BCL Industries Ltd. (Distillery Unit), Hazi Rattan Link Road, Bathinda  
Bathinda, Bathinda-151005

Subject: Fresh Authorization for operating a facility for Collection, Generation, Reuse, of Hazardous Wastes as per the Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016 .

Rajinder Mittal of Bcl industries ltd. (distillery unit) dedicated ethanol plant is hereby granted an authorisation based on the enclosed signed inspection report for Collection, Generation, Reuse, on the premises situated at Village machhano and sangat kalan, tehsil and district bathinda, Bathinda, Bathinda-151401

1. Particulars of Authorization granted to the Industry

Authorization No	HWM/Fresh/BTI/2022/17783699
Date of issue :	18/03/2022
Date of expiry :	17/03/2027
Authorization Type :	Fresh

2. Particulars of the Industry

Name & Designation of the Applicant	Sat Narain Goyal, (Whole Time Director)
Address of Industrial premises	Bcl industries ltd. (distillery unit) dedicated ethanol plant, Village machhano and sangat kalan, tehsil and district bathinda, Bathinda, Bathinda-151401
Capital Investment of the Industry	41378.0 lakhs
Category of Industry	Red
Type of Industry	Distilleries
Scale of the Industry	Large
Office District	Bathinda

\*This is computer generated document from OCMMS by PPCB\*

Bcl industries ltd. (distillery unit) dedicated ethanol plant, Village machhano and sangat kalan, tehsil and district bathinda, Bathinda, Bathinda-151401

Page 1

3. Particulars of Wastes

Category of Hazardous Waste as per the Schedules I,II and III of these rules	Authorised mode of disposal or recycling or utilisation or co-processing, etc	Quantity (ton/annum)
Schedule I 5.1-Used or spent oil	Generation , Collection , Reuse	0.01 KL/Annum

4. The authorisation is subject to the general and specific conditions as appended with the Authorization.



18/03/2022

(Ruby Sidhu)  
Asstt Environmental Engineer

For & on behalf

of


(Punjab Pollution Control Board)

Endst. No.:

Dated:

A copy of the above is forwarded to the following for information and necessary action please:

A copy of the above is forwarded to the Environmental Engineer, Punjab Pollution Control Board, Regional office, Bathinda for information.



18/03/2022

(Ruby Sidhu)  
Asstt Environmental Engineer

For & on behalf

of

(Punjab Pollution Control Board)

\*This is computer generated document from OCMS by PPCB\*

Bcl industries Ltd. (distillery unit) dedicated ethanol plant, Village mochkana and sangat kulan, tehsil and district bathinda, Bathinda, Bathinda, 151401

Page 2


## TERMS AND CONDITIONS

### A. GENERAL CONDITIONS

1. The authorised person shall comply with the provisions of the Environment (Protection) Act, 1986, and the rules made there under.
2. The authorisation or its renewal shall be produced for inspection at the request of an officer authorised by the State Pollution Control Board.
3. The person authorised shall not rent, lend, sell, transfer or otherwise transport the hazardous and other wastes except what is permitted through this authorisation.
4. Any unauthorised change in personnel, equipment or working conditions as mentioned in the application by the person authorised shall constitute a breach of his authorisation.
5. The person authorised shall implement Emergency Response Procedure (ERP) for which this authorisation is being granted considering all site specific possible scenarios such as spillages, leakages, fire etc and their possible impacts and also carry out mock drill in this regard at regular interval of time;
6. The person authorised shall comply with the provisions outlined in the Central Pollution Control Board guidelines on  $\frac{1}{2}$  Implementing Liabilities for Environmental Damages due to Handling and Disposal of Hazardous Waste and Penalty  $\frac{1}{2}$ .
7. It is the duty of the authorised person to take prior permission of the State Pollution Control Board to close down the facility.
8. The imported hazardous and other wastes shall be fully insured for transit as well as for any accidental occurrence and its clean-up operation.
9. The record of consumption and fate of the imported hazardous and other wastes shall be maintained.
10. The hazardous and other waste which gets generated during recycling or reuse or recovery or pre-processing or utilisation of imported hazardous or other wastes shall be treated and disposed of as per specific conditions of authorisation.
11. The importer or exporter shall bear the cost of import or export and mitigation of damages if any.
12. An application for the renewal of an authorisation shall be made as laid down under these Rules.
13. Any other conditions for compliance as per the Guidelines issued by the Ministry of Environment, Forest and Climate Change or Central Pollution Control Board from time to time.
14. Annual return shall be filed by June 30th for the period ensuring 31st March of the year.

### B. SPECIFIC CONDITIONS

*The industry will make an arrangement with the authorized dealer for lifting of hazardous waste of category 5.1, in case it fails to reuse the same and shall maintain proper record of the hazardous waste generated and re-used.*



18/03/2022

**(Ruby Sidhu)**  
**Asstt Environmental Engineer**

*For & on behalf*

*of*

**(Punjab Pollution Control Board)**


*"This is computer generated document from OCMMS by PPCB"*

*Bcl industries Ltd. (distillery unit) dedicated ethanol plant, Village machhans and sangat kulan, tehsil and district bathinda, Bathinda Bathinda 151401*



**Distillery Unit**  
 Site : Village Sangat Kalan  
 Dabwali Road, Bathinda.

Regd. Office :  
 Hazi Rattan Link Road, Bathinda-151 005  
 Ph.: 0164-2240163, 2240443, 2211628  
 Fax: 0164-5003638  
 Website : www.bcl.ind.in  
 E-mail : bcl@mittalgroup.co.in  
 E-mail : bclidistillery@mittalgroup.co.in  
 CIN : L24231PBI976PLC003624



## TEST REPORT



ULR No. : TC74772300004451F		Test Report No. : EL230523NW017	
Type of Sample : Water (Ground Water)		Date of Reporting : 27/05/2023	
Customer	BCL Industries Limited. Located at Vill Machana, Sangat Kalan Road, Bathinda, Punjab	Work Order No. & Date	EMS/E/6066 DT:04.05.2023
		Customer reference No. (If any)	NA
Sampling Protocol	IS:17614 (P-1) 2021	Mode of Collection of Sample	Sampling by laboratory
Date of Sampling	22/05/2023	Date of Receipt of Sample	23/05/2023
Sampling Location	Borewell Near Lagoon	Testing Location	Permanent Facility
Testing Protocol	IS:10500-2012 (IInd Revision)	Period of Analysis	23/05/2023 To 27/05/2023
Sample Description	Clear, colourless liquid.		
Packing, Markings, Seal & Qty.	2 Litre Plastic & 500ml Glass Bottle Marked 'P/22/01'		

## RESULTS

### I -Chemical Testing

#### 1. Water (Ground Water)

S.No.	Test Parameter	Unit	Result	Acceptable limit	Permissible limit in absence of alternate source	Test Method
1	Colour	Colour Units	BDL(DL5)	5	15	IS: 3025 (Part-4)CI 2.0
2	Odour	-	Agreeable	Agreeable	Agreeable	IS:3025 (Part-5)
3	pH @ 25°C	-	7.33	6.5-8.5	No relaxation	IS:3025 (Part-11)
4	Taste	-	Agreeable	Agreeable	Agreeable	IS: 3025 (Part-8)
5	Turbidity	NTU	BDL(DL1)	1	5	IS 3025 (Part-10)
6	Chloride as Cl	mg/l	29	250	1000	IS: 3025 (Part-32)
7	Iron as Fe	mg/l	0.23	1.0	No relaxation	APHA-23rd Ed -3500Fe-B Phenanthroline Method
8	Total hardness as CaCO3	mg/l	256	200	600	IS :3025 (Part-21)

### II -Biological Testing

#### 1. Water (Ground Water)

S.No.	Test Parameter	Unit	Result	Acceptable limit	Permissible limit in absence of alternate source	Test Method
1	Total coliform	CFU/100ml	Absent	Absent	-	IS:15185
2	E.coli.	CFU/100ml	Absent	Absent	-	IS:15185

Dr. Ajay Kumar

Authorized Signatory-Chemical & Biological



TC-7477

ULR No. : TC747723000004451F

Type of Sample : Water (Ground Water)

Test Report No. : EL230523NW017

Date of Reporting : 27/05/2023

Remarks : Please refer terms & conditions mentioned on backside of page No.1/2.

**OTHER INFORMATION**

Abbreviation : ULR: Unique Lab Report, BDL: Below Detection Level, NA: Not Applicable

Terms & Conditions : Please refer terms and conditions on backside of Test Report (Page-1)

**\*\*End of Report\*\***



Dr. Ajay Kumar

Authorized Signatory-Chemical & Biological

## TEST REPORT



ULR No. : TC747723000004380F		Test Report No. : EL230523NA014	
Type of Sample : Ambient Air Quality		Date of Reporting : 27/05/2023	
Customer	BCL Industries Limited. Located at Vill Machana, Sangat Kalan Road, Bathinda, Punjab	Work Order No. & Date	EMS/E/6066 DT:04.05:2023
		Customer reference No. (If any)	NA
Sampling Protocol	IS:5182 and CPCB Air Manual Volume-I (NAAQMS/36/2012-13) / CPCBNAAQS-2009	Mode of Collection of Sample	Sampling by laboratory
Date of Sampling	22/05/2023	Date of Receipt of Sample	23/05/2023
Sampling Location	Park Near Admin Block	Period of Analysis	23/05/2023 To 27/05/2023
Testing Protocol	IS:5182 and CPCB Air Manual Volume-I (NAAQMS/36/2012-13) / CPCBNAAQS-2009	Environmental Conditions	Clear Sky
Testing Location	On Site & Permanent Facility		

## RESULTS

### I-Chemical Testing

#### 1. Atmospheric Pollution (Ambient Air)

S.No.	Test Parameter	Unit	Result	Standard	Method
1	Respirable Suspended Particulate Matter (as PM10)	µg/m <sup>3</sup>	85	100	IS: 5182 (Part-23)
2	Particulate Matter (as PM2.5)	µg/m <sup>3</sup>	46	60	Lab SOP: EL/SOP/AAQ/01, Issue No. 03, Jan 01
3	Sulphur Dioxide (as SO <sub>2</sub> )	µg/m <sup>3</sup>	11	80	IS: 5182 (Part-2)
4	Nitrogen Dioxide (as NO <sub>2</sub> )	µg/m <sup>3</sup>	27	80	IS: 5182 (Part-6)
5	Ammonia (as NH <sub>3</sub> )	µg/m <sup>3</sup>	19	400	Lab SOP: EL/SOP/AAQ/02, Issue No. -03, Jan 01
6	Ozone (as O <sub>3</sub> )	µg/m <sup>3</sup>	37	180	IS: 5182 (Part-9)
7	Carbon Monoxide (as CO)	mg/m <sup>3</sup>	0.68	04	IS: 5182 (Part-10), NDIR Method

Remarks : Please refer terms & conditions mentioned on backside.

### OTHER INFORMATION

Abbreviation :

ULR: Unique Lab Report, BDL: Below Detection Level, NA: Not Applicable

Terms & Conditions :

Please refer terms and conditions on backside of Test Report (Page-1)

\*\*End of Report\*\*



Umesh Kumar.

Authorized Signatory-Chemical

## TEST REPORT



ULR No. : TC747723000004449F		Test Report No. : EL230523NS014	
Type of Sample : Soil		Date of Reporting : 27/05/2023	
Customer	BCL Industries Limited. Located at Vill Machana, Sangat Kalan Road, Bathinda, Punjab	Work Order No. & Date	EMS/E/6066 DT:04.05.2023
		Customer reference No. (if any)	NA
Sampling Protocol	USEPA/600/R-92/128	Mode of Collection of Sample	Sampling by laboratory
Date of Sampling	22/05/2023	Date of Receipt of Sample	23/05/2023
Sampling Location	Near Lagoon	Testing Location	Permanent Facility
Testing Protocol	IS Method	Period of Analysis	23/05/2023 To 27/05/2023
Sample Description	Brown coloured soil.		
Packing, Markings, Seal & Qty.	10kg Poly Bag Marked 'P/22/01'		

## RESULTS

### I. Chemical Testing

#### 1. Pollution & Environment (Soil)

S.No.	Test Parameter	Unit	Result	Test Method
1	pH	--	8.16	IS:2720 (Part-26) Cl-2,
2	Conductivity	mmhos/cm	0.451	IS:14767
3	Moisture Content	%	6.1	IS:2720 (Part-II) Sec-1
4	Organic Matter	%	1.51	IS: 2720 (Part XXII) Sec-1,
5	Texture	--	Sandy loam	IS:2720 (Part-4) Cl 2,4,
6	Bulk Density	gm/cc	1.24	IS: 2720 (Part-7)

Remarks : Please refer terms & conditions mentioned on backside.

### OTHER INFORMATION

Abbreviation : ULR: Unique Lab Report, BDL: Below Detection Level, NA: Not Applicable  
 Terms & Conditions : Please refer terms and conditions on backside of Test Report (Page-1)

\*\*End of Report\*\*



Umesh Kumar,  
Authorized Signatory-Chemical

## TEST REPORT



ULR No. : TC747723000004356F		Test Report No. : EL230523NN011	
Type of Sample : Ambient Noise		Date of Reporting : 27/05/2023	
Customer	BCL Industries Limited. Located at Vill Machana, Sangat Kalan Road, Bathinda, Punjab	Work Order No. & Date	EMS/E/6066 DT:04.05.2023
		Customer reference No. (If any)	NA
Sampling Protocol	IS 9989-1989, RA 2008	Mode of Collection of Sample	Sampling by laboratory
Date of Sampling	22/05/2023	Date of Receipt of Sample	23/05/2023
Sampling Location	Near Admin Block	Period of Analysis	23/05/2023 To 23/05/2023
Testing Protocol	IS 9989-1989, RA 2008.		
Testing Location	On Site & Permanent Facility		

## RESULTS

### I- Chemical Testing

#### 1. Atmospheric Pollution (Ambient Noise Level)

S.No.	Test Parameters	Units	Results	Method
1	Ambient Day Time Noise Levels	dB(A)	67.7	LAB SOP: EL/SOP/AN/01, Issue No.-04, Nov 10

#### Ambient Noise Quality Standards as per Noise Pollution (Regulation and Control) Rules, 2000

Area Code	Category of Area/Zone	Limits in dB(A) Leq*	
		Day Time	Night Time
A	Industrial area	75	70
B	Commercial area	65	55
C	Residential area	55	45
D	Silence Zone	50	40

Day time shall mean from 6.00 a.m. to 10.00 p.m., Night time shall mean from 10.00 p.m. to 6.00 a.m., Silence zone is an area comprising not less than 100 meters around hospitals, educational institutions, courts, religious places or any other area which is declared as such by the competent authority, Mixed categories of areas may be declared as one of the four above mentioned categories by the competent authority.

\*dB(A) Leq denotes the time weighted average of the level of sound in decibels on scale 'A' which is relatable to human hearing

Remarks : Please refer terms & conditions mentioned on backside.

### OTHER INFORMATION

Abbreviation : ULR: Unique Lab Report, BDL: Below Detection Level, NA: Not Applicable  
 Terms & Conditions : Please refer terms and conditions on backside of Test Report (Page-1)

\*\*End of Report\*\*



Umesh Kumar

Authorized Signatory-Chemical

## Regarding six-monthly compliance report for period ending 30.09.2022 for Distillery Unit

KM Gupta <kmg@mittalgroup.co.in>

Thu 01/12/2022 14:10

To: ecompliance-nro@gov.in <ecompliance-nro@gov.in>;ronz.chd-mef@nic.in <ronz.chd-mef@nic.in>

Cc: seiaapb2017@gmail.com <seiaapb2017@gmail.com>;eerobti@yahoo.in <eerobti@yahoo.in>

📎 1 attachments (7 MB)

BCL Industries compliance report 30.09.2022.pdf;

Dear Sir,

Greetings of the day!!!

We are hereby submitting six-monthly compliance report for the period ending 30.09.2022 for Distillery Unit "**Expansion of Grain Based Distillery from 100 KLPD to 200 KLPD and Cogeneration Power Plant (from 5 MW to 10 MW)**" located at Village Machchana and Sangat Kalan, Tehsil & Distt. Bathinda, Punjab by M/s BCL Industries Limited (Formerly known as BCL Industries and Infrastructure Ltd.)

Kindly acknowledge the receipt of the same.

**Regards**

**M/s BCL Industries Limited**

**K. M. Gupta**

Liaison Officer

**M:** [99150-30211](tel:99150-30211)

**E:** [kmg@mittalgroup.co.in](mailto:kmg@mittalgroup.co.in)    **W:** [www.bcl.ind.in](http://www.bcl.ind.in)

**A:** [Hazi Rattan Link Road, Bathinda-151005, Punjab, India](#)

## Policies, Codes, Mechanisms And Disclosures

- COMPOSITION OF BOARD OF BCL INDUSTRIES LIMITED
- SIX MONTH COMPLIANCE REPORT 31.03.2022
- Newspaper Advertisement of Environment Clearance
- Familiarization Programme 2021-2022
- Policy on materiality event
- Policy on material subsidiary
- Dividend Distribution Policy
- Environmental clearance for DD Mittal towers
- Environmental Clearance dated on 25.10.2021
- Six Months Compliance Report 2021
- Environmental Clearance I
- Environmental Clearance II
- CSR Policy 2021
- Familiarization programme 2020-21
- Familiarization Program 2019-20

ਸਨਪ੍ਰੀਤ ਕਰ,  
ਡੇਰਾਬੱਸੀ, ਜਿਲ੍ਹਾ  
123-14746

**LIMITED**  
ad, Village Akbarpura,  
1.  
rediffmail.com  
emational@yahoo.com  
ded 30th September, 2021

Year ended Figures	Corresponding quarter in the previous year 30.09.2020 (Quarterly)
31.03.2021	
7489.56	1806.92
210.67	38.30
210.67	38.30
203.17	38.30
203.17	38.30
855.28	855.28
492.36	252.12
2.38	0.45
2.38	0.45

the Stock Exchanges under  
2015. The full format of the  
om) and on the company's  
Results have been reviewed  
31.10.2021

ਸੰਖਿਆ	ਸੰਖਿਆ	ਸੰਖਿਆ
C162	ਚਿਮਨਲਾਲ ਗਿਰਪਰਲਾਲ ਦੇਸਾਈ	62153 85126 205381-205382 277293-277295 465032
C202	ਚਿਮਨਲਾਲ ਦੇਸਾਈ	62196 85163 205417-205418 277403-277405 465055

**ਪਬਲਿਕ ਨੋਟਿਸ**

ਸਾਰੇ ਸਬੰਧਤਾਂ ਨੂੰ ਇਹ ਜਾਣਕਾਰੀ ਦਿਤੀ ਜਾਂਦੀ ਹੈ ਕਿ ਮੈਸ. ਬੀਸੀਐਲ ਇਡਸਟਰੀਜ਼ ਲਿਮ., ਡਿਸਟਰੀ ਡਿਵੀਜ਼ਨ, ਨੂੰ ਵਾਤਾਵਰਣ, ਜੰਗਲਾਤ ਅਤੇ ਮੌਸਮ ਬਦਲਾਅ ਮੰਤਰਾਲਾ, ਨਵੀਂ ਦਿੱਲੀ ਵਲੋਂ ਪਿਛੇ ਸੰਗਤਕਲਾਂ ਅਤੇ ਮਛਾਨਾ, ਤਹਿਸੀਲ ਅਤੇ ਜਿਲਾ ਬਠਿੰਡਾ, ਪੰਜਾਬ ਵਿਖੇ ਸਥਿਤ ਆਪਣੀ ਮੌਜੂਦਾ 200 ਕੇਲਪੀਡੀ ਅਨਾਜ ਅਧਾਰਤ ਡਿਸਟਰੀ ਯੂਨਿਟ ਪਲਾਂਟ ਤੇ 10 ਮੇਗਾਵਾਟ ਕੋ-ਜਨਰੇਸ਼ਨ ਪਾਵਰ ਪਲਾਂਟ ਨੂੰ ਹੋਰ 200 ਕੇਲਪੀਡੀ ਅਨਾਜ ਅਧਾਰਤ ਇਥਨ ਇਥੋਨਲ ਪਲਾਂਟ ਸਿਰਫ (ਵਾਧੂ ਬਾਇਓਫਿਊਲ ਉਤਪਾਦਨ) ਅਤੇ 10 ਮੇਗਾਵਾਟ ਪਾਵਰ ਕੋ-ਜਨਰੇਸ਼ਨ ਪਲਾਂਟ ਸਥਾਪਤ ਕਰਕੇ ਆਪਣੀ ਉਤਪਾਦਨ ਸਮਰਥਾ 400 ਕੇਲਪੀਡੀ ਅਨਾਜ ਅਧਾਰਤ ਡਿਸਟਰੀ ਪਲਾਂਟ ਅਤੇ 20 ਮੇਗਾਵਾਟ ਕੋ-ਜਨਰੇਸ਼ਨ ਪਾਵਰ ਪਲਾਂਟ ਕਰਨ ਲਈ ਵਾਤਾਵਰਣ ਪ੍ਰਵਾਨਗੀ ਮਿਲ ਗਈ ਹੈ ਰਾਹੀਂ ਈਸੀ ਨੰ J-11011/378/2013-1A II (1) ਮਿਤੀ 8 ਸਤੰਬਰ 2021 ਵਾਤਾਵਰਣ ਪ੍ਰਵਾਨਗੀ MoEF&CC ਦੀ ਵੈਬਸਾਈਟ <https://parivesh.nic.in> 'ਤੇ ਵੀ ਉਪਲਬਧ ਹੈ।

**PUSHPAC First (I)**  
**PUBLIC NOTICE**  
It is notified for the general public that the Persons have applied for transfer of flat/share/ transfer of lease right as under :-

Annexure 15

ਲਗੀ ਨੰ.	
1	ਕਾਰੋਬਾਰ ਤੋਂ ਉੱਚੇ
2	ਬੁੱਧ ਲਾਭ/(ਘਾਟ) ਵਾਧੂ ਅਤੇ/ਜਾਂ
3	ਬੁੱਧ ਲਾਭ/(ਘਾਟ) (ਵਾਧੂ ਅਤੇ/ਜਾਂ
4	ਬੁੱਧ ਲਾਭ/(ਘਾਟ) ਬਾਅਦ (ਵਾਧੂ ਅਤੇ/ਜਾਂ
5	ਕੁਲ ਵਿਆਪਕ ਵਿਚ ਸ਼ਾਮਲ ਨਾ ਤੋਂ ਬਾਅਦ) (ਟੈਕਸ ਤੋਂ ਬਾ
6	ਜੁਨੀਓਰ ਸ਼ੇਅਰ
7	ਰਾਖਵੇਂ (ਪੁਨਰ) ਸਾਲ ਦੀ ਪੜਤਾ
8	ਪ੍ਰਤੀ ਸ਼ੇਅਰ ਚਾਲਤ ਅਤੇ (ਸਾਲਾਨਾ ਨਾ) ਉੱਚਲੇ ਅਤੇ

ਨੋਟ : ਉਪਰੋਕਤ ਅੰਕ

# interact

People, Connecting Needs.

## PUBLIC NOTICE

This is to inform all the concerned that M/s. BCL Industries Limited, Distillery Division, has got the Environmental Clearance from Ministry of Environment, Forests and Climate Change, New Delhi for the expansion of their existing 200 KLPD Grain Based Distillery Unit Plant and 10 MW cogeneration power plant to 400 KLPD grain based distillery plant and 20 MW cogeneration power plant capacity by installing additional 200 KLPD Grain Based Fuel Ethanol Plant only (Additional Biofuel production) and additional 10 MW Power Cogeneration plant at their existing location at village Sangat Kalan and Machhana, Tehsil and District Bathinda (Punjab) vide EC No. J-11011/378/2013-IA II (I) dated 8th September, 2021. The copy of the Environmental Clearance is available on the website at <https://parivesh.nic.in/> of MoEF&CC also.

## PUBLIC NOTICE

It is hereby informed that Huda, Panipat, Sec.12 House no.451, was allotted in the name of Bhag Singh, Paramjeet Singh S/o Aasha Singh & Smt. Narender Kaur W/o Sh. Bhag Singh & Harjeet Kaur W/o Paramjeet Singh respectively. Smt. Narender Kaur has been died on Dt. 22.09.2013. The legal heirs of deceased Inderpreet Singh (Son) & Tanvi (Daughter). Inderpreet Singh has Submitted documents to get the ownership/ transferred the share of Late Smt. Narender Kaur to Inderpreet Singh (Son) in this office. Opportunity is given through this notice to site any objection regarding the transfer /ownership of share of Late Smt. Narender Kaur in this house with Strict documentary proof with office with in 30 days from the otherwise

It is for general information that I Satnam Singh Sandhu son of Sh. Gurdip Singh residing at House No.59 Baba Attar Singh Nagar, Phase-2, Sufi Pind, Jalandhar, Punjab-144024 declare that name of mine and my wife has been wrongly written as Satnam Singh and Amrik Kaur in my Army Discharge Book Ser No. 170-12-07, in my PPO No. S/052271/2007 (Army), in my PPO No. DE/014043/2008 (Army) Passport No.

## Office Of Committee

New Grain Market,  
01664-242323, P

### Public

It is informed to Sh. Bihari Lal Ram NGM Bhiw shop No. 41B letter no. 602 d Sh. Bihari Lal w 03-2007. As p deed vide par 01-03-2004 b declared his property Shop name of his g Nikhil S/o Sh. two equal shar to be transfere Sh. Vansh & N Kumar in the Committee. S or any other objection aga this ownership submit the o in writing al documents w publication transfer in person in th Committee, office will no future in this cum-E.O. Mark

### PUB

Subject: ownership no. 589, Se consequen owner Sh. S/o Sh. Atm Sh. Parmar owner of property a memo no. Sh. Parma dt 19.10.20

# BCL Industries Limited



Distillery Unit  
Site : Village Sangat Kalan,  
Dabwali Road, Bathinda

**Regd. Office :**

Hazi Rattan Link Road, Bathinda-151005  
Ph. 0164-2240163, 2240443, 2211628  
Fax : 0164-5003638  
Website : www.bcl.ind.in  
E-mail : bcl@mittalgroup.co.in  
E-mail : bcldistillery@mittalgroup.co.in  
CIN : L2423IPBI976PLC003624

To,

Date:- 25-11-2021

The Sarpanch sahib,  
Vill Machhana.  
Distt Bathinda.  
Punjab.

Subject: - Intimation / Submission of Environmental clearance granted.

Sir,

Please find enclosed herewith a copy of grant of Environmental clearance (EC) to the proposed project activity under the provision of EIA notification 2006.

This is for yours information please.

Thanking you  
For BCL Industries Limited.  
(Distillery Unit)

(Authorized Signatory)

ਸਰਪੰਚ  
ਗਰਾਮ ਪੰਚਾਇਤ  
ਮਛਾਣਾ (ਬਠਿੰਡਾ)

## Grain based Fuel Ethanol Plant of BCL Industries Ltd. located at Village Machhana and Sangat Kalan, Tehsil Sangat, District Bathinda, Punjab Detail - (SW No. : SW/120548/2023)

[Engage ACO with Project](#)

**PUNJAB**

Applied On : 25/02/2023

**CAF/118139/2023**  
Applicant : Krishan Murari Gupta

[View CAF](#) ^

Apply Project Clearance

Select Application Form

Select Clearance Type

Select Applicable Form

**Apply**

### Clearances Applied

Form-1 (Part-A): Information for Scoping (for Category - A/B1) / Appraisal for Category - B2 (including Building & Construction projects under 8 (a))

Proposal No.	State	Status	Date of Submission	
IA/PB/IND2/419919/2023	PUNJAB	<b>SUBMITTED</b>	02/03/2023	<a href="#">View History</a>