

Goyal Distillery Private Limited



Date: 28.11.2025

To,
The Additional Director
Ministry of Environment, Forest and Climate Change,
Regional Office (North),
Government of India,
Bay No. 24-25, Sector-31A,
Chandigarh.
(Mail ids: eccompliance-nro@gov.in and ronz.chd-mef@nic.in)

Subject: Submission of Six monthly compliance report for period ending 30.09.2025 for the 250 KLPD Grain based Ethanol Plant along with 6.0 MW Cogeneration Power Plant at Village SuliKhera, Tehsil Bhattu Kalan, District Fatehabad, Haryana by M/S. Goyal Distillery Private Limited by M/s Goyal Distillery Private Limited.

Sir,

With reference to the EIA Notification & its amendments regarding submission of six monthly compliance report. We are hereby submitting the six monthly compliance report for period ending 30.09.2025 for the above said project through mail for your perusal.

Kindly acknowledge the receipt of the same.

Thanking you
Sincerely
For M/s Goyal Distillery Private Limited.


(Authorized Signatory)

Name: *Navneet Sharma*

Designation: *Manager*

CC to:

1. **Member Secretary**, SEIAA Haryana, Bay No. 55-58, Paryatan Bhawan, 1st Floor, Sector 2, Panchkula, Haryana-134109 (e-mail: seiaa-21.env@hry.gov.in)
2. **The Chairman**, HSPCB, C-11, Sector 6, Panchkula, Haryana-134109 (e-mail: hspcb@hry.nic.in)

2025

SIX MONTHLY COMPLIANCE REPORT (Period ending 30.09.2025)

For

**“Proposed 250 KLPD Grain based Ethanol
Plant along with 6.0 MW Cogeneration
Power Plant at Village SuliKhera, Tehsil
Bhattu Kalan, District Fatehabad, Haryana”**

Project By:

**Goyal Industries Pvt. Ltd., Village: Suli
Khera, Bhattu Kalan, Distt.: Fatehabad,
Haryana – 125053.**

Prepared by:



**Eco Paryavaran Laboratories and Consultants Private
Limited**

E-207, Industrial Area, Phase-VIII B (Sector-74), SAS Nagar (Mohali)
Punjab

ems@ecoparyavaran.org, www.ecoparyavaran.org

Phone: 0172-4616225, 8872043178

CONTENT

S.No.	DESCRIPTION	Page no.
1.	Data Sheet	1
2.	Compliance of Environmental Clearance conditions	4
	Annexure	
3.	A1- EC Letter	11
4.	A2-Forest NOC	21
5.	A3-Canal water agreement	24
6.	A4-Fire NOC/PSEO certificate	49
7.	A5-Test Reports	52
8.	A6-Form-V receiving	60
9.	A7-Newspaper Advertisement	61
10.	A8-Project Photographs	62
11.	A9-Consent to Establish	64
12.	Sarpanch Signed Letter	68

Ministry of Environment, Forests and Climate Change,
State Environment Impact Assessment Authority(SEIAA),
Haryana

DATA SHEET

1	Project Type	Grain based EthanolPlant									
2	Name of the Project	Proposed 250 KLPD Grain based Ethanol Plant along with 6.0 MW Cogeneration Power Plant at Village SuliKhera, Tehsil Bhattu Kalan, District Fatehabad, Haryana by M/S. Goyal Distillery Private Limited by M/s Goyal Distillery Private Limited									
3	Clearance letter (s)/ O.M No. & dates	EC22A060HR131248 Dated 04.03.2022									
4	Locations	Goyal Industries Pvt. Ltd., Village : Suli Khera, Bhattu Kalan, Distt.: Fatehabad, Haryana - 125053									
	a) District (s)										
	b) State (s)	Haryana									
5	Address for correspondence	Goyal Industries Pvt. Ltd., Village: Suli Khera, Bhattu Kalan, Distt.: Fatehabad, Haryana – 125053.									
6	Salient features of the project	<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="width: 33%;">Unit</th> <th style="width: 33%;">Capacity</th> <th style="width: 33%;">Product</th> </tr> </thead> <tbody> <tr> <td style="text-align: center;">Grain Based Ethanol Plant</td> <td style="text-align: center;">250 KLPD</td> <td>Product: Ethanol (Bio-fuel) By-product: DWGS/DDGS & CO₂</td> </tr> <tr> <td style="text-align: center;">Co-generation Power Plant</td> <td style="text-align: center;">6.0 MW</td> <td style="text-align: center;">Power</td> </tr> </tbody> </table>	Unit	Capacity	Product	Grain Based Ethanol Plant	250 KLPD	Product: Ethanol (Bio-fuel) By-product: DWGS/DDGS & CO ₂	Co-generation Power Plant	6.0 MW	Power
Unit	Capacity	Product									
Grain Based Ethanol Plant	250 KLPD	Product: Ethanol (Bio-fuel) By-product: DWGS/DDGS & CO ₂									
Co-generation Power Plant	6.0 MW	Power									
7	Break-up of the project area	Total project area is 6.35 hectares (63500 m ²) and the same is already under the possession of the company									
	a) Submergence area: Forest and Non-forest	Not Applicable									
	b) Others	Not Applicable									
8	Break-up of project affected population with enumeration of those losing houses/dwelling units only, agricultural land only dwelling units and agricultural land and landless labourers/artisans.	Project does not require any rehabilitation or evacuation of permanent settlements.									
	a) SC/ST/Adivasis.	Not Applicable.									

	b) Others <i>(Please indicate whether these figures are based on any scientific and systematic survey carried out or only provisional figures. If a survey has been carried out give details and year of survey).</i>	Not Applicable.
9	Financial details:	
	a) Project cost as originally planned and subsequent revised estimates and the year of price reference	The estimated project cost is Rs. 200 Crores
	b) Allocations made for environmental management plans with item wise and year wise break up	The capital cost proposed for environmental protection measures is Rs.21.20 Cr /- and Rs. 2 Cr/- for annual recurring cost.
	c) Benefit cost ratio/internal rate of return and the year of assessment	It will be calculated and submitted when the project becomes operational
	d) Whether (c) includes the cost of environmental management as shown in b) above	Not Applicable.
	e) Actual expenditure incurred on the project so far	Not Applicable as project is not in operation yet.
	f) Actual expenditure incurred on the environmental management plans so far	Not Applicable as project is not in operation yet.
10	Forest land requirement:	The project area does not comprise of any forest land hence not applicable.
	a) The status of approval for diversion of forest land for non-forestry use	
	b) The status of clearing felling	Not Applicable.
	c) The status of compensatory afforestation, if any	Not Applicable.

	d) Comments on the viability & sustainability of compensatory afforestation programme in the light of actual field experience so far	Not Applicable.
11	The status of clear felling in non-forest areas (such as submergence area of reservoir, approach roads), if any with quantitative information.	Forest NOC (Letter no. 2137, dated: 25.03.2025) is enclosed as Annexure-2
12	Status of construction	
	a) Date of commencement (actual and / or planned)	29/11/2027
	b) Date of start of operation (Actual and /or planned).	All NOC are in hand and within two years project will be start.
13	Reasons for the delay if the project is yet to start.	The delay is due to the time required to obtain NOCs from various departments and the Letter of Intent (LOI) from the Haryana State Excise Department. Photographs are attached as Annexure-8 .

Compliance Status Report Period ending 30.09.2025

S.No.	A. Specific Conditions:	Reply
I.	As per OM dated 16th June, 2021, project falls in category B2 and the proposed capacity of 250 KLPD shall be only for fuel ethanol manufacturing as per self-certification in form of an affidavit by the Project Proponent. Provided that subsequently if it is found that the ethanol, produced based on the EC granted as per this dispensation, is not being used completely for EBP Programme, or if ethanol is not being produced, or if the said distillery is not fulfilling the requirements based on which the project has been appraised as category B2 project, the EC shall stand cancelled.	We hereby agree with the condition stated in the OM dated 16th June 2021. The proposed capacity of 250 KLPD shall be exclusively used for fuel ethanol manufacturing under the EBP Programme, as self-certified through an affidavit. We fully understand that if the ethanol is not used for the EBP Programme, or if production does not take place as per the stated purpose, the Environmental Clearance (EC) shall stand cancelled. We assure full compliance with all conditions associated with the B2 categorization.
II.	EC granted for a project on the basis of the submitted documents shall become invalid in case the actual land for the project site turns out to be different from the land considered at the time of appraisal of project.	Noted and Agreed. We confirm that the project is being developed on the same land as considered during the appraisal, and hence, the condition regarding land validity of the Environmental Clearance is being duly complied with.
III.	The company shall comply with all the environmental protection measures and safeguards proposed in the documents submitted to the Ministry. All the recommendations made in the EIA/EMP in respect of environmental management, and risk mitigation measures relating to the project shall be implemented.	All the recommendations made in the EIA/EMP in respect of environmental management, and risk mitigation measures relating to the project shall be implemented upon commencement of the project.
IV.	The project proponent will treat and reuse the treated water within the factory and no waste or treated water shall be discharged outside the premises.	Noted and Agreed.
V.	Total fresh water requirement shall not exceed 1254 KLPD which will be sourced from Canal water. Prior permission shall be obtained from the concerned regulatory authority/CGWA in this regard, and renewed from time to time. No ground water recharge shall be permitted within the premises. Industry shall construct a storage facility of 60 days capacity and the accumulated water	Agreed. Upon commencement of operations, total fresh water consumption will not exceed 1254 KLPD and will be sourced from canal water with due permission from the concerned authority. A 60-day storage facility will be constructed to utilize accumulated water as fresh water, thereby reducing overall

	to be used as fresh water thereby reducing fresh water consumption.	consumption. No groundwater recharge will be carried out within the premises, in compliance with the stipulated conditions. Canal water agreement is attached as Annexure-3
VI.	The spent wash shall be concentrated and dried to form DDGS to be used as cattle feed. Brick manufacturing plant shall be installed for utilization of fly ash	Agreed. Spent wash will be concentrated and dried to form DDGS to be used as cattle feed and Brick manufacturing plant will be installed for utilization of fly ash.
VII.	C02 generated from the process shall be bottled/made solid ice and utilized/sold to authorized vendors.	Agreed. C02 generated from the process shall be bottled/made solid ice and utilized/sold to authorized vendors when unit will be operational.
VIII.	PP proposed to allocate Rs. 50 Lakhs/annum for occupational health safety. Occupational Health Centre for surveillance of the worker's health shall be set up. The health data shall be used in deploying the duties of the workers. All workers & employees shall be provided with required safety kits/mask for personal protection.	Agreed. Occupational Health Centre for surveillance of the worker's health shall be set up.
IX.	Training shall be imparted to all employees on safety and health aspects of chemicals handling. Safety and visual reality training shall be provided to employees.	Noted and Agreed.
X.	The unit shall make the arrangement for protection of possible fire hazards during manufacturing process in material handling. Firefighting system shall be as per the norms. PESO certificate shall be obtained.	Fire NOC/PSEO certificate has been obtained and attached as Annexure-4 .
XI.	Process organic residue and spent carbon, if any, shall be sent to Cement and other suitable industries for its incinerations. ETP sludge, process inorganic & evaporation salt shall be disposed of to the TSDF.	Noted and Agreed.
XII.	The company shall undertake waste minimization measures as below (a) Metering and control of quantities of active ingredients to minimize waste; (b) Reuse of by-products from the process as raw materials or as raw material substitutes in other processes. (c) Use of automated filling to minimize spillage. (d) Use of Close Feed system	All waste minimization measures shall be followed when project will be operational.

	<p>into batch reactors.</p> <p>(e) Venting equipment through vapour recovery system.</p> <p>(f) Use of high pressure hoses for equipment clearing to reduce wastewater generation</p>	
XIII.	<p>The green belt of 5-10 m width shall be developed in nearly 33% of the total project area, mainly along the plant periphery and it shall be completed along with the commissioning of the project. Selection of plant species shall be as per the CPCB guidelines in consultation with the State Forest Department. Records of tree canopy shall be monitored through remote sensing map. Development of greenbelt shall be completed along with commissioning of the project.</p>	Agreed and will be done.
XIV.	<p>PP proposed to allocate Rs. 2.00 Crores for improving infrastructure in the public schools nearby. All the proposed activities under CER shall be completed within 2 years.</p>	Agreed and will be complied.
XV.	<p>There shall be at least 15% of the total plant area shall be earmarked for parking of vehicles for raw materials and finished products as per CPCB norms along with the facilities of toilets, drinking water facility and restrooms; no parking to be allowed outside on public places.</p>	Agreed and will be complied.
XVI.	<p>Storage of raw materials shall be either stored in silos or in covered areas to prevent dust pollution and other fugitive emissions.</p>	Noted and will be complied.
XVII.	<p>Continuous online (24x7) monitoring system for stack emissions shall be installed for measurement of flue gas discharge and the pollutants concentration, and the data to be transmitted to the CPCB and SPCB server. For online continuous monitoring of effluent, the unit shall install web camera with night vision capability and flow meters in the channel/drain carrying effluent within the premises.</p>	<p>Project monitoring will be carried out twice a year starting from this year onwards. Test reports of Air, Water, Soil and Noise are attached as Annexure-5.</p>

XVIII	A separate Environmental Management Cell (having qualified person with Environmental Science/Environmental Engineering/specialization in the project area) equipped with full-fledged laboratory facilities shall be set up to carry out the Environmental Management and Monitoring functions.	A separate Environmental Management Cell will be dedicated to carry out the Environmental Management and Monitoring functions.
-------	---	--

S.No.	B. General Conditions	Reply
I.	No further expansion or modifications in the plant, other than mentioned in the EIA Notification, 2006 and its amendments, shall be carried out without prior approval of the Ministry of Environment, Forest and Climate Change/SEIAA, as applicable. In case of deviations or alterations in the project proposal from those submitted to this Ministry for clearance, a fresh reference shall be made to the Ministry/SEIAA, as applicable, to assess the adequacy of conditions imposed and to add additional environmental protection measures required, if any.	We confirm that no expansion or modification in the plant, other than as permitted under the EIA Notification, 2006 and its amendments, will be undertaken without prior approval from MoEF&CC/SEIAA. In case of any deviation or alteration from the submitted proposal, a fresh reference shall be made to the concerned authority for reappraisal. We are committed to full compliance with all stipulated environmental conditions.
II.	The energy source for lighting purpose shall be preferably LED based, or advanced having preference in energy conservation and environment betterment.	Energy saving technologies such as LEDs will be used in the project premises.
III.	The overall noise levels in and around the plant area shall be kept well within the standards by providing noise control measures including acoustic hoods, silencers, enclosures etc. on all sources of noise generation. The ambient noise levels shall conform to the standards prescribed under the Environment (Protection) Act, 1986 Rules, 1989 viz. 75 dBA (day time) and 70 dBA (night time).	Upon commencement of operations, noise levels in and around the plant will be maintained within the prescribed limits by implementing noise control measures, ensuring compliance with the Environment (Protection) Act, 1986 norms.
IV.	The company shall undertake all relevant measures for improving the socio-economic conditions of the surrounding area. CER activities shall be undertaken by involving local villages and administration and shall be implemented. The company shall undertake eco-developmental measures including community welfare measures in the project area for the overall improvement of the environment.	Agreed and will be complied with.
V.	The company shall earmark sufficient funds towards capital cost and recurring cost per annum to implement the conditions stipulated by the Ministry of Environment, Forest and Climate Change as well as the State Government along with the implementation schedule for all the conditions stipulated herein. The funds so earmarked for environment management/ pollution control measures shall not be diverted for any other purpose.	Agreed and will be complied with.
VI.	A copy of the clearance letter shall be sent by the project proponent to concerned Panchayat,	A copy of the clearance letter has been sent to the concerned Panchayat,

	ZillaParishad/Municipal Corporation, Urban local Body and the local NGO, if any, from whom suggestions/ representations, if any, were received while processing the proposal.	ZillaParishad/Municipal Corporation, Urban Local Body, and local NGO(s), if any, from whom suggestions or representations were received during the proposal processing.
VII.	The project proponent shall also submit six monthly reports on the status of compliance of the stipulated Environmental Clearance conditions including results of monitored data (both in hard copies as well as by e-mail) to the respective Regional Office of MoEF&CC, the respective Zonal Office of CPCB and SPCB. A copy of Environmental Clearance and six monthly compliance status report shall be posted on the website of the company.	Six monthly compliance reports are being submitted for the project.
VIII.	The environmental statement for each financial year ending 31 st March in Form-V as is mandated shall be submitted to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently, shall also be put on the website of the company along with the status of compliance of environmental clearance conditions and shall also be sent to the respective Regional Offices of MoEF&CC by e-mail,	Noted and agreed. Receiving copy is attached as per Annexure-6 .
IX.	The project proponent shall inform the public that the project has been accorded environmental clearance by the Ministry and copies of the clearance letter are available with the SPCB/Committee and may also be seen at Website of the Ministry and at https://parivesh.nic.in/ . This shall be advertised within seven days from the date of issue of the clearance letter, at least in two local newspapers that are widely circulated in the region of which one shall be in the vernacular language of the locality concerned and a copy of the same shall be forwarded to the concerned Regional Office of the Ministry.	The public notice regarding grant of environmental clearance was published within the stipulated time in two widely circulated local newspapers, including one in the vernacular language. A copy of the advertisement has also been forwarded to the concerned Regional Office of the Ministry. Newspaper cuttings are attached as Annexure-7..
X.	The project authorities shall inform the Regional Office as well as the Ministry, the date of financial closure and final approval of the project by the concerned authorities and the date of start of the project	The date of financial closure, final approval by the concerned authorities, and the date of commencement of the project will be duly informed to the Regional Office and the Ministry as required.
XI.	This Environmental clearance is granted subject to final outcome of Hon'ble Supreme Court of India, Hon'ble High Court, Hon'ble NGT and any other Court of Law, if any, as may be applicable to this project.	Noted and Agreed

S.No.	General Points	Reply
1.	The Ministry reserves the right to stipulate additional conditions, if found necessary at subsequent stages and the project proponent shall implement all the said conditions in a time bound manner. The Ministry may revoke or suspend the environmental clearance, if implementation of any of the above conditions is not found satisfactory.	Noted and agreed.
2.	Concealing factual data or submission of false/fabricated data and failure to comply with any of the conditions mentioned above may result in withdrawal of this clearance and attract action under the provisions of Environment (Protection) Act, 1986	Noted and agreed.
3.	Any appeal against this environmental clearance shall lie with the National Green Tribunal, if preferred, within a period of 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.	Noted and agreed.
4.	The above conditions will be enforced, inter-alia under the provisions of the Water (Prevention & Control of Pollution) Act, 1974, the Air (Prevention & Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986, the Hazardous Waste (Management, Handling and Transboundary Movement) Rules, 2016 and the Public Liability Insurance Act, 1991 read with subsequent amendments therein	Consent to Establish has been obtained vide Certificate No. HSPCB/Consent/31310652FATCTE85031593 Dated 15.12.2024 valid up to 14.12.2026. Certificate is attached as Annexure-9 .
5.	This issues with the approval of the competent authority	Noted

ENVIRONMENTAL
CLEARANCE

Government of India
Ministry of Environment, Forest and Climate Change
(Impact Assessment Division)

To,

The Director
GOYAL DISTILLERY PRIVATE LIMITED
B 3,4,5, Focal Point, Kotkapura, District Faridkot, Punjab
151204,,Faridkot,Punjab-151204

Subject: Grant of Environmental Clearance (EC) to the proposed Project Activity under the provision of EIA Notification 2006-regarding

Sir/Madam,

This is in reference to your application for Environmental Clearance (EC) in respect of project submitted to the Ministry vide proposal number IA/HR/IND2/246721/2021 dated 22 Dec 2021. The particulars of the environmental clearance granted to the project are as below.

- | | |
|---|---|
| 1. EC Identification No. | EC22A060HR131248 |
| 2. File No. | IA-J-11011/531/2021-IA-II(I) |
| 3. Project Type | New |
| 4. Category | A |
| 5. Project/Activity including Schedule No. | 5g(a)-Grain Based distilleries for Ethanol Blended Petrol |
| 6. Name of Project | Proposed 250 KLPD Grain based Ethanol Plant along with 6.0 MW Cogeneration Power Plant at Village Suli Khera, Tehsil Bhattu Kalan, District Fatehabad, Haryana by M/s. Goyal Distillery Private Limited |
| 7. Name of Company/Organization | GOYAL DISTILLERY PRIVATE LIMITED |
| 8. Location of Project | Haryana |
| 9. TOR Date | N/A |

The project details along with terms and conditions are appended herewith from page no 2 onwards.

Date: 04/03/2022

(e-signed)
A.K Pateshwary
Director
IA - (Industrial Projects - 2 sector)

Note: A valid environmental clearance shall be one that has EC identification number & E-Sign generated from PARIVESH. Please quote identification number in all future correspondence.

This is a computer generated cover page.



This has reference to your online proposal No. IA/HR/IND2/246721/2021, dated 22nd December, 2021 for environmental clearance to the above mentioned project.

2. The Ministry of Environment, Forest and Climate Change has examined the proposal to the project proposed 250 KLPD Grain based Ethanol Plant along with 6.0 MW Cogeneration Power Plant at Village SuliKhera, Tehsil Bhattu Kalan, District Fatehabad, Haryana by M/s. Goyal Distillery Private Limited.

3. All grain based distilleries producing ethanol, solely to be used for Ethanol Blended Petrol Programme of the Government of India are listed at S.N. 5(ga) of Schedule of Environmental Impact Assessment (EIA) Notification, 2006 amendment vide S.O 2339 dated 16th June 2021 under category 'B-2' and are appraised at Central Level by Expert Appraisal Committee (EAC).

4. The project proposal is exempted from obtaining ToR & conducting Public Hearing as per EIA notification, 2006 amendment vide S.O 2339 dated 16th June 2021. It was informed that no litigation is pending against the project.

5. The details of products and capacity are as under: -

Unit	Capacity	Product
Grain Based Ethanol Plant	250 KLPD	Product: Ethanol (Bio-fuel) By-product: DWGS/DDGS & CO ₂
Co-generation Power Plant	6.0 MW	Power

6. Total project area is 6.35 hectares (63500 m²) and the same is already under the possession of the company. Industry will develop greenbelt in an area of 33% i.e., 2.09 ha (20900 m²) out of total area of the project.

7. The estimated project cost is Rs. 200 Crores. Total capital cost earmarked towards environmental pollution control measures is Rs. 21.20 Crores and the Recurring cost (operation and maintenance) will be about Rs. 2.0 Crores / annum. No. of working days will be 350 days/annum. Total Employment will be 120 persons (Permanent 80 & Temporary 40) during

operation phase. Industry proposes to allocate Rs. 2.0 Crores (1% of total project cost) towards Corporate Environmental Responsibility.

8. There are no National Parks, Wildlife Sanctuaries, Reserved Forests (RF)/ Protected Forests (PF), Biosphere Reserves, Tiger/ Elephant Reserves, Wildlife Corridors etc. lies within 10 km radius. Fatehabad Branch (Bhakra Canal) (~4.5 km in NNW direction), Banmadauri Distributary (~6.5 km in WNW direction), Gigorani Distributary (~6.5 km in WNW direction), Adampur Distributary (~6.5 km in SSE direction) and Kheri Distributary (~6.5 km in SSE direction) are the water bodies which lie within 10 km radius.

9. Total fresh water requirement will be 1254 KLPD which will be sourced from Canal water. Effluent of 1178 KLPD will be treated through state of art CPU/Effluent Treatment Plant of 1500 KLPD capacity. The plant will be based on Zero Liquid Discharge system.

10. Power requirement for Ethanol plant will be 5.5 MW, which will be sourced from the 6.0 MW Co-generation Power Plant. Unit will be having D.G. Sets of 1x500 KVA and 2x1000 KVA which will be used as standby during power failure. Adequate Stack height (5 m & 7 m) will be provided as per CPCB norms. Boilers of 2 x 30 TPH capacity with ESP as Air Pollution Control Equipment will be installed with a stack height of 55 m for controlling the particulate emissions within the statutory limit of 50 mg/Nm³.

11. Details of Process emissions generation and its management:

CO₂ (189 TPD) generated during the fermentation process will be collected and sold to authorized vendors.

12. Details of Solid waste/Hazardous waste generation and its management:

- Solid waste from the Grain based operations generally comprises of fibres and proteins in the form of DDGS (117 TPD), which will be ideally used as Cattle, poultry & fish feed ingredients.
- Ash (56 TPD) generated from the boilers will be used for brick manufacturing. Company will supply ash to nearby brick manufacturers in covered vehicles and will also explore possibilities for in-house brick manufacturing unit.
- Used oil (0.5 KL/annum) generated from plant machinery/gear boxes as hazardous waste will be sold out to the CPCB authorized recyclers.

13. As per OM dated 16th June, 2021, PP has submitted self-certification in the form of affidavit declaring that the proposed expansion of 250 KLPD will be for manufacturing of fuel ethanol only.

14. During the deliberations PP has informed that Land use conversion is not required for development of biomass based projects as per Haryana Bio-energy Policy 2018 notified by Government of Haryana. Letter has been obtained from Haryana Renewable Energy Development Agency (HAREDA) regarding clarification that the project is covered under the Haryana Bio-Energy Policy, 2018 and does not require land conversion EAC. However, EAC has opined that EC granted for a project on the basis of the submitted documents shall become invalid in case the actual land for the project site turns out to be different from the land considered at the time of appraisal of project. Further, EAC directed PP to submit an undertaking for the following commitments/information:

- Industry shall install solar power of at least 10% of its total power requirement in nearby villages.
- The proposed budget of Rs 2.00 crores towards CER shall be spent on improving infrastructure of public schools in nearby villages. All the proposed activities under CER shall be completed before the commencement of operations of the plant.
- Copy of LoI agreement from OMCs for procurement of Ethanol.

PP has submitted the desired commitments/information sought above in the form of undertaking.

15. The proposal was considered by the EAC in its 48th meeting held during 06th- 07th January, 2022 in the Ministry, wherein the project proponent and their consultant M/s J.M. EnviroNet Pvt. Ltd presented the EMP report as per the PFR. The Committee found the EMP report complying with the PFR and recommended the project for grant of environmental clearance.

16. The EAC, constituted under the provision of the EIA Notification, 2006 and comprising of Experts Members/domain experts in various fields, have examined the proposal submitted by the Project Proponent in desired form along with EIA/EMP report prepared and submitted by the Consultant accredited by the QCI/ NABET on behalf of the Project Proponent. The EAC noted that the Project Proponent has given undertaking that the data and information given in the application and enclosures are true to the best of his knowledge and belief and no information has been suppressed in the EIA/EMP report. If any part of data/information submitted is found to be false/ misleading at any stage, the project will be rejected and Environmental Clearance given, if any, will be revoked at the risk and cost of the project proponent.

17. The Committee has also deliberated on the CER plan and found to be addressing the issues in the study area. The EAC has deliberated the proposal and has made due diligence in the process as notified under the

provisions of the EIA Notification, 2006, as amended from time to time and accordingly made the recommendations to the proposal. The Experts Members of the EAC have found the proposal in order and have **recommended** for grant of environmental clearance.

18. The environmental clearance granted to the project/activity is strictly under the provisions of the EIA Notification 2006 and its amendments. It does not tantamount/construe to approvals/consent/ permissions etc. required to be obtained or standards/conditions to be followed under any other Acts/ Rules/ Subordinate legislations, etc., as may be applicable to the project. The project proponent shall obtain necessary permission as mandated under the Water (Prevention and Control of Pollution) Act, 1974 and the Air (Prevention and Control of Pollution) Act, 1981, as applicable from time to time, from the State Pollution Control Board, prior to construction & operation of the project.

19. Based on the proposal submitted by the project proponent and recommendations of the EAC (Industry-2), Ministry of Environment, Forest and Climate Change hereby **accords** environmental clearance to the project proposed 250 KLPD Grain based Ethanol Plant along with 6.0 MW Cogeneration Power Plant at Village SuliKhera, Tehsil Bhattu Kalan, District Fatehabad, Haryana by M/s. Goyal Distillery Private Limited, under the provisions of the EIA Notification, 2006, and the amendments therein, subject to compliance of the terms and conditions as under: -

A. Specific Conditions:

(i) As per OM dated 16th June, 2021, project falls in category B2 and the proposed capacity of 250 KLPD shall be only for fuel ethanol manufacturing as per self-certification in form of an affidavit by the Project Proponent. Provided that subsequently if it is found that the ethanol, produced based on the EC granted as per this dispensation, is not being used completely for EBP Programme, or if ethanol is not being produced, or if the said distillery is not fulfilling the requirements based on which the project has been appraised as category B2 project, the EC shall stand cancelled.

(ii) EC granted for a project on the basis of the submitted documents shall become invalid in case the actual land for the project site turns out to be different from the land considered at the time of appraisal of project.

(iii) The company shall comply with all the environmental protection measures and safeguards proposed in the documents submitted to the Ministry. All the recommendations made in the EIA/EMP in respect of environmental management, and risk mitigation measures relating to the project shall be implemented.

(iv) The project proponent will treat and reuse the treated water within the factory and no waste or treated water shall be discharged outside the premises.

(v) Total fresh water requirement shall not exceed 1254 KLPD which will be sourced from Canal water. Prior permission shall be obtained from the concerned regulatory authority/CGWA in this regard, and renewed from time to time. No ground water recharge shall be permitted within the premises. Industry shall construct a storage facility of 60 days capacity and the accumulated water to be used as fresh water thereby reducing fresh water consumption.

(vi) The spent wash shall be concentrated and dried to form DDGS to be used as cattle feed. Brick manufacturing plant shall be installed for utilization of fly ash.

(vii) CO₂ generated from the process shall be bottled/made solid ice and utilized/sold to authorized vendors.

(viii) PP proposed to allocate Rs. 50 Lakhs/annum for occupational health safety. Occupational Health Centre for surveillance of the worker's health shall be set up. The health data shall be used in deploying the duties of the workers. All workers & employees shall be provided with required safety kits/mask for personal protection.

(ix) Training shall be imparted to all employees on safety and health aspects of chemicals handling. Safety and visual reality training shall be provided to employees.

(x) The unit shall make the arrangement for protection of possible fire hazards during manufacturing process in material handling. Firefighting system shall be as per the norms. PESO certificate shall be obtained.

(xi) Process organic residue and spent carbon, if any, shall be sent to Cement and other suitable industries for its incinerations. ETP sludge, process inorganic & evaporation salt shall be disposed of to the TSDF.

(xii) The company shall undertake waste minimization measures as below
(a) Metering and control of quantities of active ingredients to minimize waste; (b) Reuse of by-products from the process as raw materials or as raw material substitutes in other processes. (c) Use of automated filling to minimize spillage. (d) Use of Close Feed system into batch reactors. (e) Venting equipment through vapour recovery system. (f) Use of high pressure hoses for equipment clearing to reduce wastewater generation.

(xiii) The green belt of 5-10 m width shall be developed in nearly 33% of the total project area, mainly along the plant periphery and it shall be

completed along with the commissioning of the project. Selection of plant species shall be as per the CPCB guidelines in consultation with the State Forest Department. Records of tree canopy shall be monitored through remote sensing map. Development of greenbelt shall be completed along with commissioning of the project.

(xiv) PP proposed to allocate Rs. 2.00 Crores for improving infrastructure in the public schools nearby. All the proposed activities under CER shall be completed within 2 years.

(xv) There shall be at least 15% of the total plant area shall be earmarked for parking of vehicles for raw materials and finished products as per CPCB norms along with the facilities of toilets, drinking water facility and restrooms; no parking to be allowed outside on public places.

(xvi) Storage of raw materials shall be either stored in silos or in covered areas to prevent dust pollution and other fugitive emissions.

(xvii) Continuous online (24x7) monitoring system for stack emissions shall be installed for measurement of flue gas discharge and the pollutants concentration, and the data to be transmitted to the CPCB and SPCB server. For online continuous monitoring of effluent, the unit shall install web camera with night vision capability and flow meters in the channel/drain carrying effluent within the premises.

(xviii) A separate Environmental Management Cell (having qualified person with Environmental Science/Environmental Engineering/specialization in the project area) equipped with full-fledged laboratory facilities shall be set up to carry out the Environmental Management and Monitoring functions.

B. General Conditions:

(i) No further expansion or modifications in the plant, other than mentioned in the EIA Notification, 2006 and its amendments, shall be carried out without prior approval of the Ministry of Environment, Forest and Climate Change/SEIAA, as applicable. In case of deviations or alterations in the project proposal from those submitted to this Ministry for clearance, a fresh reference shall be made to the Ministry/SEIAA, as applicable, to assess the adequacy of conditions imposed and to add additional environmental protection measures required, if any.

(ii) The energy source for lighting purpose shall be preferably LED based, or advanced having preference in energy conservation and environment betterment.

(iii) The overall noise levels in and around the plant area shall be kept well within the standards by providing noise control measures including acoustic hoods, silencers, enclosures etc. on all sources of noise generation. The ambient noise levels shall conform to the standards prescribed under the Environment (Protection) Act, 1986 Rules, 1989 viz. 75 dBA (day time) and 70 dBA (night time).

(iv) The company shall undertake all relevant measures for improving the socio-economic conditions of the surrounding area. CER activities shall be undertaken by involving local villages and administration and shall be implemented. The company shall undertake eco-developmental measures including community welfare measures in the project area for the overall improvement of the environment.

(v) The company shall earmark sufficient funds towards capital cost and recurring cost per annum to implement the conditions stipulated by the Ministry of Environment, Forest and Climate Change as well as the State Government along with the implementation schedule for all the conditions stipulated herein. The funds so earmarked for environment management/pollution control measures shall not be diverted for any other purpose.

(vi) A copy of the clearance letter shall be sent by the project proponent to concerned Panchayat, Zilla Parishad/Municipal Corporation, Urban local Body and the local NGO, if any, from whom suggestions/ representations, if any, were received while processing the proposal.

(vii) The project proponent shall also submit six monthly reports on the status of compliance of the stipulated Environmental Clearance conditions including results of monitored data (both in hard copies as well as by e-mail) to the respective Regional Office of MoEF&CC, the respective Zonal Office of CPCB and SPCB. A copy of Environmental Clearance and six monthly compliance status report shall be posted on the website of the company.

(viii) The environmental statement for each financial year ending 31st March in Form-V as is mandated shall be submitted to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently, shall also be put on the website of the company along with the status of compliance of environmental clearance conditions and shall also be sent to the respective Regional Offices of MoEF&CC by e-mail.

(ix) The project proponent shall inform the public that the project has been accorded environmental clearance by the Ministry and copies of the clearance letter are available with the SPCB/Committee and may also be seen at Website of the Ministry and at <https://parivesh.nic.in/>. This shall be advertised within seven days from the date of issue of the clearance letter, at least in two local newspapers that are widely circulated in the region of

which one shall be in the vernacular language of the locality concerned and a copy of the same shall be forwarded to the concerned Regional Office of the Ministry.

(x) The project authorities shall inform the Regional Office as well as the Ministry, the date of financial closure and final approval of the project by the concerned authorities and the date of start of the project.

(xi) This Environmental clearance is granted subject to final outcome of Hon'ble Supreme Court of India, Hon'ble High Court, Hon'ble NGT and any other Court of Law, if any, as may be applicable to this project.

20. The Ministry reserves the right to stipulate additional conditions, if found necessary at subsequent stages and the project proponent shall implement all the said conditions in a time bound manner. The Ministry may revoke or suspend the environmental clearance, if implementation of any of the above conditions is not found satisfactory.

21. Concealing factual data or submission of false/fabricated data and failure to comply with any of the conditions mentioned above may result in withdrawal of this clearance and attract action under the provisions of Environment (Protection) Act, 1986.

22. Any appeal against this environmental clearance shall lie with the National Green Tribunal, if preferred, within a period of 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.

23. The above conditions will be enforced, inter-alia under the provisions of the Water (Prevention & Control of Pollution) Act, 1974, the Air (Prevention & Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986, the Hazardous Waste (Management, Handling and Transboundary Movement) Rules, 2016 and the Public Liability Insurance Act, 1991 read with subsequent amendments therein.

24. This issues with the approval of the competent authority.

(Ashok Kumar Pateshwary)
Director

Copy to: -

1. The Principal Secretary, Department of Environment, Government of

- Haryana, SCO 1-2-3, Sector 17 (D), 2nd Floor, Chandigarh, Haryana
2. The Regional Officer, Ministry of Env., Forest and Climate Change, Integrated Regional Office, Bays No.24-25, Sector 31-A, Dakshin Marg, Chandigarh - 160030
 3. The Member Secretary, Central Pollution Control Board Parivesh Bhavan, CBD-cum-Office Complex, East Arjun Nagar, Delhi - 32
 4. The Member Secretary, Haryana State Pollution Control Board, C-11, Sector-6, Panchkula, Haryana - 134109.
 5. Monitoring Cell, MoEF&CC, Indira Paryavaran Bhawan, Jor Bagh Road, Indira Paryavaran Bhawan, Jor Bagh Road, New Delhi
 6. District Collector Fatehabad, Haryana
 7. Guard File /Monitoring File /Parivesh Portal / Record File.

(Ashok Kumar Pateshwary)
Director
E-mail: ak.pateshwary@gov.in
Tel. No. 24695290



वन विभाग, कार्यालय

वन मण्डल अधिकारी, फतेहाबाद वन मण्डल, फतेहाबाद

पुराना कोर्ट रोड, नजदीक पी०डब्ल्यू०डी० रेरट हाउस, फतेहाबाद-125050, फोन-01667-220313 (का०/फैक्स)

क्रमांक...2137.....

दिनांक ...25/3/2025

सेवा में

M/s Goyal Distillery Private Limited,
Village Suli Khera, Bhattu Kalan,
District Fatehabad. 125033

विषय :-

Diversion of 0.0464 Hect. of forest land for Construction of Approach Road of Proposed 250 KLPD ETHANOL MANUFACTURING PLANT of M/S Goyal Distillery Pvt. Ltd. Location at Khasra No 24//21/2/2, 38//1/2, 38//2, 38//9, 38//10, 38//11, 37//15, 37//16, 38//12, 38//19, 38//20, 37//25, 38//21, 38//22, 43//1, 43//2, 44//4/2, 44//5, (Kirdhan-Sulikhera Road) at RD KM 1.530 (RHS) in Village Sulikhera Tehsil Bhattu Kalan and District Fatehabad (Haryana).


Online Proposal No. FP/HR/OTHERS/514737/2024.

सन्दर्भ:-

Additional Principal Chief Conservator of Forests, cum-Nodal Officer-FCA, Haryana Panchkula द्वारा ऑनलाईन प्रपोजल नं० FP/HR/Others/514737/2024 दिनांक 20-03-2025

उपरोक्त विषय के सम्बन्ध में संदर्भांकित पत्र द्वारा उक्त केस में सैद्धान्तिक स्वीकृति इस शर्त पर प्रदान की गई है कि प्रयोक्ता एजेंसी से प्रतिपूर्ति पौधारोपण व अतिरिक्त प्रतिपूर्ति पौधारोपण तथा प्रस्तावित वन भूमि की नैट पैजैन्ट वैल्यू जमा करवाई जाए। अतः आपको लिखा जाता है कि प्रतिपूर्ति पौधारोपण तथा नैट पैजैन्ट वैल्यू रु. 275534/- की राशि नीचे दिए गए प्रोफार्मा में भरकर भेजी जा रही है। पर्यावरण, वन एवं जलवायु परिवर्तन मंत्रालय, भारत सरकार की वैबसाइट <https://parivesh.nic.in> पर ऑनलाईन पोर्टल अनुसार राशि कैम्पा हरियाणा खाता कार्पोरेशन बैंक में जमा करवाकर रसीद तुरन्त इस कार्यालय में जमा करवाकर अवगत करवाएं ताकि आगामी आवश्यक कार्यवाही की जा सके।

1	Compensatory Afforestation	137045
2	Additional Compensatory Afforestation	74004
3	Penal Compensatory Afforestation	0
4	Catchment Area Treatment	0
5	Safety Zone	0
6	Additional Charges for Protected Area	0
7	Net Present Value (NPV)	44441
	Any Other Charges (if any) :	
8	i) Felling Charges	1792
	ii) Fencing Charges	7700
9	Supervisory Charges (5% of the C.A. Amount)	10552
	Total	Rs. 275534


वन मण्डल अधिकारी,
फतेहाबाद ।



प्रेषित

कार्यालय उपायुक्त एवं जिलाधीश, फतेहाबाद ।
Office of the Deputy Commissioner & District Magistrate, Fatehabad

वनमण्डल अधिकारी,
फतेहाबाद ।

क्रमांक 1047

/विविध

दिनांक 06-5-25

विषय:-

Diversion of Forest Land 0.0464 Hect of Forest Land for construction of Approach Road of proposed 250 KLPD Ethanol Manufacturing Plant of M/s Goyal Distillery Pvt. Ltd Location and Khasra no 24//21/2/2, 38//1/2, 38//2, 38//9, 38//10, 38//11, 37//15, 37//16, 38//12, 38//19, 38//20, 37//25, 38//21, 38//22, 43//1, 43//2, 44//2, 44//5, (Kirdhan-Sulikhera Road) at RD KM 1.530 (RHS) in village Sulikhera Tehsil Bhattu Kalan and District Fatehabad (Haryana).
Online Proposal No- FP/HR/Others/514737/2024.

संदर्भ:-

आपके कार्यालय का पत्र क्रमांक 2136 दिनांक 25.03.2025 के संदर्भ में ।

विषयाधीन मामले में F.R.A.-2006 से संबंधित प्रमाण पत्र पर जिला कलेक्टर महोदया के हस्ताक्षर उपरान्त मूल प्रमाण पत्र आपको आगामी कार्यवाही हेतु प्रेषित है ।

संलग्न: उपरोक्त ।


कृते: उपायुक्त, फतेहाबाद ।


COMPLIANCE OF THE SCHEDULED TRIBES AND OTHER TRADITIONAL FOREST DWELLERS (RECOGNITION OF FOREST RIGHTS) ACT, 2006.




(CERTIFICATE TO BE GIVEN BY THE CONCERNED DEPUTY COLLECTOR)

TITLE OF THE CASE/PROJECT : Diversion of 0.0464 Hect. of forest land for Construction of Approach Road of Proposed 250 KLPD ETHANOL MANUFACTURING PLANT of M/S Goyal Distillery Pvt. Ltd. Location at Khasra No 24//21/2/2, 38//1/2, 38//2, 38//9, 38//10, 38//11, 37//15, 37//16, 38//12, 38//19, 38//20, 37//25, 38//21, 38//22, 43//1, 43//2, 44//4/2, 44//5, (Kirdhan-Sulikhera Road) at RD KM 1.530 (RHS) in Village Sulikhera Tehsil Bhattu Kalan and District Fatehabad (Haryana) for Fatehabad District/Forest Division falls within the jurisdiction of Village Sulikhera in Fatehabad District(s).

It is certified that the Forest Land proposed to be diverted is plantation which was notified as "Forest" less than 75 years prior to the 13th day of December, 2005 and is located in villages having no recorded population of Scheduled Tribes, as per the Census-2001 and the Census-2011.


Divisional Forest Officer
Fatehabad Forest Division
Fatehabad


Signature
District Collector,
Fatehabad. (with Seal)
Deputy Commissioner
Fatehabad

Indian-Non Judicial Stamp Haryana Government		Date : 22/06/2022
Agreement Award Certificate No. FEV2022F6		Stamp Duty Paid : ₹ 101 (Rs. Only)
GRN No. 91678539		Penalty : ₹ 0 (Rs. Zero Only)
Seller Detail		
Name: Executive engineer Water Services division		
H.No/Floor: X	Sector/Ward: X	LandMark :X
City/Village : Fatehabad	District :Fatehabad	State :Haryana
Phone : 99*****55		
Buyer Detail		
Name : Goyal Distillery Private ltd		
H.No/Floor : X	Sector/Ward : X	LandMark : Sulikhera kirdhan road
City/Village : Suli khera	District : Fatehabad	State : Haryana
Phone : 99*****55		
		
Purpose : For Agreement Award Only. AGREEMENT		THROUGH DIRECTOR PANKAJ GOYAL

The authenticity of this document can be verified by scanning this QrCode Through smart phone or on the website <https://egrashry.nic.in>

SECOND PARTY COPY (ORIGINAL)

Annexure-C

**IRRIGATION AND WATER RESOURCES DEPARTMENT, HARYANA
AGREEMENT TO BE EXECUTED FOR LAYING THE PIPELINES/CABLES
ACROSS/ALONG THE CANALS/DRAINS/RIVERS/RIVULETS OF
IRRIGATION AND WATER RESOURCES DEPARTMENT, HARYANA
(ON NON JUDICIAL STAMP PAPER)**


This agreement, made on the 22 day of June Two thousand 22 between the Governor of Haryana, acting through Executive Engineer (Name & address of the Executive Engineer concerned)(hereinafter called the Engineer-in-Charge which expression shall unless excluded by repugnant to the context, be deemed to include his successors and assigns of the one part).

AND

The M/s Goyal Distillery Pvt. Ltd. (Name of applicant)(hereinafter called "the Project Proponent" which expression shall unless excluded by or repugnant to the context include his successors in office and assigns) of the other PART WHEREAS the Project Proponent has applied to the Engineer-in-Charge for permission to lay (Pipeline/Cable) across/along 253550-L Fatehabad Branch (name of canal/drain/river/rivulet at KM/Ft./Place village Sulli Khera.


Executive Engineer
Fatehabad W/S Div
FATEHABAD




Distillery Private Limited
Director

6 JUL 2022

AND WHEREAS the Engineer-in-Charge of the Irrigation Department have agreed to grant such permission on the terms and conditions hereinafter mentioned.

AND WHEREAS before signing this agreement, the Project Proponent has deposited with the Engineer-in-Charge, A Performance Bank Guarantee/FDR of Rs. 5.00 lacs for the due compliance and satisfactory performance by the Project Proponent of all the terms and conditions of this agreement hereafter set out so far they are to be observed and performed by the Project Proponent and a SUM of Rs. 15000/- towards the other stipulated charges.

NOW THIS AGREEMENT WITNESSETH that in consideration of the conditions hereinafter contained and on the part of the Project Proponent to be observed and performed, Engineer-in-Charge hereby grants to the Project Proponent permission to lay pipe line as per the approved drawing attached hereto subject to the following conditions namely:-

1. The Project Proponent shall obtain necessary NOC/clearance for the provision of commodity pipe lines from the competent authorities of the State Government/ Government of India/Petroleum and Natural Gas Regulatory Board or any other authority as the case may be and same shall be submitted to the Department.
2. The Project Proponent may lay pipe line of normally upto diameter of 6" having discharge capacity of 0.60 Cs. However, it can be increased as per the design of particular pipe line of Project Proponent with due permission of the Department. If the Project Proponent intends to change the diameter of the pipe to be laid subsequently, it shall seek the permission of the Department thereto.
3. The pipe line shall be laid with the top surface of pipe at least 1.5 meter deep from the ground level/bed level and it shall be allowed at least 1.5 meter away from the extreme edge of the right of way of the road. In case of Irrigation canals/drains it may be at least 1.5 meter away from Hydraulic Gradient Line of the channel meeting the ground at the level of laying pipe line or 1.5 meter away from canal/drain/river boundary whichever is greater.
4. For executing the work of laying of pipelines, the Project Proponent shall comply with safety/prudent practices, methods, techniques and standards as laid down in the applicable codes, standards, guidelines and/or regulations with specific reference to Bureau of Indian Standards IS 3764:1992 i.e. Code of Safety for Excavation, Oil Industry Safety Directorate(under the Ministry of Petroleum and Natural Gas/Government of India) Standards OSID-STD-141,179&226 etc., Standard Guidelines (OSID-GDN-192) and also other codes(ASME-31,8B& API15L)with latest amendments & stipulations and Haryana Government publication on Public Works Department(PWD)specifications.
5. The Project Proponent shall take all kind of safety measures during the execution of work and in view of the fact that in future Irrigation Department may need to upgrade existing infrastructure and widen the existing canal/drain/river/rivulet/roads etc.The Project Proponent shall be fully responsible for shifting and restoration of pipe line, if damaged during the execution, at its own risk and cost and as per directions of Officers-in-Charge of the Department.
6. The Project Proponent shall take permission from the concerned authorities for crossing the lines of other agency/ Department such as telecom line and power lines etc. etc. (if any).Regarding the location of cables of other Agency/Department, underground installation/utilities etc, and the Project Proponent shall be responsible to ascertain from the respective agency/Department or authorities in coordination with the Department. The Project Proponent shall ensure the safety and security of already existing


Executive Engineer
Fatehabad W/S Diya
FATEHABAD



4 JUL 2022


Director

cables/underground installation/utilities facilities etc. before commencement of the excavation and shall be solely responsible/ liable for full compensation/ indemnification to concerned company/aggrieved owner for any direct/indirect, or consequential damage caused to them/claims or replacement sought for, at its own cost and risk.

7. The Irrigation and Water Resources Department shall also have a right to make good such damages/recover the claims by way of invoking of Bank Guarantee/FDR furnished by the Project Proponent.

8. The Project Proponent shall not put up any permanent structure in the land area over the ground level. A well-qualified and conversant representative of Project Proponent shall remain available at site during the execution of the work. The pipe line shall be placed in such a way that there will not be any interference with the maintenance of the roads, water supply, sewerage, Solid Waste Disposal line and other civic infrastructure at any time.

9. The Project Proponent shall ensure that laying of pipe line does not have any deleterious effects on any of the bridge components, road safety, water supply, sewerage, Solid Waste Disposal line and other infrastructure. All the overhead pipe lines have to pass along the bridges and the aesthetics at the bridges shall be maintained. The pipe lines shall be taken only from the outer edge of the railings with appropriate overhanging arrangements.

10. The pipe line is permitted to cross the canal/drain/river/rivulet/roads either encased in pipes or through structure of conduits specially built for that purpose at the expense of the Project Proponent owing the line. Existing drainage structures shall not be allowed to carry the lines across. Efforts be made to cross the canals/drains/streams/rivulets/roads by horizontal drilling method (trenchless technology only). In case any damage occurs to the canal/drain/river/rivulet/road pavement in this process, the Project Proponent shall be bound to restore the same to the original condition at its own cost and risk.

11. In case the contemplated work herewith is not completed to the satisfaction of the Irrigation Department, the Project Proponent shall either furnish afresh bank guarantee or extend the validity of bank guarantee for a further period of one year, one month before the expiry of the Bank Guarantee/FDR deposited earlier. In case the Project Proponent fails to discharge the obligation of making good the excavated trench, the Department shall have a right to make good the damages caused by excavation, at the cost of Project Proponent and recover the amount by invoking the Bank Guarantee/FDR furnished by it.


12. The Project Proponent shall procure insurance from reputed insurance company against damages to already existing cables/underground installation/ utilities/facilities etc. during trenching.

13. For maintenance/repair work, the Project Proponent shall inform the Department at least a fortnight in advance with proposed route chart prior to digging of trenches for approval of the Department. It shall be obtained before undertaking any work of installation, shifting or repairs, or alterations already existing pipe lines in the canal/drain/river/rivulet/road Right-of-Ways.

14. The permission granted shall not in any way be deemed to convey to the Project Proponent any ownership, right or any interest in canal/drain/river/rivulet/route/road/highway/land/property, other than what is herein expressly granted.

15. The pipe line shall not be brought into the use by the Project Proponent unless a completion certificate to the effect that the laying of pipe line has been completed in accordance with the approved specifications and drawings and the trenches have been filled up to the specifications of the Department in coordination with the Department has


Executive Engineer,
Fatehabad W/S Divn
FATEHABAD



4 JUL 2022


Director

been obtained. The Project Proponent shall submit drawings of completed work in hard and soft copies.

16. In case the Department intends to do some emergent work in the area where pipe line is laid, the Project Proponent shall provide a well-qualified and conversant supervisor within twenty four hours of notice in this regard. Department shall not be responsible for any kind of damage by what so ever means natural or otherwise.

17. Permission granted shall be specific for the length/area requested in application, while working out the permission charges. In case additional length/area is required at any stage of work, separate permission shall have to be obtained by Project Proponent from Department and charges applicable at that stage of work shall be levied.

18. The horizontal distance between power line/cable and gas or any other pipe line shall be kept in accordance with relevant provisions of Indian Standard-codes.

19. The Irrigation and Water Resources Department shall have a right to terminate the agreement or to extend the period of agreement. In the case of termination of the agreement, the Project Proponent shall remove the pipe line within thirty days and the site shall be brought back to the original condition failing which the Project Proponent shall lose the right to remove the conduits/ducts. However, before taking up the work of removal of pipe line the Project Proponent shall furnish a Bank Guarantee to the Department valid for a period of one year for an amount assessed by the Department for making good the excavated trench by proper filling and compaction, clearing debris, loose earth so excavated due to excavation of trenching at least fifty meters away from the edge of the right of way or some suitable place as directed by Department.

20. The Department shall have the right to inspect the pipe lines at any time for which Project Proponent will not object in any manner.

21. That the Project Proponent within two months of a notice duly served upon to them on this behalf by the Department shall at him/their own cost remove the pipe line and restore the canal/drain/river/rivulet/road land to its original condition when required to do so by the Department or by any person authorized on its behalf. The Project Proponent shall not be entitled to any compensation on account of such removal or restoration.

22. In case of any mishap due to any kind of leakage, the loss/compensation awarded by authority shall be borne by the Project Proponent.


23. The Project Proponent shall have to execute an agreement in respect of above terms of conditions on non-judicial stamp paper valued to Rs. 100/- which will be signed by authorized signatory of the Project Proponent and Department and attested by the notary public and the Project Proponent shall bear the stamp duty charged for the agreement.

24. All the legal disputes, if any, shall be settled in territorial jurisdiction of state of Haryana.


25. All the term and conditions from the O/p of the Additional Chief Secretary to Govt. of Haryana, Irrigation & Water Resources Department vide office memo no. 11W-430001/85/2021 dated 21.03.2022 will be applicable.



Notwithstanding anything contained in clause 24 above, the permission may be cancelled at any time by the Government for a breach of any condition of the permission and the


Executive Engineer
Fatehabad W/S Div.
FATEHABAD

27
4 JUL 2022

Goyal Distillery Private Limited

Director

Project Proponent shall not be entitled to any loss caused to it by such cancellation, nor shall it be absolved from any liability already incurred under this agreement.

IN WITNESS WHERE OF this agreement is signed and executed by both the parties on the day, month and year aforementioned in presence of the following witnesses:

Goyal Distillery Private Limited

Signature Sh. Mandeep Beniwal
Name _____
Designation EXECUTIVE ENGINEER
FATEHABAD W/S DIVISION
FATEHABAD
Date 22-06-22

Signature _____ Director
Name PANKAJ GOYAL
Designation DIRECTOR
Goyal Distillery Private Limited
Director

(For and on behalf of the Governor
Of Haryana)

(PROJECT PROPONENT)

Place: fatehabad
Date: 22-06-2022


Witness: DEEPAK GOYAL
S/o Sh. SHIVJI GOYAL
No # 66B, Sec- 11B,
Chandigarh
96466-0075

Witness Narish Kumar
Design - Drafts man (NIAKXD)
Mobile - 9812904599



Attested as Identified
NOTARY
FATEHABAD-125050

22 JUN 2022

Agreement Award	Indian-Non Judicial Stamp Haryana Government		Date : 22/06/2022
Certificate No. FEV2022F5	 		Stamp Duty Paid : ₹ 101 (Rs. Only)
GRN No. 91678539	Seller Detail		Penalty : ₹ 0 (Rs. Zero Only)
Name: Executive engineer Water Services division			
H.No/Floor: X	Sector/Ward: X	LandMark : X	
City/Village : Fatehabad	District : Fatehabad	State : Haryana	
Phone : 99*****55			
Buyer Detail			
Name : Goyal Distillery Private Ltd			
H.No/Floor : X	Sector/Ward : X	LandMark : Sulikhera kirdhan road	
City/Village : Suli khera	District : Fatehabad	State : Haryana	
Phone : 99*****55			
			
Purpose : For Agreement Award Only. AGREEMENT		THROUGH DIRECTOR PANKAJ GOYAL	

The authenticity of this document can be verified by scanning this QR Code Through smart phone or on the website <https://egrashry.nic.in>

FIRST PARTY COPY (ORIGINAL)

AGREEMENT FOR SUPPLY OF WATER IN BULK

This Agreement is made on this 22nd day of June – 2022, at Fatehabad, Haryana

Between

The Executive Engineer W/S Division Fatehabad on behalf of the Hon'ble Governor of Haryana (1st party)

And

M/S Goyal Distillery Pvt. Ltd. Having Plant address at Suli Khera- kirdhan road, Village Suli khera, Sub- tehsil Bhattu Kalan, District Fatehabad, Haryana through its Director Mr. Pankaj Goyal (hereinafter referred to as the "consumer") (2nd party)

Where as the consumer has applied to the Government for the supply of water in bulk from Fatehabad Branch RD 253550-L. in the District Fatehabad and the Government has agreed to supply the same vide its Memo No.- 11W-430001/85/2021 WS Division Fatehabad dated 21/03/2022 subject to the provision under Haryana Bio Energy Policy 2018 and the rule made there under and the terms and conditions herein after appearing.

[Signature]
Executive Engineer,
Fatehabad W/S Divn
FATEHABAD

22 JUN 2022



Goyal Distillery Private Limited
[Signature]
Director

Now therefore this agreement witnesses and the parties here to have mutually agreed as follows:-

1. That the department shall supply and the consumer shall take water from outlet Fatehabad Branch RD 253550-L side canal to the storage tank of Ethanol manufacturing Plant of M/S Goyal Distillery Pvt. Ltd. at Village Sulikhera Sub Teh. Bhattu Kalan District Fatehabad.
2. That the said tank shall be filled with the released canal water in the channel which will run as per its approved rotation.
3. That the supply shall be measured at the outlet head based on the capacity of the outlet and the number of fully supply days for which the channel has run during the month.
4. That the sanctioned discharge of the outlet shall not be increased or decreased except with the written approval of Superintending canal Officer.
5. That the charges to be levied on bulk supply will be on commercial rate basis for the uses "Other than Irrigation Purpose" as provided in the Haryana Canal & Drainage Act, 1974. However a rebate of 50% of the charges is applicable to the consumer as per Haryana Bio Energy policy 2018. Rebate in rate if any will be given as per Govt. policy/instructions from time to time. If however tank is filled in by or on behalf of the consumer is an unauthorized manner in contravention of the provision of this agreement charges will be calculated at double the canal rates and will be in addition to any penalties that may be imposed for unauthorized use of water under any law.
6. (i) That consumer shall make the payment of the charges within a period one month from the date of presentation of the bill by the Govt. which will ordinarily be presented within 10 days of expiry of month in which the supply has been made and on failure to make the payment within the stipulated period there of till the payment is made will be recovered from the consumer.

ii) Not withstanding anything contained in sub clause (i) above the Divisional canal officer may stop further supply of water for the consumer till the payment of dues.
7. No claim shall be made against the Govt. for compensation in respect of loss caused by the failure or stoppage of reduction water in the canal by reason caused beyond the control of the Govt. or of any repairs alternation or additions to the canal, if any measure taken for regulating the proper flow of water therein or for maintaining the establish course of irrigation which the Divisional Canal Officer considers necessary.
8. That the consumer may use the water for any purpose after it has been delivered to the consumer, but the consumer shall not sublet the supply of water except with the written permission of the superintending Canal Officer.
9. That the enable the Govt. to supply water to the consumer as aforesaid the consumer shall lay underground pipe line at his own cost and maintain it in workable condition.
10. That in event of water being taken be supplied after the expiry of this agreement without a fresh agreement having been entered in to their terms and conditions the agreement shall apply to that supply.
11. That if any question or difference or objection whatsoever has arisen in any connected matter with or arising out of this agreement or the operation of any part


Executive Engineer
Fatehabad W/S D.
FATEHABAD

30
4 JUL 2022



Goyal Distillery Private Limited


Director

thereof or regarding the right duties and liabilities of other party. Then save in so for as the decision of any such matter has here - in - before otherwise provided for and has been so decided very such matter (including where its decision has been otherwise provided) for or whether it has been finally decided accordingly of whether the agreement should be terminated or has been rightly terminated and the right and obligation of parties shall be referred for the arbitration of the Superintending Engineer BWS Circle Fatehabad and his decision shall be final.

12. In witness where of the parties hereto have subscribed their name on the days here - in - after mentioned respectively under their names.

13. All the terms and conditions from the O/o the Additional Chief Secretary to Govt. of Haryana, Irrigation & Water Resources Department vide office memo no. 11W-430001/85/2021 dated 21.03.2022 will be applicable, and the same has been attached as Annexure-1 to this Agreement.

Goyal Distillery Private Limited

[Signature]
Director
22/06/22

Signature *[Signature]*
Name Sh. Manoj Kumar Boniwala
Designation EXECUTIVE ENGINEER
FATEHABAD W/S DIVISION
FATEHABAD
Date 22-06-2022

Signature _____
Name PANKAJ GOYAL
Designation DIRECTOR

Goyal Distillery Private Limited

[Signature]
Director

(For and on behalf of the Governor
Of Haryana)

(PROJECT PROPONENT)

M/s Goyal Distillery Pvt. Ltd.
Through its Director Mr. Pankaj Goyal

Place: Fatehabad

Witness: DEEPAK GOYAL
S/o Sh. SHIVJI GOYAL
K/o # 663, Sec-11B
Chandigarh

[Signature]
22/6/22

Date: 22-06-2022

Witness Narath Kumar
Design. - Draftsman (NIAKXD)
mob - 9812904599


Contact 96466-0079



Attested as Identified
[Signature]
NOTARY
FATEHABAD-125050

6 JUL 2022

6 JUL 2022

Bond		Indian-Non Judicial Stamp Haryana Government		Date : 22/06/2022
Certificate No.	FEV2022F10		Stamp Duty Paid : ₹ 101	
GRN No.	91678539		(Rs. Only)	Penalty : ₹ 0
			(Rs. Zero Only)	
Deponent				
Name :	Goyal Distillery Private Ltd			
H.No/Floor : X	Sector/Ward : X	Landmark : Sulikhera kirdhan road		
City/Village : Suli khera	District : Fatehabad	State : Haryana		
Phone : 99*****55				
Purpose : INDEMNITY BOND THROUGH DIRECTOR PANKAJ GOYAL to be submitted at In concerned office				

The authenticity of this document can be verified by scanning this QrCode Through smart phone or on the website <https://egrashry.nic.in>

INDEMNITY BOND

This indemnity bond is made on **22nd day of JUNE 2022** by **M/S GOYAL DISTILLERY PRIVATE LIMITED**, having its **Registered office** at B- 3,4& 5, Focal Point, Kotkapura (Punjab) 151204 and **Plant site** at Kidrana Road, Village-Sulikhera, Tehsil BhattuKalan, District Fatehabad (hereinafter called as "Project Proponent"/Obligor which expression shall include its successors and permitted assigns) in favor of "**Fatehabad Water services division, Irrigation and Water Resources Department, Haryana**", which expression shall include its successors and assigns.

Whereas the Project Proponent had applied to the Government for the supply of water in bulk from Fatehabad Branch RD 253550-L. in the District Fatehabad and the Government has agreed to supply the same vide its Memo No.- 11W-430001/85/2021 WS Division Fatehabad dated 21/03/2022.

Now therefore the indemnity bond witnesses as follow:

1. That M/S GOYAL DISTILLERY PRIVATE LIMITED will construct the pipeline as per the guidelines of the concerned department at our own expenses.
2. That M/S GOYAL DISTILLERY PRIVATE LIMITED will indemnify **Irrigation and Water Resources Department, Haryana** for any loss of life or property in the process of execution of work of constructing the pipeline or against any claim thereafter during the period of operation and maintenance of this pipeline infrastructure.

In witness whereof, the Company has hereinto set its hand through its authorized representative under the common seal of the company the day, month and year first above mention.

Goyal Distillery Private Limited


Name: Pankaj Goyal Director
M/S GOYAL DISTILLERY PRIVATE LIMITED
Designation: Director
Date: 22/June/ 2022


Executive Engineer,
Fatehabad W/S Div.
FATEHABAD

Affidavit		Indian-Non Judicial Stamp Haryana Government		Date : 22/06/2022
Certificate No. FEV2022F9				Stamp Duty Paid : ₹ 101 (Rs. Only)
GRN No. 91678539				Penalty : ₹ 0 (Rs. Zero Only)
Deponent				
Name: Goyal Distillery Private Ltd				
H.No/Floor : X	Sector/Ward : X		Landmark : Sulikhera kirdhan road	
City/Village : Suli khera	District : Fatehabad		State : Haryana	
Phone : 99*****55				
Purpose : AFFIDAVIT		THROUGH DIRECTOR PANKAJ GOYAL to be submitted at Concerned office		

Affidavit

I, M/S Goyal Distillery Private Limited having registered office at B-3,4,5 Focal Point, Kotkapura, District Faridkot, Punjab and having Plant Site at Kirdhan Road, Village Suli Khera, Bhattu Kalan, District Fatehabad, Haryana, do hereby solemnly affirm and declare as under:


1. That we at M/S GOYAL DISTILLERY PRIVATE LIMITED having registered office at B-3,4,5 Focal Point, Kotkapura, District Faridkot, Punjab and having Plant Site at Kirdhan Road, Village Suli Khera, Bhattu Kalan, District Fatehabad, Haryana are in the process of setting up Ethanol manufacturing plant at the aforementioned site address.
2. That we had applied to the Government for the supply of water in bulk from Fatehabad Branch RD 253550-L. in the District Fatehabad and the Government has agreed to supply the same vide its Memo No.- 11W-430001/85/2021 WS Division Fatehabad dated 21/03/2022.
3. That we undertake that if in future it is found that any clause or term and condition has been left out of the Agreement, we shall comply with that clause also upon the written notice of the Department.

Goyal Distillery Private Limited
DEPONENT

Director

VERIFICATION

That the above statement is correct and true to the best of my knowledge and belief and nothing has been concealed therein.

Goyal Distillery Private Limited
DEPONENT

Director

Place: Fatehabad, Haryana
Dated: 22/06/2022

Indian-Non Judicial Stamp Haryana Government		Date: 22/06/2022
Certificate No. FEV2022F7		Stamp Duty Paid : ₹ 101 <small>(Rs. Only)</small>
GRN No. 91678539		Penalty : ₹ 0 <small>(Rs. Zero Only)</small>
Deponent		
Name: Goyal Distillery Private Ltd	Sector/Ward : X	Landmark : Sulikhera kirdhan road
H.No/Floor : X	District : Fatehabad	State : Haryana
City/Village : Suli khara		
Phone : 99*****55		
		
Purpose : AFFIDAVIT THROUGH DIRECTOR PANKAJ GOYAL to be submitted at Concerned office		

Affidavit

I, M/S Goyal Distillery Private Limited having registered office at B-3,4,5 Focal Point, Kotkapura, District Faridkot, Punjab and having Plant Site at Kirdhan Road, Village Suli Khara, Bhattu Kalan, District Fatehabad, Haryana, do hereby solemnly affirm and declare as under:

1. That we at M/S GOYAL DISTILLERY PRIVATE LIMITED having registered office at B-3,4,5 Focal Point, Kotkapura, District Faridkot, Punjab and having Plant Site at Kirdhan Road, Village Suli Khara, Bhattu Kalan, District Fatehabad, Haryana are in the process of setting up Ethanol manufacturing plant at the aforementioned site address.
2. That we had applied to the Government for the supply of water in bulk from Fatehabad Branch RD 253550-L. in the District Fatehabad and the Government has agreed to supply the same vide its Memo No.- 11W-430001/85/2021 WS Division Fatehabad dated 21/03/2022.
3. That we undertake that all the terms and conditions mentioned in the aforementioned permission Memo No.- 11W-430001/85/2021 WS Division Fatehabad dated 21/03/2022 are applicable to us and we shall abide by all the terms and conditions mentioned therein in true letter and spirit.

Goyal Distillery Private Limited

DEPONENT 
Director




VERIFICATION

That the above statement is correct and true to the best of my knowledge and belief and nothing has been concealed therein.

Goyal Distillery Private Limited

DEPONENT 
Director

Place: Fatehabad, Haryana
Dated: 22/06/2022

Affidavit		Indian-Non Judicial Stamp Haryana Government		Date : 22/06/2022
Certificate No.	FEV2022F12		Stamp Duty Paid : ₹ 101	(Rs. Only)
GRN No.	91681908		Penalty : ₹ 0	(Rs. Zero Only)
Deponent				
Name :	Goyal Distillery Private Ltd			
H.No/Floor :	X	Sector/Ward :	X	Landmark : Sulikhera kirdhan road
City/Village :	Suli khera	District :	Fatehabad	State : Haryana
Phone :	99*****55			
				
Purpose :	UNDERTAKING THROUGH DIRECTOR PANKAJ GOYAL to be submitted at In concerned office			

The authenticity of this document can be verified by scanning this QR Code Through smart phone or on the website <https://egrashry.nic.in>


UNDERTAKING

This UNDERTAKING is made on 22nd day of JUNE 2022 by M/S GOYAL DISTILLERY PRIVATE LIMITED, having its Registered office at B- 3,4 & 5, Focal Point, Kotkapura (Punjab) 151204 and Plant site at Kirdhan Road, Village-Sulikhera, Tehsil BhattuKalan, District Fatehabad (hereinafter called as "Project Proponent"/Obligor which expression shall include its successors and permitted assigns) in favor of "Fatehabad Water services division, Irrigation and Water Resources Department, Haryana", which expression shall include its successors and assigns.

Whereas the Project Proponent had applied to the Government for the supply of water in bulk from Fatehabad Branch RD 253550-L. in the District Fatehabad and the Government has agreed to supply the same vide its Memo No.- 11W-430001/85/2021 WS Division Fatehabad dated 21/03/2022.

Now therefore the undertaking given as follow:

1. That M/S GOYAL DISTILLERY PRIVATE LIMITED will construct the pipeline as per the guidelines of the concerned department at our own expenses and will deposit caution deposit fixed charges as mentioned in the permission Memo No.- 11W-430001/85/2021 WS Division Fatehabad dated 21/03/2022.
2. That the ownership and domain of land will remain with Irrigation department.
3. That M/S GOYAL DISTILLERY PRIVATE LIMITED will liable to pay/ indemnify Irrigation and Water Resources Department, Haryana for any loss of life or property in the process of execution of work of constructing the pipeline or against any claim thereafter during the period of operation and maintenance of this pipeline

Goyal Distillery Private Limited

 Director

Name: Pankaj Goyal
 M/S GOYAL DISTILLERY PRIVATE LIMITED
 Designation: Director
 Date: 22/June/ 2022

**Indian-Non Judicial Stamp
Haryana Government**

Date :22/06/2022

Certificate No. FEV2022F8

GRN No. 91678539

Deponent

Name: Goyal Distillery Private ltd
 H.No/Floor : X
 City/Village : Suli khera
 Phone : 99*****55

Sector/Ward : X
 District : Fatehabad

Landmark : Sulikhera kirdhan road
 State : Haryana

Stamp Duty Paid : ₹ 101
 (Rs. Only)
 Penalty : ₹ 0
 (Rs. Zero Only)

Purpose : AFFIDAVIT

THROUGH DIRECTOR PANKAJ GOYAL to be submitted at Concerned office

Affidavit

I, M/S Goyal Distillery Private Limited having registered office at B-3,4,5 Focal Point, Kotkapura, District Faridkot, Punjab and having Plant Site at Kirdhan Road, Village Suli Khera, Bhattu Kalan, District Fatehabad, Haryana, do hereby solemnly affirm and declare as under:

1. That we at M/S GOYAL DISTILLERY PRIVATE LIMITED having registered office at B-3,4,5 Focal Point, Kotkapura, District Faridkot, Punjab and having Plant Site at Kirdhan Road, Village Suli Khera, Bhattu Kalan, District Fatehabad, Haryana are in the process of setting up Ethanol manufacturing plant at the aforementioned site address.
2. That we had applied to the Government for the supply of water in bulk from Fatehabad Branch RD 253550-L. in the District Fatehabad and the Government has agreed to supply the same vide its Memo No.- 11W-430001/85/2021 WS Division Fatehabad dated 21/03/2022.
3. That we undertake that we will construct the pipeline as per the guidelines of the concerned department at our own expenses and will deposit caution deposit fixed charges as mentioned in the permission memo dated 21/03/2022 at the time of constructing the pipeline.
4. That the ownership and domain of land will remain with Irrigation department.
5. That in case of any loss or damage in the process of setting up the water pipeline, we shall be liable and we undertake to make good the losses if any at our own cost.

Goyal Distillery Private Limited

DEPONENT
Director

VERIFICATION

That the above statement is correct and true to the best of my knowledge and belief and nothing has been concealed therein.

Goyal Distillery Private Limited

DEPONENT
Director

To

Executive Engineer,
Fatehabad w/s Division,
Fatehabad.

Subject: Bank Guaranty

Dear Sir,

please find enclosed here with Caution
Deposit of 5 Lacs either Bank Guaranty in
safe FDR.

This is for kind information & further
necessary action please

1702
9110
22/11/22



Goyal Distillery Private Limited

Director



DEPOSIT CONFIRMATION/ RENEWAL ADVICE

Customer Name: M/S. XEN WTR SERVC DIV FTHBD A/C GYL DISTLRY
Address: C/O GOYAL DISTILLERY PRIVATE LIMITE
B-3 4 5 FOCAL POINT KOTKAPURA
FARIDKOT FARIDKOT
KOTKAPURA-151204 INDIA

Deposit Account: 50300637314069
Cust ID of 1st Applicant: 171840270
Branch Name: KOTKAPURA - FARIDKOT - PUNJAB
Deposit Currency: INR
Deposit Type: REINVEST. DEPOSIT
PAN: AAJCG1330K

Joint 1:
Joint 2:

Nominee: Not Registered

Table with 6 columns: Deposit Amount, Deposit Start Date, Period of Deposit, Rate of Interest (%p. a), Maturity Date, Maturity Amount. Row 1: 2,50,000.00, 15 Jun 2022, 12 Month(s) 1 Day(s), 5.35, 16 Jun 2023, 2,63,685.00

Deposit Amount (in words): RUPEES TWO LAKH FIFTY THOUSAND ONLY

Maturity Amount (in words): RUPEES TWO LAKH SIXTY THREE THOUSAND SIX HUNDRED EIGHTY FIVE ONLY

Maturity Instruction: RENEW PRINCIPAL AND INTEREST

Interest Payment Frequency: AT MATURITY

Mode of Operation: Single

DEPOSIT LIQUIDATION REQUEST / CHANGE OF MATURITY INSTRUCTION

For office use only:

Liquidation Instruction:

[] On Maturity

[] Premature Withdrawal

Credit Account Number:

Grid for credit account number

[] Issue Pay Order

[] NEFT(Only for non-account holders)

Date of Liquidation: _____

New Maturity Instruction: _____

Signature(s): _____



Thank you for banking with us.

This is a system generated Advice and hence does not

require any Signature.

Generated by: A11616

Generated on: 15/06/2022 16:20:16

Branch Code: 648

Kindly refer overleaf for detailed Terms and Conditions

The Additional Chief Secretary to Govt. Haryana,
Irrigation and Water Resources Department.



✓ The Engineer-in-Chief,
Irrigation and Water Resources Department, Haryana,
Sinchai Bhawan, Sector-5, Panchkula.

Memo No.--11W-430001/85/2021 WS DIVISION FATEHABAD
Dated Chandigarh. the 27 March, 2022.

B/C
CE BWS
Subject
12/3

Approval for new outlet of 0.60 Cs Canal Water from Fatehabad Branch at
RD 253550/L for upcoming Ethanol Manufacturing Plant of M/S Goyal
Distillery Private Limited at Village Suli Khera, Sub-Tehsil Bhattu Kalan,
District Fatehabad.

Reference to your online file No. 430001/85/2021 WS DIVISION
FATEHABAD on the subject noted above.

Government agree to grant NOC for providing the 0.60 Cs. of Canal Water from
outlet RD 253550/L, Fatehabad Branch for upcoming Ethanol Manufacturing Plant of M/S Goyal
Distillery Private Limited at Village Suli Khera, Sub-Tehsil Bhattu Kalan, District Fatehabad, under
Haryana Bio Energy Policy 2018 Subject to following conditions:-

1. All the fundamental rights in respect of the Department land will remain with Irrigation & Water Resources Department.
2. The ownership of land of Fatehabad Branch will remain with Irrigation & Water Resources Department.
3. The safety and smooth movement of traffic shall be ensured by the M/S Goyal Distillery Private Limited during the execution of work and there shall be no inconvenience to the traffic.
4. The operation and maintenance of pipeline will be done by the M/S Goyal Distillery Private Limited in future.
5. The protection measures in this stretch will be taken by M/S Goyal Distillery Private Limited during laying pipeline and for all times to come.
6. The NOC would be one time and for this particular work only.
7. In case of any breach occurred in the bank, M/S Goyal Distillery Private Limited shall be responsible for restoration of any damages arising thereof at their own cost.
8. All the temporary structures, dismantled material, debris/muck shall be removed by M/S Goyal Distillery Private Limited within 72 hours at their own cost. After completion of work, the excavated pit will be brought to its original shape and the loose earth work of trenches should be compacted properly by the M/S Goyal Distillery Private Limited.
9. M/S Goyal Distillery Private Limited will tender an affidavit in the respect that they will bear the loss caused due to any damage to Irrigation & Water Resources Department property and its consequential effects.
10. Any mishap/losses or any adverse results if occurred as consequences of this pipeline, M/S Goyal Distillery Private Limited will be held responsible for the same and Irrigation & Water Resources Department will not pay anything on this account.
11. The cost of laying pipeline will be borne by M/S Goyal Distillery Private Limited and in case widening of channel is required in future, M/S Goyal Distillery Private Limited shall be fully responsible for shifting and restoration of pipe line.
12. In case of any eventuality during the course of execution of work, the responsibility will rest upon M/S Goyal Distillery Private Limited.

12/3/22
12/3/22
12/3/22

13. The work should be carried out under the supervision of the Irrigation & Water Resources Department.
14. Irrigation & Water Resources Department reserves the right to withdraw the permission if at a subsequent date it is found that permission is not as per rules or against the interest of irrigation.
15. The detailed design & drawings of pipeline be got countersigned from concerned Superintending Engineer of Irrigation & Water Resources Department in lieu of checking of hydraulic parameters.
16. After approval of the proposal by the competent authority, an agreement shall be executed by the concerned DCO/XEN on behalf of the Governor of Haryana with M/S Goyal Distillery Private Limited stipulating all the terms & conditions to safeguard the interest of the department as per the terms of policy.
17. M/S Goyal Distillery Private Limited will be bound to shift the pipeline in the interest of department, if required at later stage and will not claim any compensation on this account.
18. Suitable protective measures should be provided towards canal side to prevent accident.
19. Any extra land, if required, the same is to be acquired/arranged by M/S Goyal Distillery Private Limited at their own cost/level.
20. M/S Goyal Distillery Private Limited will bound to follow the instructions of the Irrigation & Water Resources Department regarding the safety of the channel etc.
21. Any encroachment on this land shall be removed by M/S Goyal Distillery Private Limited and Irrigation & Water Resources Department will not be responsible for the same.
22. If there is any legal action regarding any encroachment, the M/S Goyal Distillery Private Limited will defend the same in court and Irrigation & Water Resources Department will not be a party to the same.
23. If Irrigation & Water Resources Department shall require any change/modification /alteration on the canal then M/S Goyal Distillery Private Limited will be bound to shift/dismantle the pipeline and no compensation or any charges will be paid to M/S Goyal Distillery Private Limited.
24. The work should be executed during non-rainy season.
25. M/S Goyal Distillery Private Limited will abide by all the terms & conditions of the notified policy and fulfill all the formalities as per notified approved policy before execution of work.
26. All other condition as laid down in the approved policy as per Annexure-C also needs to be complied with by M/S Goyal Distillery Private Limited.
27. The indemnity bond and undertaking in this regard be obtained from M/S Goyal Distillery Private Limited before start of the work.
28. M/S Goyal Distillery Private Limited shall take permission from the concerned authorities for crossing the lines of other agency/Department such as telecom line and power lines etc. (if any). Regarding the location of cables of other Agency/Department underground installation/utilities etc. M/S Goyal Distillery Private Limited shall be responsible to ascertain from the respective Agency/Department or authorities in coordination with the Department. The M/S Goyal Distillery Private Limited shall ensure the safety and security of already existing cables/underground installation/utilities facilities etc. before commencement of the excavation and shall be solely responsible/liable for full compensation/indemnification to concerned company/aggrieved owner for any direct/indirect or consequential damage caused to them/claims or replacement sought for at its own cost and risk.

21
12/3/2022

The M/S Goyal Distillery Private Limited shall deposit all applicable charges i.e. Caution Deposit @ Rs. 5.0 lacs, Bank Guarantee for restoration of site for trenchless boring @ Rs. 43902/- & for unpaved katcha portion @ Rs. 5930/- etc before execution of the work as per amended "Policy guidelines for considering the proposals of private/Govt /Public Sector bodies/undertakings for allowing construction of Road Bridges, Roads and laying of various utility lines (pipelines/cables etc.) across/along the canals/ drains and rivers/rivulets of Irrigation and Water Resources Department, Haryana".

30. The Irrigation and Water Resources Department shall also have a right to make good such damages/recover the claims by way of invoking of Bank Guarantee furnished by the M/S Goyal Distillery Private Limited.
31. The M/S Goyal Distillery Private Limited will not put up any permanent structure in the land area over the ground level. A well qualified and conversant representative of Project Proponent shall remain available at site during the execution of the work. The pipeline shall be placed in such a way that there will not be any interference with the maintenance of the roads, water supply, sewerage, SWD line and other civic infrastructure at any any time.
32. In case the contemplated work herewith is not completed to the satisfaction of the Irrigation Department the Project Proponent shall either furnish afresh bank guarantee or extend the validity of bank guarantee for a further period of one year one month before the expiry of the Bank Guarantee deposited earlier. In case the M/S Goyal Distillery Private Limited fails to discharge the obligation of making good the excavated trench, the Department shall have a right to make good damages caused by excavation, at the cost of M/S Goyal Distillery Private Limited and recover the amount by invoking the Bank Guarantee furnished by it.
33. For maintenance/repair work, the M/S Goyal Distillery Private Limited will inform the Department at least a fortnight in advance with proposed route chart prior to digging of trenches for approval of the Department. It shall be obtained before undertaking any work of installation, shifting or repairs, or alterations already existing pipelines in the canal/drain/river/rivulet/road Right-of-Ways.
34. The pipeline shall not be brought into the use by the M/S Goyal Distillery Private Limited unless a completion certificate to the effect that the laying of pipeline has been completed in accordance with the approved specifications and drawings and the trenches have been filled upto the specifications of the Department in coordination with the Department has been obtained. The M/S Goyal Distillery Private Limited will submit drawings of completed work in hard and soft copies.
35. Permission granted will be specific for the length/area requested in application while working out the permission charges. In case additional length/area is required at any stage of work, separate permission will have to be obtained by M/S Goyal Distillery Private Limited from Department and charges applicable at that stage of work shall be levied.
36. The Irrigation Department will have a right to terminate the agreement or to extend the period of agreement. In the case of termination of the agreement, the M/S Goyal Distillery Private Limited shall remove the pipeline within 30 days and the site shall be brought back to the original condition failing which the M/S Goyal Distillery Private Limited will lose the right to remove the conduits/ducts. However, before taking up the work of removal of pipeline the M/S Goyal Distillery Private Limited shall furnish a Bank Guarantee to the Department valid for a period of one year for an amount assessed by the Department for making good the excavated trench by proper filling and compaction, clearing debris, loose earth so excavated due to excavation of trenching at least 50 m away from the edge of the right of way or some suitable place as directed by Department.
37. That M/S Goyal Distillery Private Limited within two months of a notice duly served upon to them on this behalf by the Department shall at him/their own cost remove the pipeline and restore the canal/drain/river/rivulet/road land to its original condition when required to do so by the Department or by any person authorized on its behalf. M/S Goyal Distillery Private Limited shall not be entitled to any compensation on account of such removal or restoration.

64
12/2/2022

- 38. In case of any mishap due to any kind of leakage, the loss/compensation awarded by authority shall be borne by the M/S Goyal Distillery Private Limited
- 39. M/S Goyal Distillery Private Limited shall have to execute an agreement in respect of above terms of conditions on non-judicial stamp paper valued to Rs. 100/- which will signed by authorized signatory of the Project Proponent and Department and attested by the notary public and the Project Proponent shall bear the stamp duty charged for the agreement.
- 40. All the legal disputes if any shall be settled in territorial jurisdiction of state of Haryana
- 41. The permission being accorded is only for providing outlet in Canal in land of Irrigation Department. The other requirement like land requirement, laying of pipe line, etc., the NOC's are required to be taken from other Departments by the beneficiary at its own level.
- 42. Caution deposit of Rs. 5.00 lacs be got deposited from M/S Goyal Distillery Private Limited 50% of the caution deposit shall be refunded after satisfactory completion of the work and restoration of the canal/drain/river/trivulet at the construction site and the remaining 50% shall be non-refundable and to be kept by the department as security till the works remains in position.

Amulya 17/2/2022
 Superintendent, Irrigation (Works),
 for Additional Chief Secretary to Govt. Haryana,
 Irrigation and Water Resources Department

Endstt. No. 1795 /6BWS/151/320

Dated 22/03/2022

✓ Copy of above is forwarded to Superintending Engineer, BWS Circle, Fatehabad w.r.t. his e-office No. 430001/85/2021-WS Division Fatehabad-Irrigation & W.R. Department (Computer No. 474918) for information and immediate necessary action please.

CHD
383
3-w/f
24.3.2022

22.3.22
 Superintendent/BWS,
 for Chief Engineer/BWSU, Irr. & W.R. Deptt.,
 Haryana, Panchkula *24/3/2022*

Date 29/03/22
 No. 2264 / 85-W
 Copy to SDO Bhetty for info. & further
 n/a pls.
 Executive Engineer
 Fatehabad W/S Divn
 FATEHABAD

C
 No 1959 /3-wf

Dated 24/03/22

Copy of above alongwith its enclosures is forwarded to XEN/ASD for information and further n/a action here.

605
CHD
25/3/22
 DA/As above

24/3/22
 SE/BWSU
 Hbdg

24/3/22
 Executive Engineer
 Fatehabad W/S Divn
 FATEHABAD



Irrigation & Water Resources Department
Haryana

Office of the Executive Engineer
Fatehabad Water Services Division, Fatehabad
कार्यकारी अभियंता, फतेहाबाद जल सेवाए मण्डल, फतेहाबाद
Bhodia Khera, Bhattu Road, Fatehabad. Phone - 01667-220105
भोडिआ खेड़ा, भट्ट रोड, फतेहाबाद-125050 E-mail- xenwsdivisionfbd@yahoo.com

No 4708 /5-W

Date 24 /06/2022

To

The Branch Manager,
HDFC Bank,
B/XI/740, Faridkot Road,
Kotkapura, Distt. Faridkot, Punjab

Subject: - Verification of FDR.


Reference: -
1. FD Booked No. 50300637313040 dated 15.06.2022 amounting to Rs 250000/-.
2. FD Booked No. 50300637314069 dated 15.06.2022 amounting to Rs 250000/-.

Please find enclosed herewith photocopy of above reference

FDR /Bank Guarantee, which is issued by your branch.

It is therefore, requested to verify same and intimate to this office as early as possible.

DA/As above


Executive Engineer,
Fatehabad W/S Division,
Fatehabad

Verification: -



Water Services Division
Fatehabad

Office of the Executive Engineer

Fatehabad Water Services Division, Fatehabad

कावेरि अभियंता, फतेहाबाद जल सेवाए मण्डल, फतेहाबाद

Bhodia Khara, Bhattu Road, Fatehabad. Phone - 01667-220105

भोडिया खेड़ा, भट्ट रोड, फतेहाबाद-125050 E-mail: xeswcddivisionfbd@yahoo.com

No. 4308 /5-W

Date 24/06/2022

To

The Branch Manager,
HDFC Bank,
B/XI/740, Faridkot Road,
Kotkapura, Distt. Faridkot, Punjab


Subject: - Verification of FDR.

Reference: -
1. FD Booked No. 50300637313040 dated 15.06.2022 amounting to Rs 250000/-.
2. FD Booked No. 50300637314069 dated 15.06.2022 amounting to Rs 250000/-.


Please find enclosed herewith photocopy of above reference FDR /Bank Guarantee, which is issued by your branch.

It is therefore, requested to verify same and intimate to this office as early as possible.

DA/As above


Executive Engineer,
Fatehabad W/S Division,
Fatehabad

Verification: -


GAGANDEEP KUMAR
Designation: PBA
Emp. Code: G4873
Faridkot Road, Kotkapura

Find messages, documents, photos or people



Home

Compose

Back Archive Move Delete Spam

- Inbox 999+
- Unread
- Starred
- Drafts 456
- Sent
- Archive
- Spam
- Deleted Items
- ^ Less
- Views Hide
- Photos
- Documents
- Subscriptions
- Travel
- Folders Hide
- + New folder
- Junk

CONFIRMATION OF
 FDR-50300637313040 AND
 50300637314069_Goyal Distillery P Ltd

Yahoo/Inbox

Ashish Jindal <ashish.jindal@...> Mon, 27 Jun at 1:24 pm
 To:
 xenwsdivisionfbd@yahoo.com

Classification - Internal


Classification - Internal

Dear All

Pfa of FDR Confirmation of M/s Goyal Distillery P Ltd





Ashish Jindal
 Branch Manager
 Kotkapura - 0648
 +919316543211



Ashish Jindal

ashish.jindal@hdfcbank.com
+ Add to contacts



M.S. GOYAL DISTILLERY PRIVATE LIMITED
C/O GOYAL DISTILLERY PRIVATE LIMITE
B-3 4 5 FOCAL POINT KOTKAPURA
FARIDKOT FARIDKOT
KOTKAPURA 151204
PUNJAB INDIA
JOINT HOLDERS :
Nomination : Not Registered

Account Branch : KOTKAPURA - FARIDKOT - PUNJAB
Address : B/XI/740, FARIDKOT ROAD,
KOTKAPURA, DIST-FARIDKOT,
City : KOTKAPURA 151204
State : PUNJAB
Phone no. : 98153 31111
OD Limit : 0 00
Currency : INR
Email : GOYALDISTILLERY@GMAIL.COM
Cust ID : 171840270
Account No : 50200058450597 Preferred Customer
A/C Open Date : 31/07/2021
Account Status : Regular
RTGS/NEFT IFSC : HDFC0000648 MICR : 151240802
Branch Code : 648 Product Code : 1313

From : 15/06/2022

To : 16/06/2022

Statement of account

Date	Narration	Chq./Ref.No.	Value Dt	Withdrawal Amt.	Deposit Amt.	Closing Balance
15/06/22	13461000010906-TPT-SHARE CAPITAL-ANURAG GARG	0000000120508467	15/06/22		2,250,000.00	2,824,353.76
15/06/22	.IMPS P2P 210519310771#15/04/2022 150422 -CDT2216209514015	CDT2216209514015	15/06/22	5.90		2,824,347.86
15/06/22	.IMPS P2P 210614307800#16/04/2022 160422 -CDT2216209514015	CDT2216209514015	15/06/22	5.90		2,824,341.96
15/06/22	.IMPS P2P 210917345807#19/04/2022 190422 -CDT2216209514015	CDT2216209514015	15/06/22	17.70		2,824,324.26
15/06/22	NEFT DR-ICIC0003593-CITY LIGHT HOUSE-NET BANK, MUM-N16622000412840-GDPL TO CITYL IGTH	N16622000412840	15/06/22	6,700.00		2,817,624.26
15/06/22	FD BOOKED - 50300637313040 - XEN WTR SER VC DIV FTHBD A/C GYL DISTLRY	3488032022061546	15/06/22	250,000.00		2,567,624.26
15/06/22	FD BOOKED - 50300637314069 - XEN WTR SER VC DIV FTHBD A/C GYL DISTLRY	3488032022061546	15/06/22	250,000.00		2,317,624.26
15/06/22	NEFT DR-PUNB0065300-ANAND BRICKS MANUFAC TURING CO-NETBANK, MUM-N16622000832203- GDPLTOANANDBNO1957	N16622000832203	15/06/22	40,704.00		2,276,920.26
15/06/22	NEFT DR-ICIC0003593-JAI DURGA IRON STORE -NETBANK, MUM-N16622000861798-GDPLTOJAI DURGAB795	N16622000861798	15/06/22	7,300.00		2,269,620.26
15/06/22	NEFT DR-SBIN0007186-KISHORI LAL RAKESH K UMAR-NETBANK, MUM-N16622000833731-GDPLT OKISHORIB237	N16622000833731	15/06/22	10,450.00		2,259,170.26
15/06/22	50200051069893-TPT-GDPLTOSHIVSHAKTIB701- SHIV SHAKTI STONE GRAMODYOG MANDAL	0000000133592241	15/06/22	104,333.26		2,154,837.00
16/06/22	WHDF1217211344/BILLDKDAKSHINHARYANA	0000221671915592	16/06/22	13,125.00		2,141,712.00
16/06/22	NEFT DR-IDIB000F010-JYANI BKO-NETBANK, M	N167222002496093	16/06/22	117,342.00		2,024,370.00

HDFC BANK LIMITED

*Closing balance includes funds earmarked for hold and uncleared funds
Contents of this statement will be considered correct if no error is reported within 30 days of receipt of statement. The address on this statement is that on record with the Bank as at the day of requesting this statement

State account branch GSTN:03AAACH2702H1ZA
HDFC Bank GSTIN number details are available at <https://www.hdfcbank.com/personal/making-payments/online-tax-payment/goods-and-service-tax>
Registered Office Address: HDFC Bank House, Senapati Bapat Marg, Lower Parel, Mumbai 400013

HDFC BANK
We understand your world

M/S GOYAL DISTILLERY PRIVATE LIMITED
C/O GOYAL DISTILLERY PRIVATE LIMITE
B-3 4 5 FOCAL POINT KOTKAPURA
FARIDKOT FARIDKOT
KOTKAPURA 151204
PUNJAB INDIA

JOINT HOLDERS :

Nomination : Not Registered

Account Branch : KOTKAPURA - FARIDKOT - PUNJAB
Address : B/XI/740, FARIDKOT ROAD,
KOTKAPURA, DIST-FARIDKOT,

City : KOTKAPURA 151204
State : PUNJAB
Phone no : 98153 31111
OD Limit : 0 00
Currency : INR
Email : GOYAL.DISTILLERY@GMAIL.COM
Cust ID : 171840270
Account No : 50200058450597 Preferred Customer
A/C Open Date : 31/07/2021
Account Status : Regular
RTGS/NEFT IFSC : HDFC0000648 MICR : 151240802
Branch Code : 648 Product Code : 1313

From : 15/06/2022

To : 16/06/2022

Statement of account

UM-N167222002496093-GDPLTO JYANIBKOB58

STATEMENT SUMMARY :-

Opening Balance
574,353.76

Dr Count
12

Cr Count
1

Debits
799,983.76

Credits
2,250,000.00

Closing Bal
2,024,370.00

Generated On: 24-Jun-2022 15:33

Generated By:
175437467

Requesting Branch Code: NET

This is a computer generated statement and does
not require signature.

HDFC BANK LIMITED

*Closing balance includes funds earmarked for hold and uncleared funds

Contents of this statement will be considered correct if no error is reported within 30 days of receipt of statement. The address on this statement is that on record with the Bank as at the day of requesting this statement.

State account branch GSTN:03AAACH2702H1ZA

HDFC Bank GSTIN number details are available at <https://www.hdfcbank.com/personal/making-payments/online-tax-payment/goods-and-service-tax>.

Registered Office Address: HDFC Bank House, Senapati Bapat Marg, Lower Parel, Mumbai 400013



कार्यालय अग्निशमन एवंआपातकालीनसेवाएंफतेहाबाद
Fire & Emergency Services Fatehabad
Ph. 01667-220100 Email ID :- hfs.fatehabad@gmail.com



॥ वदतता हरियाणा-वदतता हरियाणा

(11)

सेवा में,

जिलाधीश महोदय,
फतेहाबाद।

क्रमांक:- 150/2022/19

दिनांक 24/01/2022

विषय:-

NOC to store Pet. Class A (ABSOLUTE ETHANOL) in above ground tanks in our unit at Village Suli Khera, Teh Bhattu Kalan & Distt Fatehabad 125053 Haryana.

संदर्भ:-

आपके कार्यालय के पत्र क्रमांक 165-176/पी0एल0ए0 दिनांक 14.01.2022.

उपरोक्त विषय पर अधोहस्ताक्षरी द्वारा दिनांक 24.01.2021 को as per records, Khasra no. 24//21/2/2, 38//1/2, 38//2, 38//9, 38//10, 38//11, 37//15, 37//16, 38//12, 38//19, 38//20, 37//25, 38//21, 38//22, 43//1, 43//2, 44//4/2, 44//5 Village Suli Khera Bhattu Kalan Taluka, Bhattu Kalan District Fatehabad में (M/S. Goyal Industries Pvt Ltd) Grain Based Distillery for manufacturing & Storage of Absolute Ethanol के प्रस्तावित स्थल का मौका निरीक्षण किया गया। निरीक्षण के दौरान प्रस्तावित स्थल के ऊपर से कोई भी बिजली की तार नहीं गुजर रही और ना ही इसके आस-पास प्रतिबंधित क्षेत्र है व स्थल पर फायर गाड़ी आसानी से आ जा सकती है। उक्त स्थल पर Ethanol बनाने व स्टोरेज करने में इस कार्यालय को कोई आपत्ति नहीं है।

अतः आप महोदय से अनुरोध है कि भवन निर्माण उपरांत संचालक द्वारा Ethanol Production का कार्य शुरू करने से पूर्व दमकल केन्द्र कार्यालय से फायर फाइटिंग स्कीम की स्वीकृत करवाकर फायर अनापत्ति प्रमाण पत्र लेने हेतु निर्देशित करें। यदि उक्त अनुसार संचालक Industries शुरू करता है तो इस कार्यालय को कोई आपत्ति ना है।

(Handwritten Signature)

दमकल केन्द्र अधिकारी

Fire Station Officer
Fatehabad

प्रेषक

जिलाधीश, फतेहाबाद।

सेवा में

1. पुलिस अधीक्षक, फतेहाबाद।
2. उपमण्डल अधिकारी (ना0) फतेहाबाद।
3. कार्यकारी अभियन्ता, लोक निर्माण विभाग (भवन व सड़के), फतेहाबाद।
4. कार्यकारी अधिकारी, लोक निर्माण विभाग नैशनल हाईवे हिसार ~~जिल्हा~~
5. कार्यकारी अभियन्ता द0ह0वि0वि0 निगम लि0, फतेहाबाद।
6. क्षेत्रीय अधिकारी प्रदूषण नियन्त्रण बोर्ड, हिसार।
7. जिला राजस्व अधिकारी, फतेहाबाद।
8. जिला खादय एवं पूर्ति नियन्त्रक, फतेहाबाद।
9. जिला नगर योजनाकार, फतेहाबाद।
10. वन मण्डल अधिकारी, फतेहाबाद।
11. अग्निशमन अधिकारी, फतेहाबाद।
12. खण्ड विकास एवं पंचायत अधिकारी, ~~कलान~~

कमांक 165-176 / पी0एल0ए0 दिनांक 14/01/2022

Sub:- NOC to store Pet. Class A (ABSOLUTE ETHANOL) IN above ground tanks in our unit at village Suli Khera, Tehsil-Bhattu Kalan, Distt Fatehabad, 125053, Haryana

उपरोक्त विषय पर आपको अवगत करवाया जाता है कि M/s Goyal Distillery Pvt Limited ने अपने पत्र कमांक दिनांक 24.12.2021 द्वारा इस कार्यालय में प्रार्थना पत्र प्रस्तुत करके अनुरोध किया है कि वे Khasra No. 24//21/2/2, 38//1/2, 38//2, 38//9, 38//10, 38//11, 37//15, 37//16, 38//12, 38//19, 38//20, 37//25, 38//21, 38//22, 43//1, 43//2, 44//4/2, 44//5 village Suli Kalan, Bhattu Kalan, Taluka: Bhattu Kalan, District Fatehabad में Grain Based Distillery for manufacturing of Absolute Ethanol रिटेल आउटलेट स्थापित करना चाहते हैं। जिसके लिए उन्होंने अनापत्ति प्रमाण पत्र जारी करने बारे अनुरोध किया है।

अतः कम्पनी से प्राप्त प्रार्थना पत्र, प्रस्तावित जगह का नक्शा एवं प्रार्थना पत्र के साथ प्राप्त अनुलग्नकों आदि की छाया प्रति आपको साथ भेजकर अनुरोध है कि प्रस्तावित स्थल का मौका निरीक्षण करके अपनी आपत्ति/अनापत्ति रिपोर्ट शीघ्र इस कार्यालय में भिजवाने का कष्ट करें। मौका निरीक्षण के दौरान इस कार्यालय द्वारा जारी पत्र कमांक 252-72/पी.एल.ए. दिनांक 04.02.2020 में वर्णित सम्बन्धित बिन्दुओं को ध्यान में रखते हुए रिपोर्ट भेजी जाए।

सलग्न:- उपरोक्त।

कृते: जिलाधीश, फतेहाबाद।



भारत सरकार
Government of India

वाणिज्य और उद्योग मंत्रालय
Ministry of Commerce & Industry
पेट्रोलियम तथा विस्फोटक सुरक्षा संगठन (पेसो)
Petroleum & Explosives Safety Organisation (PESO)
पॉचवा तल, ए-ब्लॉक, सी.बी.ओ. कॉम्प्लेक्स, सेमिनरी हिल्स
नागपुर- 440006
5th Floor, A-Block, CGO Complex, Seminary Hills,
Nagpur - 440006

E-mail : explosives@explosives.gov.in
Phone/Fax No : 0712-2510243, Fax-2510577

संख्या /No : AP/HQ/MN/15/2439 (P526097)

दिनांक /Dated 31/12/2021

सेवा में /To,

M/s. GOYAL DISTILLERY PRIVATE LIMITED,
B-3,4,5 Focal Point, City Kotkapura,
Kotkapura,
Taluka: Kotkapura,
District: FARIDKOT
State: Punjab
PIN: 151204

विषय /Sub : Khasra No, 24/12/1/2/2, 38/1/2, 38/1/3, 38/1/10, 38/1/11, 37/1/15, 37/1/16, 38/1/12, 38/1/19, 38/1/20, 37/1/25, 38/1/21, 38/1/22, 43/1/1, 43/1/2, 44/1/2, 44/1/6, VILL.SULI KHERA, SULI KALAN, BHATTU KALAN, Taluka: BHATTU KALAN, District: FATEHABAD, State: Haryana, PIN: 125053 में प्रस्तावित पेट्रोलियम वर्ग A अतिस्थापन के अनुमोदन के संबंध में।
Proposed Petroleum Storage Class A Installation at Khasra No, 24/12/1/2/2, 38/1/2, 38/1/3, 38/1/10, 38/1/11, 37/1/15, 37/1/16, 38/1/12, 38/1/19, 38/1/20, 37/1/25, 38/1/21, 38/1/22, 43/1/1, 43/1/2, 44/1/2, 44/1/6, VILL.SULI KHERA, SULI KALAN, BHATTU KALAN, Taluka: BHATTU KALAN, District: FATEHABAD, State: Haryana, PIN: 125053 Approval Regarding.

महोदय /Sir(s),

कृपया आपके पत्र क्रमांक OIN966109 दिनांक 24/12/2021 का अवलोकन करें।
Please refer to your letter No. OIN966109 dated 24/12/2021

Drawing(s) nos. GDPL/2021 dated 24/11/2021, अनुमोदित किया जाता है तथा प्रत्येक और स्तंभ की एक प्रति विधिवत पृष्ठीकृत कर तोटाई जा रही है।
The Drawing(s) nos. GDPL/2021 dated 24/11/2021, GDPL/2021 dated 24/11/2021, showing the site and layout etc. of the specified installation is/are approved and one copy of the same is returned herewith in token of approval.

अग्रिम कार्रवाई हेतु इस कार्यालय को प्रेषित करें।

The following documents which are necessary in connection with the grant of a licence in Form XV of the Petroleum Rules, 2002 for the above installation may please be submitted to this office for further action in the matter.

1. प्रारूप (X/संलग्न) में विधिवत भरा हुआ एवं हस्ताक्षरित आवेदन।
An Application in Form IX (enclosed) duly filled in and signed.
2. पेट्रोलियम नियम 2002 के तहत ऑनलाइन आवेदन पोर्टल पर उपलब्ध ई-भुगतान सुविधा के माध्यम से अनुसूचित शुल्क ₹ 50000/- (प्रति वर्ष - अधिकतम 10 वर्ष तक) ऑनलाइन जमा किया जाना है।
A license fee of Rs. 50000/- (per year - maximum upto 10 years) to be submitted online through e-payment facility available on online application portal under petroleum Rules, 2002.
3. अनुमोदन की शर्तों को (यदि कोई हो) शामिल करते हुए तथा किसी भी इक करेक्शन के बिना, अधिकृत हस्ताक्षरकर्ता द्वारा विधिवत हस्ताक्षरित, अनुमोदित प्लान की ब्यू प्रिंट या सीएडी (CAD) प्रिंट में चार प्रतियाँ।
Four copies of the approved plans.
4. इस संगठन द्वारा मान्यता प्राप्त राक्षम व्यक्ति द्वारा उनके हस्ताक्षर के स्टैप सहित जारी पेट्रोलियम नियम 2002 के अंतर्गत नियम 130 और 126 में आवश्यक निर्धारित प्रारूप (संलग्न) में सेफ्टी और टेस्ट प्रमाण-पत्र।
Safety and Test Certificate required under rule 130 and 126 of the Petroleum Rules, 2002 (enclosed) issued by Competent person.
5. पेट्रोलियम नियम के नियम 144 के अंतर्गत जिला प्राधिकारी द्वारा जारी 'अनापत्ति प्रमाण-पत्र' की मूल प्रति तथा उनके द्वारा विधिवत हस्ताक्षरित एवं कार्यालय की मोहर लगा हुआ खर्च पत्र।
Original copy of 'No Objection Certificate' from the District Authority together with site plan duly endorsed by him with his office seal thereon.
6. इस कार्यालय से होनेवाले पत्राचार पर हस्ताक्षर करने के लिए अधिकृत व्यक्ति(यों)के नमूना हस्ताक्षर।
Specimen signature(s) of the person(s) authorised to sign the correspondence intended for this organisation.
7. Copy of Hazard Study & Risk Analysis Report.
8. Copy of On-Site Emergency Plan.
9. Copy of Safety Report under Rule 10 of MSJHC Rule, 1989.

जी.एस.आर. 519(E) दिनांक 05/06/2000 द्वारा भारत सरकार, पेट्रोलियम तथा प्राकृतिक गैस मंत्रालय द्वारा अधिसूचित आदेश 2000 के 'सॉल्वेंट, रेफिनेट तथा स्लॉप (अधिग्रहण, बिक्री, भंडारण और अंतर्नेत्रकृत में उपयोग की शर्तों) आवश्यकता/प्रावधान का कृपया पालन करें।

Please follow the requirement/provision of "Solvent, Raffinate and Slop (Acquisition, Sale, Storage & Prevention of use in Automobiles)" Order 2000 notified by Government of India, Ministry of Petroleum and Natural Gas vide G.S.R. 519 (E) dated 05/06/2000.

यह अनुमोदन/अनुमति अन्य प्राधिकरणों से आवश्यक अनुमति/वतीरस प्राप्त करने से या यथा लागू अन्य विधियों से छूट नहीं देती है।

This approval/permission, however, does not absolve from obtaining necessary permission/clearance from other authorities or under other statutes as applicable.

भवदीय /Yours faithfully,

(एस. डी. मिश्रा)
(Shivchandra D. Mishra)
विस्फोटक नियंत्रक
Controller of Explosives
कृते मुख्य विस्फोटक नियंत्रक
For Chief Controller of Explosives
नागपुर/Nagpur

Note:-This is system generated document does not require signature.
(अधिक जानकारी जैसे आवेदन की स्थिति, शुल्क तथा अन्य विवरण के लिए हमारी वेबसाइट : <http://peso.gov.in> देखें)
(For more information regarding status, fees and other details please visit our website: <http://peso.gov.in>)

Digitally signed by SHIVCHANDRA D MISHRA
Reason: Approval No. : AP/HQ/MN/15/2439
Location: Nagpur [P526097]
Date: 2021.12.31 12:07:33 +05:30



Eco Paryavaran Laboratories & Consultants Pvt. Ltd.

TEST REPORT



TC-11818

ULR No : NA		Test Report No : NAAL101125NA139	
Type of Sample # : Ambient Air		Date of reporting : 15/11/2025	
Reference Type : Email		Reference No : Dt.: 25/09/2025	
Customer #	Grain Based ethanol plant by Goyal Distillery Private Limited, At Village Suli Khara Tehsil Bhattu Kalan District Fatehabad.		
Sampling Protocol	IS 5182, EL-MSP-7.3	Mode of Collection of Sample	Sample collected by Laboratory Mr. Vishal Kumar
Period of Sampling	09/11/2025 - 10/11/2025	Date of Receipt of Sample	10/11/2025
Sampling Location	At Project Site	Period of Analysis	10/11/2025 - 15/11/2025
Standard/Specifications	National Ambient Air Quality: G.S.R.No.B-29016/20/90/PCI-L dated 18 Nov, 2009	Environmental Condition	Clear Sky
Testing Location	On Site & Permanent Facility		

RESULTS


1. Chemical Testing

I. Atmospheric Pollution (Ambient Air)

Sr.No	Test Parameter	Unit	Result	Standard	Test Method
1	Respirable Suspended Particulate Matter (PM10)	µg/m ³	93	100(max.)	IS 5182 (Part 23)
2	Particulate Matter (PM2.5)	µg/m ³	48	60(max.)	IS 5182 (Part 24)
3	Sulphur Dioxide as SO ₂	µg/m ³	27	80(max.)	IS 5182 (Part 2)
4	Nitrogen Dioxide (NO ₂)	µg/m ³	25	80(max.)	IS 5182 (Part 6)
5	Ammonia as NH ₃	µg/m ³	24	400(max.)	IS 5182 (Part 25)
6	Ozone as O ₃	µg/m ³	19	180(max.)	IS 5182 (Part 9)
7	Carbon Monoxide as CO	mg/m ³	0.73	4(max.)	IS 5182 (Part 10) NDIR method

Remarks : NA

End of Report


 Mr. Umesh Kumar
 Authorized Signatory- Chemical

EL-FMT-7.8.2 -AA

Page No.1/2

TEST REPORT



ULR No : NA	Test Report No : NAAL101125NA139
Type of Sample # : Ambient Air	Date of reporting : 15/11/2025

OTHER INFORMATION

Abbreviation & Symbol : # Information provided by customer. ULR: Unique Lab Report, BDL: Below Detection Level, NA: Not Applicable
Terms & Conditions :

1. The results relate only to the items tested.
2. Giving opinions does not imply endorsement of the tested product by laboratory. Under no circumstances, laboratory accepts any liability caused by use or misuse of Test Report.
3. The Test Report shall not be reproduced except in full or part or used as advertisement or evidence in court of law without written approval of the laboratory. Samples drawn under special circumstances like legal cases, the customer must declare the same at the time of submission.
4. Complaint log book is with Quality Cell. Contact No. (M) 91 8872 04 3135, Phone 91 172 4616 225 Email: quality@ecoparyavaran.org
5. The samples tested may be preserved for a period but not exceeding 7 days from date of reporting, unless otherwise specifically desired by the customer or regulatory authorities. However, depending upon the nature of samples and effect of preservation the test results of preserved samples may vary. Laboratory also does not assume any responsibility in the test results of samples kept on hold for want of clarification.
6. All disputes are subjected to jurisdiction of Mohali (Punjab) India and maximum liability of the laboratory does not exceed the testing and sampling charges.
7. In case where sample is provided by the customer, the reported results shall apply to the sample as received.

Mr. Umesh Kumar
Authorized Signatory- Chemical

EL-FMT-7.8.2 -AA

Page No.2/2

TEST REPORT



ULR No : NA		Test Report No : NANL101125NA140	
Type of Sample # : Ambient Noise		Date of reporting : 15/11/2025	
Reference Type : Email		Reference No : Dt.: 25/09/2025	
Customer Name #	Grain Based ethanol plant by Goyal Distillery Private Limited		
Address #	At Village Suli Khera Tehsil Bhattu Kalan District Fatehabad.		
Sampling Protocol	IS 9989, EL-MSP-7.3	Mode of Collection of Sample	Sample collected by Laboratory Mr. Vishal Kumar
Period of Sampling	09/11/2025 - 09/11/2025	Date of Receipt of Sample	10/11/2025
Sampling Location	Refer Below	Period of Analysis	10/11/2025 - 11/11/2025
Standard/Specifications	EPA 1986 Schedule-III	Environmental Condition	-
Testing Location	On Site & Permanent Facility		

RESULTS

I. Chemical Testing

1. Atmospheric Pollution(Ambient Noise Levels)

Sr.No	Location	Unit	Result (Day)	Test Method
1	At Project Site	dB(A)	72.0	EL-QTM-11


Ambient Noise Quality Standards as per Noise Pollution (Regulation and Control) Rules, 2000

Area Code	Category of Area/Zone	Limits in dB(A) Leq* Day Time	Limits in dB(A) Leq* Night Time
A	Industrial Area	75	70
B	Commercial Area	65	55
C	Residential Area	55	45
D	Silence Zone	50	40

Day time shall mean from 6.00 a.m. to 10.00 p.m., Night time shall mean from 10.00 p.m. to 6.00 a.m., Silence zone is an area comprising not less than 100 meters around hospitals, educational institutions, courts, religious places or any other area which is declared as such by the competent authority, Mixed categories of areas may be declared as one of the four above mentioned categories by the competent authority. *dB(A) Leq denotes the time weighted average of the level of sound in decibels on scale 'A' which is relatable to human hearing

Remarks : NA

End of Report



Mr. Umesh Kumar
Authorized Signatory- Chemical
EL-FMT-7.8.2-AN

Page No.1/2

TEST REPORT



ULR No : NA

Test Report No : NANL101125NA140

Type of Sample # : Ambient Noise


Date of reporting : 15/11/2025

OTHER INFORMATION

Abbreviation & Symbol : # Information provided by customer. ULR: Unique Lab Report, BDL: Below Detection Level, NA: Not Applicable
Terms & Conditions :

1. The results relate only to the items tested.
2. Giving opinions does not imply endorsement of the tested product by laboratory. Under no circumstances, laboratory accepts any liability caused by use or misuse of Test Report.
3. The Test Report shall not be reproduced except in full or part or used as advertisement or evidence in court of law without written approval of the laboratory. Samples drawn under special circumstances like legal cases, the customer must declare the same at the time of submission.
4. Complaint log book is with Quality Cell. Contact No. (M) 91 8872 04 3135, Phone 91 172 4616 225 Email: quality@ecoparyavaran.org
5. The samples tested may be preserved for a period but not exceeding 7 days from date of reporting, unless otherwise specifically desired by the customer or regulatory authorities. However, depending upon the nature of samples and effect of preservation the test results of preserved samples may vary. Laboratory also does not assume any responsibility in the test results of samples kept on hold for want of clarification.
6. All disputes are subjected to jurisdiction of Mohali (Punjab) India and maximum liability of the laboratory does not exceed the testing and sampling charges.
7. In case where sample is provided by the customer, the reported results shall apply to the sample as received.

Mr. Umesh Kumar
Authorized Signatory- Chemical



EL-FMT-7.8.2-AN

Page No.2/2

TEST REPORT



ULR No : NA		Test Report No : NGWL101125NA141	
Type of Sample # : Ground Water			
Reference Type : Email		Reference No : Dt.: 25/09/2025	
Customer Name #	Grain Based ethanol plant by Goyal Distillery Private Limited		
Address #	At Village Suli Khera Tehsil Bhattu Kalan District Fatehabad.	Period of Sampling	09/11/2025 - 09/11/2025
Sampling Protocol	IS 17614 (Part 1), EL-MSP-7.3	Date of Receipt of Sample	10/11/2025
Sample Collection Mode	Sample collected by Laboratory Mr. Vishal Kumar	Period of Analysis	10/11/2025 - 15/11/2025
Testing Location	On Site & Permanent Facility	Date of reporting	15/11/2025
Sampling Location	From Borewell (Near Project Site)		
Sample Description	Colourless liquid.		
Standard/Specifications	IS 10500 : 2021		
Packing, Markings, Seal & Qty.	PE Bottle-1 litre (G/09/01A), Glass Bottle-1 litre (G/09/01B), Glass Bottle-500ml (G/09/01C) & PE Bottle-500ml (G/09/01D)		

RESULTS

1. Chemical Testing

I. Water (Ground Water)

Sr.No	Test Parameter	Unit	Result	Acceptable Limit	Permissible Limit in Absence of Alternate Source	Test Method
1	Colour	CU	BDL (1)	5(Max.)	15(Max.)	IS 3025 Part-4 Cl 2.0
2	Odour	-	Agreeable	Agreeable	Agreeable	IS 3025 Part 5
3	pH @ 25°C	-	7.33	6.5-8.5	No relaxation	IS 3025 Part 11
4	Taste	-	Agreeable	Agreeable	Agreeable	IS 3025 Part 8
5	Chloride as Cl	mg/l	17	250(Max.)	1000(Max.)	IS 3025 (Part 32)
6	Total Hardness as CaCO ₃	mg/l	177	200(Max.)	600(Max.)	IS 3025 (Part 21)
7	Turbidity	NTU	BDL (0.1)	1(Max)	5(Max)	IS 3025 Part 10



Mr. Mukesh Chand Agarwal
Authorized Signatory- Chemical

EL-FMT-7.8.2-W



Ms. Lata Thakur
Authorized Signatory - Biological

Page No.1/2

TEST REPORT



TC-11818

ULR No : NA	Test Report No : NGWL101125NA141
Type of Sample # : Ground Water	

2. Residue & Contaminants in Water

II. Water (Ground Water)

Sr.No	Test Parameter	Unit	Result	Acceptable Limit	Permissible Limit in Absence of Alternate Source	Test Method
1	Iron as Fe	mg/l	0.014	1.0(Max.)	No Relaxation	USEPA 3015A

3. Biological Testing

III. Water (Ground Water)

Sr.No	Test Parameter	Unit	Result	Acceptable Limit	Permissible Limit in Absence of Alternate Source	Test Method
1	Total Coliform	MPN/100ml	<2	-	-	IS 1622 (3.3.1)
2	E.coli.	MPN/100ml	<2	-	-	IS 1622 (3.3.4)

Remarks : <2 is equal to absent (Total Coliform & E.coli.)

End of Report

OTHER INFORMATION

Abbreviation & Symbol : # Information provided by customer. ULR: Unique Lab Report, BDL: Below Detection Level, NA: Not Applicable
Terms & Conditions :

1. The results relate only to the items tested.
2. Giving opinions does not imply endorsement of the tested product by laboratory. Under no circumstances, laboratory accepts any liability caused by use or misuse of Test Report.
3. The Test Report shall not be reproduced except in full or part or used as advertisement or evidence in court of law without written approval of the laboratory. Samples drawn under special circumstances like legal cases, the customer must declare the same at the time of submission.
4. Complaint log book is with Quality Cell. Contact No. (M) 91 8872 04 3135, Phone 91 172 4616 225 Email: quality@ecoparyavaran.org
5. The samples tested may be preserved for a period but not exceeding 7 days from date of reporting, unless otherwise specifically desired by the customer or regulatory authorities. However, depending upon the nature of samples and effect of preservation the test results of preserved samples may vary. Laboratory also does not assume any responsibility in the test results of samples kept on hold for want of clarification.
6. All disputes are subjected to jurisdiction of Mohali (Punjab) India and maximum liability of the laboratory does not exceed the testing and sampling charges.
7. In case where sample is provided by the customer, the reported results shall apply to the sample as received.

Mr. Mukesh Chand Agarwal
Authorized Signatory- Chemical

Ms. Lata Thakur
Authorized Signatory - Biological

TEST REPORT



ULR No : NA		Test Report No : NSL101125NA142	
Type of Sample # : Soil/Sediments			
Reference Type : Email		Reference No : Dt.: 25/09/2025	
Customer Name #	Grain Based ethanol plant by Goyal Distillery Private Limited		
Address #	At Village Suli Khera Tehsil Bhattu Kalan District Fatehabad.	Period of Sampling	09/11/2025 - 09/11/2025
Sampling Protocol	USEPA/600/R-92/128, EL-MSP-7.3	Date of Receipt of Sample	10/11/2025
Sample Collection Mode	Sample collected by Laboratory Mr. Vishal Kumar	Period of Analysis	10/11/2025 - 15/11/2025
Testing Location	Permanent Facility	Date of reporting	15/11/2025
Sampling Location	From Project Site		
Sample Description	Brown coloured soil.		
Standard/Specifications	Manual- Dept. of Agriculture (Gol); 2011		
Packing, Markings, Seal & Qty.	10kg Polybag Marked (FG/09/01)		

RESULTS

1. Chemical Testing

I. Pollution & Environment (Soil/Sediments)

Sr.No	Test Parameter	Unit	Result	Test Method
1	Conductivity @25°C	ms/m	0.341	IS 14767
2	Organic Matter	%	1.15	IS 2720 (Part 22)
3	pH	-	7.92	IS 2720 (Part 26)
4	Moisture Content	%	6.7	IS 2720 (Part 2)-Sec 1
5	Texture	-	Sandy Loam	IS 2720 (Part 4) CI 2.4 IS 1498
6	Bulk Density	g/cc	1.56	IS 2720 (Part 28)
7	Sand	%	72	EL-QTM-12
8	Silt	%	11	EL-QTM-12
9	Clay	%	17	EL-QTM-12

Remarks : NA

End of Report


 Mr. Mukesh Chand Agarwal
 Authorized Signatory- Chemical

EL-FMT-7.8.2-S

Page No.1/2

TEST REPORT



ULR No : NA

Test Report No : NSL101125NA142

Type of Sample # : Soil/Sediments

OTHER INFORMATION

Abbreviation & Symbol : # Information provided by customer. ULR: Unique Lab Report, BDL: Below Detection Level, NA: Not Applicable

Terms & Conditions :

1. The results relate only to the items tested.
2. Giving opinions does not imply endorsement of the tested product by laboratory. Under no circumstances, laboratory accepts any liability caused by use or misuse of Test Report.
3. The Test Report shall not be reproduced except in full or part or used as advertisement or evidence in court of law without written approval of the laboratory. Samples drawn under special circumstances like legal cases, the customer must declare the same at the time of submission.
4. Complaint log book is with Quality Cell. Contact No. (M) 91 8872 04 3135, Phone 91 172 4616 225 Email: quality@ecoparyavaran.org
5. The samples tested may be preserved for a period but not exceeding 7 days from date of reporting, unless otherwise specifically desired by the customer or regulatory authorities. However, depending upon the nature of samples and effect of preservation the test results of preserved samples may vary. Laboratory also does not assume any responsibility in the test results of samples kept on hold for want of clarification.
6. All disputes are subjected to jurisdiction of Mohali (Punjab) India and maximum liability of the laboratory does not exceed the testing and sampling charges.
7. In case where sample is provided by the customer, the reported results shall apply to the sample as received.



Mr. Mukesh Chand Agarwal
Authorized Signatory- Chemical

EL-FMT-7.8.2-S

Page No.2/2

Goyal Distillery Private Limited

"a step towards green planet"



REF. NO. : GDPL – 25/26-03/PC
DATED : 15-05-2025

To,
The Environmental Engineer,
Haryana Pollution Control Board,
Regional Office, Fatehabad.



SUBJECT: Submission of Form - V for the year ending 31st March 2025.

Dear Sir,

Please find attached herewith Form - V i.e. Environmental Statement for the financial year 31st March 2025 (2024-25) for your kind information & record. Please kindly acknowledge receipt for the same.

Thanking you.

Your's faithfully,
For Goyal Distillery Private Limited

Nayneet
Nayneet Kumar
Authorized Signatory

15/05/2025
pg. attached 6 nos

Encl.: As Above

सार्वजनिक सूचना

सर्वसाधारण को सूचित किया जाता है कि केन्द्रीय पर्यावरण, वन एवं जलवायु परिवर्तन मंत्रालय, इंदिरा पर्यावरण भवन, जोर बाग रोड़ अलीगंज, नई दिल्ली 110003 द्वारा मैसर्स गोयल डिस्टीलरी प्राइवेट लिमिटेड को इनके आगामी प्लांट क्षमता 250KLPD खाद्यान्न आधारित इथेनॉल डिस्टीलरी जिसका इस्तेमाल भारत सरकार द्वारा पेट्रोल में ब्लेंडिंग के लिए स्वीकृत है तथा इसके लिए 6MW के पावर प्लांट गांव सूलीखेड़ा, तहसील भट्टूकलां, जिला फतेहाबाद, हरियाणा-125053 को EC Identification No. EC 22A060HR131248 दिनांक 04 मार्च 2022 के तहत पर्यावरण मंजूरी प्रदान की गई है। पर्यावरण स्वीकृति दस्तावेज की कापी हरियाणा सरकार प्रदूषण नियंत्रण बोर्ड और केन्द्रीय पर्यावरण, वन एवं जलवायु परिवर्तन मंत्रालय की वेबसाइट <http://www.envfr.nic.in> पर उपलब्ध है।

मै. गोयल डिस्टीलरी प्राइवेट लिमिटेड (GDPL)
 कार्पोरेट कार्यालय :- B-3, 4, 5, फोकल पाइंट
 कोटकपूरा, जिला फरीदकोट, पंजाब (151204) फोन:9814725759

Available Courses / Options
 8001905321

International Call
 Mohali Contact &
 Seema Kapoor 9814725759
 Direct.com

code of login to
 esgroup.com

tender & notices

PUBLIC NOTICE

Public Notice

This is to inform the general public that M/s Goyal Distillery Private Limited (GDPL) has been accorded Environment Clearance by the Ministry of Environment, Forest and climate Change, Government of India, Indira Paryavaran Bhawan, Jor Bagh Road, Aliganj, New Delhi-110003 for its upcoming plant with production capacity of 250 KLPD Grain based distillery for manufacturing of Ethanol to be Blended in Petrol as per Government of India Ethanol blending program alongwith 6.0 MW cogeneration Power Plant at village Suli-Khera, Tehsil Bhattu Kalan, Distt. Fatehabad, Haryana (125053) vide EC identification No. EC22A060HR131248 Dated: 4/March/2022. Copy of clearance letter is available with Haryana State Pollution Control Board and may also be seen at the website of Ministry of Environment, Forest and climate change at <http://www.envfor.nic.in>

M/s Goyal Distillery Private Limited (GDPL)
 Corporate Office :
 B-3,4,5 Focal Point,
 Kotkapura, Distt. Faridkot,
 Punjab (151204)
 Contact : 98147-25759

mb
 agicbricks

IF GOD WISHES,
 LET ANYONE'S L
 MASTER OF 7 ILS
 BABA KAMALU
 BANGALI
 Great Inter-
All Problem
 Love Marriage, L
 Family Disputa
 Husband and w
 Relief Sauts
 Modeling, M

Three Generat
A to Z Probl
 Show by n
 ITS-my C
75005

INDI
 &
 nr. Int
 an
 99
 DN

355

PROJECT PHOTOGRAPHS



General Other Fee Product W Comp./Disch. Air Emission HWM Documents

Category:

Fee Details

Capital Investment (Rs in Lakhs):

17 RED

Number of Years:

22643.09

Total Fee Applied

0

0.00 ₹

Consent Fee Details

Fee For

Amount(In Rs.)

Total Fee : ₹

Scanned Copy of Fee Details :

Challan Form

Receipt No.	113430325
Depositor Name	Aman Goyal
Bank Name.	NA
Bank Id.	1540
Application No.	85031593
Name and Address of Industry	Goyal Distillery Private Limited, Village Suli Khera, Bhattu Kalan, District Fatehabad, Haryana , Fatehabad, FATEHABAD
Name of Regional Office	
Applied For	CTE - Air/Water - expan
Payment Date	2024-11-12 14:52:40.146
Payment Details	
Total Amount Paid (Rs.)	420000.0
Transaction Status	Successfully Completed

Site designed, Hosted by National Informatics Center

Content Owned, Updated and Maintained by Haryana State Pollution Control Board



HARYANA STATE POLLUTION CONTROL BOARD



HSPCB

Regional Office Fatehabad, Haryana State Pollution Control Board, Bays no B-7,8 , Urban Estate-II, Hisar-125005".Email:-hspcbrotfb@gmail.com

Website: www.hrocmmms.nic.in E-Mail - Hqhspcb@hspcb.org.in

Telephone No.: 0172-2577870-73

No. HSPCB/Consent/ : 313106524FATCTE85031593

Dated:15/12/2024

To.

M/s : Goyal Distillery Private Limited
Village Suli Khera, Bhattu Kalan, District Fatehabad, Haryana
FATEHABAD
125053

Sub. : Grant of consent to Establish to M/s Goyal Distillery Private Limited

Please refer to your application no. 85031593 received on dated 2024-11-12 in regional office Fatehabad.

With reference to your above application for consent to establish, M/s Goyal Distillery Private Limited is here by granted consent as per following specification/Terms and conditions.

Consent Under	AIR/WATER
Period of consent	15/12/2024 - 14/12/2026
Industry Type	Distillery (molasses / grain / yeast based)
Category	RED
Investment(In Lakh)	22643.0
Total Land Area (Sq. meter)	63500.0
Total Builtup Area (Sq. meter)	30000.0
Quantity of effluent	
1. Trade	1174.0 KL/Day
2. Domestic	20.0 KL/Day
Number of outlets	2.0
Mode of discharge	
1. Domestic	Treated through STP
2. Trade	TREATED THROUGH ETP
Permissible Domestic Effluent Parameters	
1. BOD	10 mg/l
2. COD	50 mg/l
3. TSS	20 mg/l
4. pH 6.5 TO 8	
5. Oil and Grease	10 mg/l
Permissible Trade Effluent Parameters	

1. BOD	30 mg/l
2. COD	250 mg/l
3. TSS	100 mg/l
4. Oil and Grease	10 mg/l
5. Ph 6.5 to 8.5	
Number of stacks	1
Height of stack	
1. Stack of 02 nos Boiler capacity 30 TPH each	55 MTR
Permissible Emission parameters	
1. SPM	50 mg/m ³
Capacity of boiler	
1. Boiler 01	30 Ton/hr
2. Boiler 2	30 Ton/hr
Type of Furnace	
1. NA	
Type of Fuel	
1. Rice Straw and other Bio mass	350 TPD

HARYANA STATE

Regional Officer, Fatehabad

Haryana State Pollution Control Board.

Terms and conditions

1. The industry has declared that the quantity of effluent shall be 1198 KL/Day i.e 1178KL/Day for Trade Effluent, 0 KL/Day for Cooling, 20 KL/Day for Domestic and the same should not exceed .
2. The above 'Consent to Establish' is valid for 24 months from the date of its issue to be extended for another one year at the discretion of the Board or till the time the unit starts its trial production whichever is earlier. The unit will have to set up the plant and obtain consent during this period.
3. The officer/official of the Board shall have the right to access and inspection of the industry in connection with the various processes and the treatment facilities being provided simultaneously with the construction of building/machinery. The effluent should conform the effluent standards as applicable
4. That necessary arrangement shall be made by the industry for the control of Air Pollution before commissioning the plant. The emitted pollutants will meet the emission and other standards as laid/will be prescribed by the Board from time to time.
5. The applicant will obtain consent under section 25/26 of the Water (Prevention & Control of Pollution) Act, 1974 and under section 21/22 of the Air (Prevention & Control of Pollution) Act, 1981 as amended to-date-even before starting trial production
6. The above Consent to Establish is further subject to the conditions that the unit complies with all the laws/rules/decisions and competent directions of the Board/Government and its functionaries in all respects before commissioning of the operation and during its actual working strictly.
7. No in-process or post-process objectionable emission or the effluent will be allowed, if the scheme furnished by the unit turns out to be defective in any actual experience

8. The Electricity Department will give only temporary connection and permanent connection to the unit will be given after verifying the consent granted by the Board, both under Water Act and Air Act.
9. Unit will raise the stack height of DG Set/Boiler as per Board's norms.
10. Unit will maintain proper logbook of Water meter/sub meter before/after commissioning.
11. That in the case of an industry or any other process the activity is located in an area approved and that in case the activity is sited in an residential or institutional or commercial or agricultural area, the necessary permission for siting such industry and process in an residential or institutional or commercial or agricultural area or controlled area under Town and Country Planning laws CLU or Municipal laws has to be obtained from the competent Authority in law permitting this deviation and be submitted in original with the request for consent to operate.
12. That there is no discharge directly or indirectly from the unit or the process into any interstate river or Yamuna River or River Ghaggar.
13. That the industry or the unit concerned is not sited within any prohibited distances according to the Environmental Laws and Rules, Notification, Orders and Policies of Central Pollution control Board and Haryana State Pollution Control Board.
14. That of the unit is discharging its sewage or trade effluent into the public sewer meant to receive trade effluent from industries etc. then the permission of the Competent Authority owing and operating such public sewer giving permission letter to his unit shall be submitted at time of consent to operate.
15. That if at any time, there is adverse report from any adjoining neighbor or any other aggrieved party or Municipal Committee or Zila Parishad or any other public body against the unit's pollution; the Consent to Establish so granted shall be revoked.
16. That all the financial dues required under the rules and policies of the Board have been deposited in full by the unit for this Consent to Establish.
17. In case of change of name from previous Consent to Establish granted, fresh Consent to Establish fee shall be levied.
18. Industry should adopt water conservation measures to ensure minimum consumption of water in their process. Ground water based proposals of new industries should get clearance from Central Ground Water Authority (CGWA)/ Haryana Water Resources (Conservation, Regulation and Management) Authority (HWRA) for scientific development of precious resource
19. That the unit will take all other clearances from concerned agencies, whenever required.
20. That the unit will not change its process without the prior permission of the Board.
21. That the Consent to Establish so granted will be invalid, if the unit falls in Aravali Area or non conforming area.
22. That the unit will comply with the Hazardous Waste Management Rules and will also make the non-leachate pit for storage of Hazardous waste and will undertake not to dispose off the same except for pit in their own premises or with the authorized disposal authority.
23. That the unit will submit an undertaking that it will comply with all the specific and general conditions as imposed in the above Consent to Establish within 30 days failing which Consent to Establish will be revoked.
24. That unit will obtain EIA from MoEF, if required at any stage.
25. In case of unit does not comply with the above conditions within the stipulated period, Consent to Establish will be revoked.

26. That unit will obtain consent to operate from the board before the start of product activity.
27. The industrial/non industrial sector projects shall develop green belt (as applicable) in its premises including periphery, entry and exit, as per notifications/conditions of EC/directions of MOEF/CPCB/SPCB/NGT/ any court of law. In case of stone crushers, hot mix plants, mineral grinding units, screening plants and brick kilns etc., the unit shall develop adequate green belt and erect barrier/barricade/boundary wall as applicable, as per notifications/directions of MOEF/CPCB/SPCB/NGT/ any court of law.
28. The unit shall develop paved or hard surfaced approach road to the site of unit (including the storage site, if it is at different place) from the nearest public road for transportation of raw material/final product.

Specific Conditions

Other Conditions :

1. The unit will obtain the CTO before starting the production. 2. The unit will reuse all the treated trade effluent in-process and treated domestic effluent in horticulture. 3. Unit will make strict compliance with all the conditions of Environment Clearance. 4. If fails to comply with the provisions of said CTE, the CTE so granted shall be revoked automatically without giving any notice.

SUNIL KUMAR SHEORAN
Digitally signed by SUNIL KUMAR SHEORAN
Date: 2024.12.15 14:24:47
+05'30'

Regional Officer, Fatehabad

HARYANA STATE

Haryana State Pollution Control Board.

Goyal Distillery Private Limited

"a step towards green planet"



To

Gram Panchayat,

Village - Suli Khera, Tehsil - Bhattu Kalan,

Fatehabad, Haryana

Subject - Intimation for grant of Environmental Clearance by SEIAA.

Sir,

It is for your information that we are going to install 250 KLPD Grain based Ethanol Plant with 6.0 MW cogeneration plant. In this regard we have applied for environmental clearance and the State Environmental Impact Assessment Authority (SEIAA) has given clearance through EC identification number **EC22A060HR131248** dated 04.03.2022 (copy attached). This is for your information and record please.

Thanking you,

Sincerely,

M/s Goyal Industries

सरपंच
ग्राम - लीखेड़ा
खण्ड भद्र कला (फतेहाबाद)

Enclosed: Copy of Environmental Clearance Letter

सरपंच *Gurmeet Kauri*
ग्राम - लीखेड़ा
खण्ड भद्र कला (फतेहाबाद)