



Svaksha
DISTILLERY LIMITED

Regd. Office & Works :

Dakshin Simla, DAG No. 1288(P), JL-355, B.O. Changual,
P.S. Kharagpur (Local), Kharagpur Midnapore -721301(WB)

Ph No.: +91 81001-08318

E-mail: info@svaksha.co.in

Web: www.svaksha.co.in

CIN No. U74900WB2014PLC202126

Date: 26.05.2026

To
The Joint Director,
Inspector General of Forests,
Ministry of Environment, Forest and Climate Change,
Integrated Regional Office,
Kolkata IB – 198, Sector-III, Salt Lake City,
Kolkata - 700106.
(Mail id: iro.kolkata-mefcc@gov.in)

Subject: Submission of Six Monthly Compliance Report for period ending 30.09.2025 for Grain based Distillery Plant to 350 KLPD and 10 MW co-generation power plant by M/s Svaksha Distillery Limited located at Village Dakshin Simla, Police Station Kharagpur, Distt. West Medinipur, West Bengal.

Sir,

With reference to the EIA Notification & its amendments regarding submission of six monthly compliance report, we are hereby submitting the six monthly compliance report for period ending 31.03.2026 for the above said project in soft copy through e-mail for your perusal.
Kindly, acknowledge the receipt of the same.

Thanking you
Sincerely,
For M/s Svaksha Distillery Limited

(Authorized Signatory)
Name: Satayendra Singh Tomar
Contact No.: 9815015700
Designation: Executive Director
E-mail: ed@svaksha.co.in



CC:

- **The Environmental Engineer,** Regional Office, West Bengal Pollution Control Board
- **The Member Secretary,** West Bengal Pollution Control Board, Paribesh Bhawan, Kolkata

HEAD OFFICE :

Premises: BCL Industries Limited, Hazi Rattan Link Road, Bathinda-151005 PB

Ph No.: 0164-2240163

E: bcl@mittalgroup.co.in

2026

SIX MONTHLY COMPLIANCE REPORT (Period ending 31.03.2026)

**For
Grain based Distillery Plant of 350 KLPD and 10
MW co-generation power plant**

**Project by:
M/s Svaksha Distillery Limited**
Located at Village Dakshin Simla, Dag:1288(P),
Jl-355, P.S. Kharagpur, P.O. Changua, Dist.
Paschim Medinipur, West Bengal, 721301

Prepared by:



**Eco Paryavaran Laboratories and Consultants
Private Limited**

E-207, Industrial Area, Phase-VIIIB (Sector-74), Mohali (SAS Nagar),
Punjab 160071

Tele No.: 0172-4616225 **email:** compliance@ecoparyavaran.org

M: 098140-03103, 088720-43178

www.ecoparyavaran.org

CONTENT

S. No	Description	Page No.
1.	Data sheet	1
2.	Compliance of Environmental Clearance Conditions	4
Annexure		
A-1(a)	Copy of Environment Clearance Letter dated 14 /11/2022	12
A-1(b)	Copy of Environment Clearance Letter dated 22/02/2017	22
A-2	Project photographs	27
A-3	Completion Certificate of 100 KLPD Ethanol Plant	32
A-4	Permission for ground water from Water Resources Investigation and Development Department, West Bengal	33
A-5	Copy of CSR receipts	34
A-6	Test reports	51
A-7	Environment Management Cell	69
A-8	Newspaper Advertisement	70
A-9	Copy of Consent to Establish obtained from Pollution Board	72
A-10	Hazardous Waste Record	77
A-11	CTO regarding 350KLD production	79
A-12	No Increase in Pollution Load Certificate	84
A-13	E-mail regarding previous compliance submission	85

Ministry of Environment, Forest and Climate Change,
Integrated Regional Office, Kolkata

DATA SHEET

1.	Project Type	Distillery Unit
2.	Name of the Project	350 KLPD Grain based Distillery Plant and 10 MW co-generation power plant by M/s Svaksha Distillery Limited
3.	Clearance letter (s) O.M. No. & Date	Environment Clearance granted by MoEF&CC vide EC Identification No. EC22A060WB159657 dated 14.11.2022; copy of the same is attached along as Annexure 1(a) . Earlier EC granted by MoEF&CC vide File No. J-11011/259/2015-IA.(II) (I) dated 22.02.2017; copy of the same is attached along as Annexure 1(b) .
4.	Location	Village Dakshin Simla, Police Station Kharagpur
a)	District(s)	West Medinipur
b)	State (s)	West Bengal
5.	Address for correspondence	M/s BCL Industries Ltd. (Formerly known as BCL Industries and Infrastructure Ltd.) Hazi Ratan Link Road, Bathinda (151001), Punjab
6.	Salient features	
a)	Of the Project	As per the Environmental Clearance (EC) letter, the proposed expansion was for enhancement of Grain Based Distillery capacity from 200 KLPD to 300 KLPD by installation of an additional 100 KLPD Fuel Ethanol Plant. Subsequently, the project proponent obtained No Increase in Pollution Load (NIPL) Certificate from the competent authority, pursuant to which the production capacity was enhanced to 250 KLPD and Consent to Operate (CTO) for the same was also granted by the concerned authority (attached as Annexure-11). Further, the proposed 100 KLPD Fuel Ethanol Plant has since been installed and the total Grain Based Distillery capacity of 350 KLPD is presently established and fully operational. The total plot area of the project is 11.26 hectares .
b)	Of the environment	As per the Environmental Clearance letter, the total water requirement after expansion will be 1,672 m ³ /day which will be met through ground water. Permission has been obtained from Water Resources Investigation and Development Department, West Bengal for ground water quantity of 1,750 m ³ /day.

		Total 598 m³/day of condensates including spent lees will be generated. Out of this, 340 m³/day will be directly used in the process of slurry preparation. Remaining condensates @ 258 m³/day will be treated in condensate polishing unit and reused for cooling tower makeup water. Effluent from misc. stream will be 84 m³/day which will be treated in ETP and treated water effluent will be reused/recycled for industrial process. The plant will be based on Zero Liquid Discharge System and no effluent/treated water will be discharged outside of the project premises. The total power requirement after the expansion will be 9,000 KVA and will be met from in-house co-generation power plant. Existing project has 2 DG sets of capacity 1,000 KVA as a source of power backup in case of power failure.
7.	Breakup of the Project Area	
	a) Submergence forest area and non-forest area	Not applicable
	b) Others	Not applicable
8.	Break up of project affected population with enumeration of those losing houses/ dwelling units only, agricultural land only both dwelling units and agricultural land and landless laborers/ land landless laborers/ artisans.	Not applicable
	a) SC/ST/ Adivasis	Not applicable
	b) Others	Not applicable
9.	Financial details	
a)	Project cost as originally planned and subsequent revised estimates and the year of price reference.	Rs. 50 Crores as per EC Letter for proposed expansion.
b)	Allocations made for environmental management plan with item wise and year wise break up.	As per EC Letter, Rs. 6 Crores are earmarked towards capital cost and Rs. 1.5 Crores towards recurring cost per annum for implementation of environmental management plan.
c)	Benefit cost ratio/ Internal rate of return and year of assessment.	Will be calculated and submitted separately.
d)	Whether (c) includes the cost of environmental management as shown in (b) above.	Yes, the cost benefit ratio will be worked out considering the cost of environment management.

e)	Actual expenditure incurred on the project so far.	Overall Rs. 102,28,10,000/- have been spent on the project till 31.03.2026, including expansion and Installation of a solvent plant.
f)	Actual expenditure incurred on the environmental management plans so far.	Approximately Rs. 21.25 crore has been incurred towards implementation of Environmental Management Plan (EMP). Further expenditure towards environmental management measures shall be undertaken progressively during subsequent stages of the project after obtaining necessary statutory approvals.
10.	Forest lands requirement:	
a)	The status of approval for diversion of forest land for non-forestry use.	No forest area is involved.
b)	The status of clear felling.	Not applicable
c)	The status of CA, any	
d)	Comments on the viability & sustainability of CA program in the light of actual field experience so far.	Not applicable
11.	The status of clear felling in non-forest areas	Not applicable
12.	Status of construction	Construction of the project has been completed
a)	Date of commencement (actual and/ or planned).	Existing Grain Based Distillery unit of capacity 350 KLPD is fully established and operational. The expansion of the industrial unit from 250 KLPD to 350 KLPD through installation of additional 100 KLPD Fuel Ethanol Plant commenced in June, 2023 and has since been completed.
b)	Date of completion (actual and/ or planned).	June, 2024 Project photographs are enclosed as Annexure 2.
13.	Reasons for the delay if the project is yet to start:	Not applicable

Compliance Report on the conditions imposed on Environmental Clearance for the period ending 31.03.2026

A. Specific Conditions

S. No.	Conditions	Reply
1.	As per OM dated 16 th June, 2021, project falls in category B2 and the proposed capacity of 100 KLPD shall be only used for fuel ethanol manufacturing as per self-certification in form of an affidavit by the Project Proponent. Provided that subsequently if it is found that the ethanol, produced based on the EC granted as per this dispensation, is not being used completely for EBP Programme, or if ethanol is not being produced, or if the said distillery is not fulfilling the requirements based on which the project has been appraised as category B2 project, the EC shall stand cancelled.	Agreed. Expansion of the project for increase in production is grain based distillery from 250 KLPD to 350 KLPD is completed. Completion certificate is attached as Annexure 3 .
2.	The Company shall comply with all the environmental protection measures and safeguards proposed in the documents submitted to the Ministry. All the recommendations made in the EIA/ EMP in respect of environmental management, and risk mitigation measures relating to the project shall be implemented.	Agreed. All the environmental protection measures and safeguards proposed are being implemented in true letter and spirit.
3.	The project proponent will treat and reuse the treated water within the factory and no waste or treated water shall be discharged outside the premises.	Agreed. The treated water is reused within project premises and no wastewater or treated water is discharged outside of project premises.
4.	Total Fresh water requirement shall not exceed @ 4 KL/KL and will be met from ground water. Prior permission shall be obtained from the concerned regulatory authority/ CGWA in this regards, and renewed from time to time. No ground water recharge shall be permitted within the premises. Industry shall construct a rain water storage pond of 60 days capacity and the accumulated water to be used as fresh water thereby reducing fresh water consumption.	Agreed. Total Fresh water requirement will not exceed 4 KL of ethanol production. Permission has been obtained from Water Resources Investigation and Development Department, West Bengal for ground water quantity of 1,750 m ³ /day; copy of the same is enclosed as Annexure 4 .
5.	The spent wash shall be concentrated and dried to form DDGS to be used as cattle feed. Brick manufacturing unit will be installed within the plant premises for utilization of fly ash. PP shall	Agreed. The existing Grain Based Distillery unit of capacity 350 KLPD is fully established and operational. ESP has already been

	not utilize coal as fuel. PP shall install ESP for boilers proposed in 200 & 100 KLPD distilleries. PP shall meet 10% of the total power requirement from solar power. Treated effluent will be recycled/ reused for makeup water of cooling towers/ process etc. and no waste or treated water shall be discharged outside the premises. STP shall be installed to treat the sewage generated from factory premises.	installed in the existing unit and is adequate for the expanded 350 KLPD capacity including the additional 100 KLPD Ethanol Plant. Further, the agro-based captive power plant comprises boiler capacity of 75 TPH and Turbo Generator (T.G.) capacity of 10 MW. The entire steam generated after power generation is utilized within the process. The project was granted Environmental Clearance (EC) in 2017 for 250 KLPD capacity; however, the plant achieved the granted production capacity in 2021. During this period, latest technologies for water and energy conservation were adopted, due to which the power requirement for 250 KLPD operations remained approximately 5 MW. After expansion to 350 KLPD, the total power requirement is approximately 7.5 MW to 8 MW, thereby leaving surplus power availability of around 2 MW to 2.5 MW. Presently, there is no policy of the State Government regarding sale of surplus power to the West Bengal State Electricity Board; therefore, solar plant installation shall be undertaken as and when required. Copy of EC letter is attached as Annexure-1(b). Further, the STP work has been completed and the same is presently operational. Photographs of ESP are attached as Annexure-2.
6.	CO ₂ generated from the process shall be bottled/ made solid ice and utilized/ sold to authorized vendors.	2 No. of CO ₂ plants (eco gases and big group) are already functional. Photographs showing the same are attached as Annexure 2 .
7.	PP shall allocate at least Rs. 50 Lakhs for Occupational Health Safety. Occupational Health	Agreed. Occupational Health Centre work has been completed.

	Centre for surveillance of the worker's health shall be set up. The health data shall be used in deploying the duties of the workers. All workers & employees shall be provided with required safety kits/ mask for personal protection.	Rs. 50,46,877.30/- have been spent on the same. Photographs are attached as Annexure 2 .
8.	Training shall be imparted to all employees on safety and health aspect of chemicals handling. Safety and visual reality training shall be provided to employees.	Agreed. Independent team of 4 people are looking after the safety and health related matter and providing training time to time to the employees.
9.	The unit shall make the arrangement for protection of possible fire hazards during manufacturing process in material handling. Firefighting system shall be as per the norms.	Agreed. Adequate fire-fighting system has been provided as per the norms. Photographs for the same is enclosed in Annexure 2 .
10.	Process organic residue and spent carbon, if any, shall be sent to Cement and other suitable industries for its incinerations. ETP sludge, process inorganic & evaporation salt shall be disposed of to the TSDF.	The sludge generated from ETP is non-hazardous in nature as the ETP is based on anaerobic and aerobic treatment system followed by tertiary treatment, as such, there is no generation of chemical sludge from the treatment facility. Further, Hazardous waste such as Used Oil is Generated from servicing of DG Set covered under category 5.1 of the Hazardous and other Waste (Management and Transboundary Movement) Rules, 2016 It is re-used as lubricant in the industrial premises, proper record of generation and reuse of this waste is being maintained, copy of the record is attached as Annexure 10 .
11.	The company shall undertake waste minimization measures as below (a) Metering and control of quantities of active ingredients to minimize waster; (b) Reuse of by-products from the process as raw materials or as raw material substitutes in other process. (c) Use of automated filling to minimize spillage. (d) Use of Close Feed system into batch reactors. (e) Venting equipment through vapour recovery system. (f) Use of high	Agreed. The same is being complied.

	pressure hoses for equipment clearing to reduce wastewater generation.	
12.	The green belt of at least 5-10 m width shall be developed in nearly 33% of the total project area, mainly along the plant periphery. Selection of plant species shall be as per the CPCB guidelines in consultation with the State Forest Department. Records of tree canopy shall be monitored through remote sensing map.	Photographs of the green area developed within project premises is enclosed as Annexure 2 .
13.	The proposed budget of CER for not yet operational distillery 200 KLPD is Rs. 1.5 Crores in addition to the existing CER cost as mentioned in EC granted. For proposed distillery 100 KLPD CER will be Rs. 0.5 Crores. CER shall be utilized primarily for installation of solar light in adjoining villages, whereas CER budget mentioned in exiting EC shall be utilized in activities as committed before.	Agreed. For the existing operational industrial unit of 350 KLPD capacity, Rs. 1.34 Crores, have already been spent towards CER. Further, Rs. 1 Crore has been allocated for additional CER activities to be undertaken in the Village Dakshin Simla. Out of which, Rs. 25 lakhs have already been disbursed in the name of Local District Authority. For expansion, Rs. 0.5 Crores will be utilized for CER as per EC granted. Out of which, Rs. 10.43455 lakhs have been spent till date. Complete expenditure details along with documentary proof are enclosed as Annexure 5 .
14.	There shall be adequate space inside the plant premises earmarked for parking of vehicles for raw materials and finished products and no parking to be allowed outside on public places. 15% of the total plant area (distillery 300 KLPD) will be reserved for parking.	Agreed. Adequate parking space has been provided in the existing industrial unit as well as for the proposed expansion also.
15.	Storage of raw materials shall be either in silos or in covered areas to prevent dust pollution and other fugitive emissions. All stockpiles should be constructed over impervious soil and garland drains with catch pits to trap runoff material shall be provided. Biomass shall be stored in covered sheds and wind bearing walls/ curtains shall be provided around biomass storage area to prevent its suspension during night wind speed. All internal roads shall be paved. Industrial vacuum	Agreed. 2 Nos. of silo have been provided in the existing unit and 1 No. new silo is also functioning for proposed 100 KLPD. There is adequate shed for storage of biomass. Also, wind bearing wall has been constructed around biomass storage area to prevent its suspension. All the internal roads of the project are already paved.

	cleaner shall be provided to sweep the internal roads. The Air Pollution Control System shall be interlocked with process plant/ machinery for shutdown in case of operational failure of Air Pollution Control Equipment.	
16.	Continuous online (24 × 7) monitoring system for stack emissions. Effluent shall be installed for measurement of flue gas discharge and the pollutants concentration, and the data to be transmitted to the CPCB and SPCB server. For online continuous monitoring of effluent, the unit shall install web camera with night vision capability and flow meters in the channel/ drain carrying effluent within the premises.	Agreed. In the existing unit, online monitoring system for stack emissions of SO _x , NO _x & SPM has already been installed. Further, OCMS is being connected with CPCB server through Forbes Marshal Server. Test reports are attached as Annexure 6 .
17.	A separate Environmental Management Cell (having qualified person with Environmental Science/ Environmental Engineering/ specialization in the project area) equipped with full-fledged laboratory facilities shall be set up to carry out the Environmental Management and Monitoring functions.	Agreed. For existing plant, separate environmental management cell has been constituted (detailed attached as Annexure-7) to monitor all the functions. Also, full-fledged lab facilities have been provided for analyses.
18.	PP shall sensitize and create awareness among the people working within the project area as well as its surrounding area on the ban of Single Use Plastic in order to ensure the compliance of Notification published by MOEFCC on 12 th August, 2021. A report along with photographs on the measures taken shall also be included in the six-monthly compliance report being submitted to concerned authority.	Agreed. Environment Management Cell (EMC) is constituted to spread awareness within the unit as well as in the nearby villages regarding Ban on the single use plastic.

B. General Conditions:

S. No.	Conditions	Reply
1.	No further expansion or modifications in the plant, other than mentioned in the EIA Notification, 2006 and its amendments, shall be carried out without prior approval of the Ministry of Environment, Forest and climate Change/ SEIAA, as applicable. In case of deviations or alterations in the project proposal from those submitted to this Ministry for clearance, a fresh reference shall be made to the Ministry/ SEIAA,	Agreed. No further expansion or modification will be done in the unit without prior approval of the Ministry of Environment, Forest and Climate Change.

	as applicable, to assess the adequacy of conditions imposed and to add additional environmental protection measures required, if any.	
2.	The energy source for lighting purpose shall be preferably LED based, or advanced having preference in energy conservation and environment betterment.	Agreed and same shall be complied. In the existing industrial unit of 350 KLPD Distillery also 100% LED light is used for energy conservation. Solar plant will be installed as and when required
3.	The overall noise levels in and around the plant area shall be kept well within the standards by providing noise control measures including acoustic hoods, silencers, enclosures etc. on all sources of noise generation. The ambient noise levels shall conform to the standards prescribed under Environment (Protection) Act, 1986 Rules, 1989 viz. 75 dBA (day time) and 70 dBA (night time).	Agreed. The noise levels around the plant area are within the prescribed limit, as noise control measures are being provided such as acoustic hoods, silencers etc. on all noise generating sources.
4.	The company shall undertake all relevant measures for improving the socio-economic conditions of the surrounding area. CSR activities shall be undertaken by involving local villages and administration and shall be implemented. The company shall undertake eco-developmental measures including community welfare measures in the project area for the overall improvement of the environment.	Agreed. Complete expenditure details along with documentary proof are enclosed as Annexure 5(a) & 5(b) .
5.	The company shall earmark sufficient funds towards capital cost and recurring cost per annum to implement the conditions stipulated by the Ministry of Environment, Forests and climate Change as well as the State Government along with the implementation schedule for the conditions stipulated herein. The funds so earmarked for environment management/ pollution control measures shall not be diverted for any other purpose.	Agreed. In the existing Grain Based Distillery unit of capacity 350 KLPD, adequate pollution control systems have already been provided and are operational, including ESP, Dryer, ETP, CPU and MEE. Further, adequate funds have been allocated towards capital cost and recurring annual cost under the Environment Management Plan (EMP) for compliance of conditions stipulated by MoEF&CC with respect to the expansion of the

		unit from 250 KLPD to 350 KLPD.
6.	A copy of the clearance letter shall be sent by the project proponent to concerned Panchayat, Zila Parisad/ Municipal Corporation, Urban local Body and the local NGO, if any, from whom suggestions, representations, if any, were received while processing the proposal.	Copy of clearance letter has already been submitted to all the concerned local bodies immediately after the grant of Environment Clearance.
7.	The project proponent shall also submit six monthly reports on the status of compliance of the stipulated Environmental Clearance conditions including results of monitored data (both in hard copies as well as by e-mail) to the respective Regional Office of MoEF&CC, the respective Zonal Office of CPCB and SPCB. A copy of Environmental clearance and six monthly compliance status report shall be posted on the website of the company.	Agreed. Six monthly monitoring report is being submitted to RO, MoEF&CC, Kolkata, Zonal Office and Regional Office of West Bengal Pollution Control Board through e-mail.
8.	The environmental statement for each financial year ending 31 st March in Form - V as is mandated shall be submitted to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently, shall also be put on the website of the company along with the status of compliance of environmental clearance conditions and shall also be sent to the respective Regional Offices of MoEF&CC by e-mail.	Agreed. Environment Statement in Form-V for 100 KLPD has been submitted to West Bengal Pollution Control Board for the Financial Year 2023-24.
9.	The project proponent shall inform the public that the project has been accorded environmental clearance by the Ministry and copies of the accord environmental clearance by the Ministry and copies of the clearance letter are available with the SPCB / Committee and may also be seen at Website of the Ministry and at https://parivesh.nic.in/ . This shall be advertised within seven days from the date of issue of the clearance letter, at least in two local newspapers that are widely circulated in the region of which one shall be in the vernacular language of the locality concerned and a copy of the same shall be forwarded to the concerned Regional Office of the Ministry.	Agreed & accepted. Advertisement has been published in the newspaper regarding grant of Environmental Clearance in Local Newspaper Morning India and Sangbad Pratidin dated 18.11.2022. Copy of the advertisement is enclosed as Annexure 8 .

10.	The project authorities shall inform the Regional Office as well as the Ministry, the date of financial closure and final approval of the project by the concerned authorities and the date of start of the project.	Agreed. For expansion, Consent to Establish has been obtained from WBPCB; copy of the same is enclosed as Annexure 9 .
11.	This Environmental clearance is granted subject to final outcome of the Hon'ble Supreme Court of India, Hon'ble High Court, Hon'ble NGT and any other Court of Law, if any, as may be applicable to this project.	Noted.

C. State Board NIPL Conditions:

S. No.	Conditions	Reply
1.	The particulate emission from all stacks should be limited to 30mg/Nm ³ .	It is submitted that adequate air pollution control measures have been provided and shall be maintained to ensure that particulate emissions from all stacks remain within the prescribed limit
2.	The overall pollution load from the plant shall not increase under any circumstances.	The overall pollution load from the plant has not increased. Adequate pollution control measures and environmental management systems are being effectively maintained to ensure that emissions and discharges remain within the prescribed norms under all operating conditions.
3.	100% ZLD including CPU effluent should be adopted. No effluent should be released outside.	100% Zero Liquid Discharge (ZLD) system including CPU effluent management has been adopted in the plant. All generated effluent is being properly treated, recycled, and reused within the premises, and no untreated or treated effluent is being discharged outside the plant boundary.

ENVIRONMENTAL
CLEARANCE

PARIVESH

(Pro-Active and Responsive Facilitation by Interactive,
and Virtuous Environment Single-Window Hub)

Government of India
Ministry of Environment, Forest and Climate Change
(Impact Assessment Division)

To,

The Managing Director
SVAKSHA DISTILLERY LIMITED
DLF Galleria, Unit No. 307, 3rd Floor, Action Area, 1B, New Town,
Kolkata,,Kolkata,West Bengal-700156

Subject: Grant of Environmental Clearance (EC) to the proposed Project Activity
under the provision of EIA Notification 2006-regarding

Sir/Madam,

This is in reference to your application for Environmental Clearance (EC) in respect of project submitted to the Ministry vide proposal number IA/WB/IND2/58535/2015 dated 18 Nov 2021. The particulars of the environmental clearance granted to the project are as below.

- | | |
|--|--|
| 1. EC Identification No. | EC22A060WB159657 |
| 2. File No. | J-11011/259/2015 – IA II (I) |
| 3. Project Type | Expansion |
| 4. Category | A |
| 5. Project/Activity including Schedule No. | 5g(a)-Grain Based distilleries for Ethanol Blended Petrol |
| 6. Name of Project | 200 KLPD grain based distillery plant and 10 MW co-generation power plant to be located at village Dakshin Simla, Police Station Kharagpur, District – West Medinipur, West Bengal |
| 7. Name of Company/Organization | SVAKSHA DISTILLERY LIMITED |
| 8. Location of Project | West Bengal |
| 9. TOR Date | 27 Jan 2016 |


The project details along with terms and conditions are appended herewith from page no 2 onwards.

Date: 14/11/2022

(e-signed)
A N Singh
Scientist E
IA - (Industrial Projects - 2 sector)

Note: A valid environmental clearance shall be one that has EC identification number & E-Sign generated from PARIVESH. Please quote identification number in all future correspondence.

This is a computer generated cover page.



This has reference to your online proposal no. IA/WB/IND2/58535/2015, dated 18th November, 2021 for environmental clearance to the above mentioned project.

2. The Ministry of Environment, Forest and Climate Change has examined the Expansion of grain based Distillery from 200 KLPD to 300 KLPD by installing a new 100 KLPD Fuel Ethanol Plant by M/s. Svaksha Distillery Limited located at Mouza - Dakshin Simla, JL No : 355, Police Station - Kharagpur, District - Paschim Medinipur, West Bengal.

3. As per the MoEF&CC Notification S.O. 2339(E), dated 16th June, 2021, a special provision in the EIA Notification, 2006-(Schedule 5 (ga), Category B2) is made, wherein for all applications made for Grain based distilleries with Zero Liquid Discharge producing ethanol; solely to be used for Ethanol Blended Petrol Programme of the Government of India shall be considered under B2 Category and appraised at Central Level by Expert Appraisal Committee (EAC) with condition that the project proponent shall file a notarized affidavit that ethanol produced from proposed project shall be used completely for EBP Programme.

4. Standard ToR and public Hearing conduction is not applicable as the project falls under category B2 as per OM dated 16th June, 2021. It was informed that no litigation is pending against the project.

5. Ministry has issued the Environmental Clearance earlier vide letter F. No. J-11011/259/2015-IA II (I) dated 22nd February, 2017 to the existing project of 200 KLPD grain based distillery and 10 MW of cogeneration of power in favour of M/s. Svaksha Distillery Ltd. PP has submitted IRO report dated 16.09.2022 against Action Taken Report (ATR) submitted by PP vide dated 16th September, 2022.

6. The details of products and capacity are as under: -

S. No.	Item	Unit	Existing Capacity	Proposed Additional Capacity	Total
1.	ENA/RS/ Impure spirit/ Country spirit/ Denatured spirit/ Fuel Ethanol (Absolute ethanol)	KL	200	100 (Fuel Ethanol Only)	300
2.	By-products				
	CO2	MT	140	70	210
	Fusel Oil	MT	2	1	3
	DDGS	MT	106	53	159

7. The promoters of the project are already having 11.26 hectares of land at Mouza - Dakshin Simla, JL No: 355, Police Station - Kharagpur, District - Paschim Medinipur (West Bengal). Out of the total land area of 11.26 hectares, the promoters have dedicated 7.72 hectares for the existing and proposed distillery plant and balance 3.54 hectares will be used for other industrial purposes. Industry has already developed green belt in an area of 2.55 hectares which is

more than 33 % of total land area. The estimated project cost is Rs. 50 crores for the proposed project. Total capital cost earmarked towards environmental pollution control measures is Rs. 6.00 crores and recurring cost (operation and maintenance) will be about Rs. 1.50 crores. Total employment generation will be 100 persons as direct and indirect employment due to the proposed expansion. Industry proposes to allocate Rs. 50.00 Lakhs towards corporate environment responsibility.

8. There are no national parks, wildlife sanctuaries, biosphere reserves, Tiger/Elephant reserves, Wildlife corridors etc. within 10 km distance from the project site.

9. Total water requirements after the proposed expansion will be 1672 m³/day. All the fresh water requirements for the existing as well as proposed project will be met from ground water. The industry has already got the permission from Water Resources Investigation and Development Department, West Bengal for the extraction of ground water @ 1750 m³/day. The industry will generate a total of 598 m³/day of condensates including spent lees from the proposed expansion. Out of this, 340 m³/day will be directly used in the process for slurry preparation. Remaining condensates @ 258 m³/day will be treated in condensate polishing unit and reused for cooling tower makeup water. Effluent from misc. streams will be 84 m³/day which will be treated in ETP and treated effluent will be reused/recycled for industrial process. The plant will be based on Zero Liquid discharge system and no effluent/treated water will be discharged outside factory premises.

10.

11. Total power requirements after the proposed expansion will be around 9000 KVA and will be met from inhouse cogeneration power plant. Existing unit has 2x1000 KVA D G sets to be used as standby during power failure. Stack height to the D G sets has been provided as per norms. Existing unit has 1 x 75 TPH biomass/coal fired boiler. No additional boiler will be installed during the proposed expansion.

12. Details of process emissions generation and its management:

The industry will install dryers for the handling of DWGS for controlling process odors from the factory.

13. As per OM dated 16th June, 2021, PP has submitted self-certification in the form of affidavit declaring that the proposed capacity of 100 KLPD will be for manufacturing of fuel ethanol only.

14. During deliberation it was informed to EAC that PP has not submitted CCR. In this regard PP has informed that plant will be commissioned in January 2022. Therefore CCR has not been obtained. Also, PP informed that 200 KLPD capacity has not been achieved yet. EAC noted the information and recommended the proposal for grant of EC.

15. During deliberations EAC sought the following information/commitments from PP:

- PP shall utilize fresh water @4.0 KL/KL of ethanol production.
- Entire project shall be ZLD and no single drop of water shall be discharged outside of plant premises.
- PP shall not utilize coal as fuel.
- 15% of the total plant area (distillery 300 KLPD) will be reserved for parking.
- PP shall meet 10% of the total power requirement from solar power.
- PP shall install ESP for boilers proposed in 200 & 100 KLPD distillery.
- Brick manufacturing unit will be installed within the plant premises for utilization of fly ash.
- PP shall allocate at least Rs. 50 Lakhs for Occupational Health Safety.
- Company to construct a storage pond of 60 days capacity and the accumulated water to be used as fresh water thereby reducing fresh water consumption.
- The proposed budget of CER for not yet operational distillery 200 KLPD is Rs. 1.5 crore in addition to the existing CER as mentioned in EC granted. For proposed distillery 100 KLPD, CER will be Rs. 0.5 crores. CER shall be utilized primarily for installation of solar light in adjoining villages. Whereas CER budget mentioned in exiting EC shall be utilized in activities as committed before.

PP has submitted information/commitment as sought above.

16. The proposal was considered by the EAC in its 45th meeting held on 29-30th November, 2021 in the Ministry, wherein the project proponent and their consultant M/s. Enviro Infra Solutions Pvt. Ltd., presented the case. The Committee **recommended** the project for grant of environmental clearance.

17. The EAC, constituted under the provision of the EIA Notification, 2006 and comprising of Experts Members/domain experts in various fields, have examined the proposal submitted by the Project Proponent in desired form along with the EMP report prepared and submitted by the Consultant accredited by the QCI/ NABET on behalf of the Project Proponent. The EAC noted that the Project Proponent has given undertaking that the data and information given in the application and enclosures are true to the best of his knowledge and belief and no information has been suppressed in the report. If any part of data/information submitted is found to be false/ misleading at any stage, the project will be rejected and Environmental Clearance given, if any, will be revoked at the risk and cost of the project proponent.

18. The Committee noted that the EMP report is in compliance of the PFR. The Committee deliberated on the CER plan and found to be addressing the issues in the study area. The EAC has deliberated the proposal and has made due diligence in the process as notified under the provisions of the EIA Notification, 2006, as amended from time to time and accordingly made the recommendations to the proposal. The Experts Members of the EAC have found the proposal in order and have **recommended** for grant of environmental clearance.

19. The environmental clearance granted to the project/activity is strictly under

the provisions of the EIA Notification 2006 and its amendments. It does not tantamount/construe to approvals/consent/ permissions etc. required to be obtained or standards/conditions to be followed under any other Acts/ Rules/ Subordinate legislations, etc., as may be applicable to the project. The project proponent shall obtain necessary permission as mandated under the Water (Prevention and Control of Pollution) Act, 1974 and the Air (Prevention and Control of Pollution) Act, 1981, as applicable from time to time, from the State Pollution Control Board, prior to construction & operation of the project.

20. Based on the proposal submitted by the project proponent and recommendations of the EAC (Industry-2), Ministry of Environment, Forest and Climate Change hereby accords environmental clearance to the project for expansion of grain based Distillery from 200 KLPD to 300 KLPD by installing a new 100 KLPD Fuel Ethanol Plant by M/s. Svaksha Distillery Limited located at Mouza - Dakshin Simla, JL No : 355, Police Station - Kharagpur, District - Paschim Medinipur, West Bengal, under the provisions of the EIA Notification, 2006, and the amendments therein, subject to compliance of the terms and conditions as under:-

A. Specific Condition:

- (i). As per OM dated 16th June, 2021, project falls in category B2 and the proposed capacity of 100 KLPD shall be only be used for fuel ethanol manufacturing as per self-certification in form of an affidavit by the Project Proponent. Provided that subsequently if it is found that the ethanol, produced based on the EC granted as per this dispensation, is not being used completely for EBP Programme, or if ethanol is not being produced, or if the said distillery is not fulfilling the requirements based on which the project has been appraised as category B2 project, the EC shall stand cancelled.
- (ii). The company shall comply with all the environmental protection measures and safeguards proposed in the documents submitted to the Ministry. All the recommendations made in the EIA/EMP in respect of environmental management, and risk mitigation measures relating to the project shall be implemented.
- (iii). The project proponent will treat and reuse the treated water within the factory and no waste or treated water shall be discharged outside the premises.
- (iv). Total Fresh water requirement shall not exceed @4.0 KL/KL and will be met from ground water. Prior permission shall be obtained from the concerned regulatory authority/CGWA in this regard, and renewed from time to time. No ground water recharge shall be permitted within the premises. Industry shall construct a rain water storage pond of 60 days capacity and the accumulated water to be used as fresh water thereby reducing fresh water consumption.

- (v). The spent wash shall be concentrated and dried to form DDGS to be used as cattle feed. Brick manufacturing unit will be installed within the plant premises for utilization of fly ash. PP shall not utilize coal as fuel. PP shall install ESP for boilers proposed in 200 & 100 KLPD distilleries. PP shall meet 10% of the total power requirement from solar power. Treated effluent will be recycled/reused for make up water of cooling towers/process etc. and no waste or treated water shall be discharged outside the premises. STP shall be installed to treat the sewage generated from factory premises.
- (vi). CO₂ generated from the process shall be bottled/made solid ice and utilized/sold to authorized vendors.
- (vii). PP shall allocate at least Rs. 50 Lakhs for Occupational Health Safety. Occupational Health Centre for surveillance of the worker's health shall be set up. The health data shall be used in deploying the duties of the workers. All workers & employees shall be provided with required safety kits/mask for personal protection.
- (viii). Training shall be imparted to all employees on safety and health aspects of chemicals handling. Safety and visual reality training shall be provided to employees.
- (ix). The unit shall make the arrangement for protection of possible fire hazards during manufacturing process in material handling. Firefighting system shall be as per the norms.
- (x). Process organic residue and spent carbon, if any, shall be sent to Cement and other suitable industries for its incinerations. ETP sludge, process inorganic & evaporation salt shall be disposed of to the TSDF.
- (xi). The company shall undertake waste minimization measures as below (a) Metering and control of quantities of active ingredients to minimize waste; (b) Reuse of by-products from the process as raw materials or as raw material substitutes in other processes. (c) Use of automated filling to minimize spillage. (d) Use of Close Feed system into batch reactors. (e) Venting equipment through vapour recovery system. (f) Use of high pressure hoses for equipment clearing to reduce wastewater generation.
- (xii). The green belt of at least 5-10 m width shall be developed in nearly 33% of the total project area, mainly along the plant periphery. Selection of plant species shall be as per the CPCB guidelines in consultation with the State Forest Department. Records of tree canopy shall be monitored through remote sensing map.
- (xiii). The proposed budget of CER for not yet operational distillery 200 KLPD is Rs. 1.5 crore in addition to the existing CER cost as mentioned in EC granted. For proposed distillery 100 KLPD CER will be Rs. 0.5 crores. CER shall be utilized primarily for installation of solar light in adjoining villages, whereas CER budget mentioned in exiting EC shall be utilized in activities as committed before.

- (xiv). There shall be adequate space inside the plant premises earmarked for parking of vehicles for raw materials and finished products and no parking to be allowed outside on public places. 15% of the total plant area (distillery 300 KLPD) will be reserved for parking.
- (xv). Storage of raw materials shall be either in silos or in covered areas to prevent dust pollution and other fugitive emissions. All stockpiles should be constructed over impervious soil and garland drains with catch pits to trap runoff material shall be provided. Biomass shall be stored in covered sheds and wind breaking walls/curtains shall be provided around biomass storage area to prevent its suspension during high wind speed. All Internal roads shall be paved. Industrial vacuum cleaner shall be provided to sweep the internal roads. The Air Pollution Control System shall be interlocked with process plant/machinery for shutdown in case of operational failure of Air Pollution Control Equipment.
- (xvi). Continuous online (24x7) monitoring system for stack emissions/effluent shall be installed for measurement of flue gas discharge and the pollutants concentration, and the data to be transmitted to the CPCB and SPCB server. For online continuous monitoring of effluent, the unit shall install web camera with night vision capability and flow meters in the channel/drain carrying effluent within the premises.
- (xvii). A separate Environmental Management Cell (having qualified person with Environmental Science/Environmental Engineering/specialization in the project area) equipped with full-fledged laboratory facilities shall be set up to carry out the Environmental Management and Monitoring functions.
- (xviii). PP shall sensitize and create awareness among the people working within the project area as well as its surrounding area on the ban of Single Use Plastic in order to ensure the compliance of Notification published by MOEFCC on 12th August, 2021. A report along with photographs on the measures taken shall also be included in the six-monthly compliance report being submitted to concerned authority.

B. General Condition:

- (i) No further expansion or modifications in the plant, other than mentioned in the EIA Notification, 2006 and its amendments, shall be carried out without prior approval of the Ministry of Environment, Forest and Climate Change/SEIAA, as applicable. In case of deviations or alterations in the project proposal from those submitted to this Ministry for clearance, a fresh reference shall be made to the Ministry/SEIAA, as applicable, to assess the adequacy of conditions imposed and to add additional environmental protection measures required, if any.

- (ii) The energy source for lighting purpose shall be preferably LED based, or advanced having preference in energy conservation and environment betterment.
- (iii) The overall noise levels in and around the plant area shall be kept well within the standards by providing noise control measures including acoustic hoods, silencers, enclosures etc. on all sources of noise generation. The ambient noise levels shall conform to the standards prescribed under the Environment (Protection) Act, 1986 Rules, 1989 viz. 75 dBA (day time) and 70 dBA (night time).
- (iv) The company shall undertake all relevant measures for improving the socio-economic conditions of the surrounding area. CER activities shall be undertaken by involving local villages and administration and shall be implemented. The company shall undertake eco-developmental measures including community welfare measures in the project area for the overall improvement of the environment.
- (v) The company shall earmark sufficient funds towards capital cost and recurring cost per annum to implement the conditions stipulated by the Ministry of Environment, Forest and Climate Change as well as the State Government along with the implementation schedule for all the conditions stipulated herein. The funds so earmarked for environment management/ pollution control measures shall not be diverted for any other purpose.
- (vi) A copy of the clearance letter shall be sent by the project proponent to concerned Panchayat, Zilla Parishad/Municipal Corporation, Urban local Body and the local NGO, if any, from whom suggestions/ representations, if any, were received while processing the proposal.
- (vii) The project proponent shall also submit six monthly reports on the status of compliance of the stipulated Environmental Clearance conditions including results of monitored data (both in hard copies as well as by e-mail) to the respective Regional Office of MoEF&CC, the respective Zonal Office of CPCB and SPCB. A copy of Environmental Clearance and six monthly compliance status report shall be posted on the website of the company.
- (viii) The environmental statement for each financial year ending 31st March in Form-V as is mandated shall be submitted to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently, shall also be put on the website of the company along with the status of compliance of environmental clearance conditions and shall also be sent to the respective Regional Offices of MoEF&CC by e-mail.
- (ix) The project proponent shall inform the public that the project has been accorded environmental clearance by the Ministry and copies of the clearance letter are available with the SPCB/Committee and may also be seen at Website of the Ministry and at <https://parivesh.nic.in/>. This shall be advertised within seven days from the date of issue of the clearance letter,

at least in two local newspapers that are widely circulated in the region of which one shall be in the vernacular language of the locality concerned and a copy of the same shall be forwarded to the concerned Regional Office of the Ministry.

- (x) The project authorities shall inform the Regional Office as well as the Ministry, the date of financial closure and final approval of the project by the concerned authorities and the date of start of the project.
- (xi) This Environmental clearance is granted subject to final outcome of Hon'ble Supreme Court of India, Hon'ble High Court, Hon'ble NGT and any other Court of Law, if any, as may be applicable to this project.

21. The Ministry reserves the right to stipulate additional conditions, if found necessary at subsequent stages and the project proponent shall implement all the said conditions in a time bound manner. The Ministry may revoke or suspend the environmental clearance, if implementation of any of the above conditions is not found satisfactory.

22. Concealing factual data or submission of false/fabricated data and failure to comply with any of the conditions mentioned above may result in withdrawal of this clearance and attract action under the provisions of Environment (Protection) Act, 1986.

23. Any appeal against this environmental clearance shall lie with the National Green Tribunal, if preferred, within a period of 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.

24. The above conditions will be enforced, inter-alia under the provisions of the Water (Prevention & Control of Pollution) Act, 1974, the Air (Prevention & Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986, the Hazardous Waste (Management, Handling and Transboundary Movement) Rules, 2016 and the Public Liability Insurance Act, 1991 read with subsequent amendments therein.

25. This issues with the approval of the competent authority.

(A. N. Singh)
Scientist-'E'

Copy to: -

1. The Principal Secretary, Department of Environment & Forest, 5th Floor, Pranisampad Bhawan, Block LB-II, Salt Lake, Sector III, Bidhannagar, Kolkata - 700 106
2. The Regional Officer, Ministry of Env., Forest and Climate Change, Integrated Regional Office, Kolkata IB - 198, Sector-III, Salt Lake City, Kolkata - 700106
3. The Member Secretary, Central Pollution Control Board, Parivesh Bhawan, East Arjun Nagar, Delhi - 32
4. The Member Secretary, West Bengal Pollution Control Board, Paribesh

Signature Not Verified

Digitally signed by A N Singh
Scientist E

Date: 11/14/2022 3:27:47 PM

F. No. J-11011/259/2015-IA.II (I)
Government of India
Ministry of Environment, Forest and Climate Change
(I.A. Division)

Indira Paryavaran Bhawan
Aliganj, Jorbagh Road
New Delhi - 110 003

E-mail: yogendra78@nic.in
Telefax: 011-24695365

Dated: 22nd February, 2017

To,

The Managing Director
M/s Svaksha Distillery Ltd.
Dakshin Simla, Kharagpur,
West Medinipur
West Bengal

Sub: Setting up of grain based distillery unit (200 KLPD) at Village Dakshin Simla, Police Station Kharagpur, Tehsil Kharagpur-I, District West Medinipur, West Bengal by M/s Svaksha Distillery Ltd. - Environmental Clearance - reg.

Ref.: Your online proposal no. IA/WB/IND2/31343/2015 dated 30th August, 2016.

Sir,
This has reference to your online proposal no. IA/WB/IND2/31343/2015 dated 30th August, 2016 along with project documents including Form I, Terms of References, Pre-feasibility Report, EIA/EMP Report along with Public Hearing Report regarding above mentioned project.

2.0 The Ministry of Environment, Forests and Climate Change has examined the application. It is noted that proposal is for Setting up of grain based distillery unit (200 KLPD) at Village Dakshin Simla, Police Station Kharagpur, Tehsil Kharagpur-I, District West Medinipur, West Bengal by M/s Svaksha Distillery Ltd. Plot area for distillery plant is 8.40 ha, of which, area earmarked for greenbelt is 2.80 ha. Total cost of project is ₹ 197.50 Crores. Total capital cost and recurring cost per annum earmarked for EMP will be ₹ 17.80 crore and ₹ 3.45 crore respectively. It is reported that there is no National Parks/Wild Life Sanctuaries/Biosphere Reserves/RF within 10 km radius area of project site. Following product will be manufactured:

S.No.	Units / Product/By Product Phase	Proposed Quantity
1	Distillery plant (Rectified Spirit / ENA / Ethanol)	200 KLPD
2	Cogeneration Power Plant (Electricity)	10 MW
3	Bottling of country/ IMFL Liquor	16000 cases/day
	By Products	
1	DDGS (Dried Distillers Grains with Soluble)	100 MTPD
2	Fusel Oil	2 MTPD

3	CO2	150 TPD
4	Corn oil	10 MTPD

3.0 Total power requirement will be 6 MW which will be sourced from own co-gen unit. Proposed unit will use 2 X 35 TPH Rice husk/ coal fired boiler but committee suggested to use Briquette in place of Rice husk/ coal. PP agrees with the suggestion. Two DG sets of 500 KVA capacity will be used as a standby. ESP along with adequate stack height will be provided to biomass fired boiler to control particulate emission. Fresh water requirement from ground water will be 1760 m³/day. Spent wash generation will be 945 m³/day. Spent wash will be treated through decanter and concentrated in MEE to form DWGS. DWGS will be sent to dryer to form DDGS. Other wastewater will be treated in ETP. Used oil and spent oil will be sold to authorized recyclers. Fly ash generated from the project will be used in own brick manufacturers unit.

4.0 Public Hearing / Public Consultation meeting was conducted on 8th July, 2016.

5.0 All Grain based distillery (>60 KLPD) are listed at SN 5(g) (ii) under category 'A' and appraised at central level.

6.0 The proposal was considered by the Expert Appraisal Committee (Industry) in its 14th EAC meeting held during 26th-27th October, 2016. Project Proponent and the EIA Consultant namely M/s Ace Engineers and Consultants have presented EIA/EMP report as per the TOR. EAC has found the EIA/EMP Report and additional information to be satisfactory and in full consonance with the presented TORs. The Committee recommended the proposal for environmental clearance.

7.0 Based on the information submitted by the project proponent, the Ministry of Environment and Forests hereby accords environmental clearance to above project under the provisions of EIA Notification dated 14th September 2006, subject to the compliance of the following Specific and General Conditions:

A. SPECIFIC CONDITIONS:

- i) ESP along with stack of adequate height shall be provided to Briquette fired boiler to control particulate emission within 50mg/Nm³.
- ii) Total fresh water requirement of 1760 m³/day will be met from ground water and prior permission shall be obtained from the CGWA/SGWA.
- iii) Spent wash generation from grain based distillery shall not exceed 6 KI/KI of alcohol. Spent wash shall be treated through decanter and concentrated in multi-effect evaporator (MEE) to form DWGS. DWGS will be sent to dryer to form DOGS. The condensate, spentlees and utilities effluent shall be treated in the ETP comprising tertiary treatment. Treated effluent will be used for make up water of cooling towers and water quality of treated effluent shall meet the norms prescribed by CPCB/SPCB and recycle/reuse.
- iv) Spent wash shall be stored in SS tank. The storage of spent wash shall not exceed 5 days capacity.
- v) No effluent from distillery shall be discharged outside the plant premises and Zero discharge shall be adopted. Water consumption shall be reduced by adopting 3 R's (reduce, reuse and recycle) concept in the process.
- vi) Process effluent/any wastewater shall not be allowed to mix with storm water. Storm water drain shall be passed through guard pond.

- vii) Adequate numbers of ground water quality monitoring stations by providing piezometers around the project area shall be set up. Sampling and trend analysis monitoring must be made on monthly a basis and report submitted to SPCB and this Ministry. The ground water quality monitoring for pH, BOD, COD, Chloride, Sulphate and total dissolved solids shall be monitored. Sampling and trend analysis monitoring must be made on monthly basis and report submitted to the Ministry's Regional Office at Bhubaneswar and SPCB.
- viii) Boiler ash shall be stored separately as per CPCB guidelines so that it shall not adversely affect the air quality, becoming air borne by wind or water regime during rainy season by flowing alongwith the storm water. Direct exposure of workers to fly ash & dust shall be avoided. Captive Power Plant will also confirm the prescribed standards.
- ix) Fire fighting system shall be as per the norms and cover all areas where alcohol is produced, handled and stored. Provision of foam system for fire fighting shall be made to control fire from the alcohol storage tank. DMP shall be implemented.
- x) Occupational health surveillance programme shall be undertaken as regular exercise for all the employees. The first aid facilities in the occupational health centre shall be strengthened and the regular medical test records of each employee shall be maintained separately.
- xi) Dedicated parking facility for loading and unloading of materials shall be provided in the factory premises. Unit shall develop and implement good traffic management system for their incoming and outgoing vehicles to avoid congestion on the public road.
- xii) As proposed, green belt over 2.80 ha of the total project area shall be developed within plant premises with at least 10 meter wide green belt on all sides along the periphery of the project area, in downward direction, and along road sides etc. Selection of plant species shall be as per the CPCB guidelines in consultation with the DFO.
- xiii) All the commitments made during the Public Hearing/Public Consultation meeting held on 8th July, 2016 shall be satisfactorily implemented and adequate budget provision shall be made accordingly.
- xiv) At least 2.5 % of the total cost of the project shall be earmarked towards the Enterprise Social Commitment (ESC) based on local needs particularly village named Dakshin Simla and action plan with financial and physical breakup/details shall be prepared and submitted to the Ministry's Regional Office at Bhubaneswar. Implementation of such program shall be ensured accordingly in a time bound manner.

B. GENERAL CONDITIONS:

- i. The project authorities must strictly adhere to the stipulations made by the state Pollution Control Board (SPCB), State Government and any other statutory authority.
- ii. No further expansion or modifications in the plant shall be carried out without prior approval of the Ministry of Environment and Forests. In case of deviations or alterations in the project proposal from those submitted to this Ministry for clearance, a fresh reference shall be made to the Ministry to assess the adequacy of conditions imposed and to add additional environmental protection measures required, if any.
- iii. The locations of ambient air quality monitoring stations shall be decided in consultation with the State Pollution Control Board (SPCB) and it shall be ensured that at least one stations is installed in the upwind and downwind

direction as well as where maximum ground level concentrations are anticipated.

- iv. The National Ambient Air Quality Emission Standards issued by the Ministry vide G.S.R. No. 826(E) dated 16th November, 2009 shall be followed.
- v. The overall noise levels in and around the plant area shall be kept well within the standards by providing noise control measures including acoustic hoods, silencers, enclosures etc. on all sources of noise generation. The ambient noise levels shall conform to the standards prescribed under Environment (Protection) Act, 1986 Rules, 1989 viz. 75 dBA (day time) and 70 dBA (night time).
- vi. The Company shall harvest rainwater from the roof tops of the buildings and storm water drains to recharge the ground water and use the same water for the process activities of the project to conserve fresh water.
- vii. Training shall be imparted to all employees on safety and health aspects of chemicals handling. Pre-employment and routine periodical medical examinations for all employees shall be undertaken on regular basis. Training to all employees on handling of chemicals shall be imparted.
- viii. The company shall also comply with all the environmental protection measures and safeguards proposed in the documents submitted to the Ministry. All the recommendations made in the EIA/EMP in respect of environmental management, risk mitigation measures and public hearing relating to the project shall be implemented.
- ix. The company shall undertake all relevant measures for improving the socio-economic conditions of the surrounding area. CSR activities shall be undertaken by involving local villages and administration.
- x. The company shall undertake eco-developmental measures including community welfare measures in the project area for the overall improvement of the environment.
- xi. A separate Environmental Management Cell equipped with full fledged laboratory facilities shall be set up to carry out the Environmental Management and Monitoring functions.
- xii. The company shall earmark sufficient funds towards capital cost and recurring cost per annum to implement the conditions stipulated by the Ministry of Environment and Forests as well as the State Government along with the implementation schedule for all the conditions stipulated herein. The funds so earmarked for environment management/pollution control measures shall not be diverted for any other purpose.
- xiii. A copy of the clearance letter shall be sent by the project proponent to concerned Panchayat, ZilaParisad/Municipal Corporation, Urban local Body and the local NGO, if any, from whom suggestions/representations, if any, were received while processing the proposal.
- xiv. The project proponent shall also submit six monthly reports on the status of compliance of the stipulated Environmental Clearance conditions including results of monitored data (both in hard copies as well as by e-mail) to the respective Regional Office of MoEF, the respective Zonal Office of CPCB and SPCB. A copy of Environmental Clearance and six monthly compliance status report shall be posted on the website of the company.
- xv. The environmental statement for each financial year ending 31st March in Form-V as is mandated shall be submitted to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently, shall also be put on the website of the company


along with the status of compliance of environmental clearance conditions and shall also be sent to the respective Regional Offices of MoEF by e-mail.

- xvi. The project proponent shall inform the public that the project has been accorded environmental clearance by the Ministry and copies of the clearance letter are available with the SPCB/Committee and may also be seen at Website of the Ministry at <http://moef.nic.in>. This shall be advertised within seven days from the date of issue of the clearance letter, at least in two local newspapers that are widely circulated in the region of which one shall be in the vernacular language of the locality concerned and a copy of the same shall be forwarded to the concerned Regional Office of the Ministry.
- xvii. The project authorities shall inform the Regional Office as well as the Ministry, the date of financial closure and final approval of the project by the concerned authorities and the date of start of the project.

8.0 The Ministry may revoke or suspend the clearance, if implementation of any of the above conditions is not satisfactory.

9.0 The Ministry reserves the right to stipulate additional conditions, if found necessary. The company in a time bound manner will implement these conditions.


10.0 The above conditions will be enforced, inter-alia under the provisions of the Water (Prevention & Control of Pollution) Act, 1974, Air (Prevention & Control of Water Pollution) Act, 1981, the Environment (Protection) Act, 1986, Hazardous Waste (Management, Handling and Trans-boundary Movement) Rules, 2008 and the Public Liability Insurance Act, 1991 along with their amendments and rules.


22.2.2017

(Yogendra Pal Singh)
Scientist 'D'

Copy to:-




1. The Secretary, Department of Environment, Govt. of West Bengal, Kolkata, West Bengal.
2. The Chairman, Central Pollution Control Board, Parivesh Bhavan, CBD-cum-Office Complex, East Arjun Nagar, Delhi-110032.
3. The Member Secretary, West Bengal Pollution Control Board, Parivesh Bhawan, 10A Block-LA Sector-III, Salt Lake, Kolkata - 700091, West Bengal.
4. The Chief Conservator of Forests, Regional Office (EZ), Ministry of Environment and Forests, A-3, Chandrashekharapur, Bhubaneswar - 751 023, Orissa.
5. Monitoring Cell, Ministry of Environment and Forests, Indira Paryavaran Bhavan, Aliganj, Jor Bagh Road, New Delhi - 110 003.
6. Guard File/Monitoring File/Record File.


22.2.2017

(Yogendra Pal Singh)
Scientist 'D'

Project photographs





Green Area



Mechanical
Foam Fire
Extinguisher



CO2 Fire
Extinguisher




Fire D.V
System



Fire Pump House
1-Jockey Pump
2-Main Pump
3-DG Pump


Fire-fighting Equipments



STP



CO₂ Plant



VAPCO ENGINEERS PVT. LTD.

SUSTAINABLE ENGINEERING SOLUTIONS



To,

Date: 01.06.2024

SVAKSHA DISTILLERY LIMITED
 JL – 355, Dakshin Simla, B.O. Changual,
 Kharagpur, Paschim Midnapore,
 West Bengal
 Pin code - 721301

Subject: Completion Certificate of 100 KLPD Ethanol Plant


Dear Sir,

We would like to inform you that the project of 100 KLPD Ethanol Plant at M/s. SVAKSHA DISTILLERIES LTD, Kharagpur (West Bengal) were completed and running smoothly too, as per the designed parameters.

Thanking You,

Yours Faithfully,

For VAPCO ENGINEERS PVT LTD.



Authorized Signatories



Signatures of SVAKSHA DISTILLERIES LTD. authorities

Government of West Bengal
Water Resources Investigation & Development Department
Office of the Geologist
Geological Sub Division No. - I/A, S.W.I.D.,
Administrative Building (Ground Floor),
Daak Bunglow Road, Sarat Pally, Midnapore – 721 101,
Paschim Medinipur
Email: geolswidpsmidnapore@gmail.com

Memo No. 274


Dated, Midnapore, the 23.09.2021

To,
 Mr. Anupam Pal
 The General Manager (Power Plant),
 Svaksha Distillery Limited
 PO- Changual, Block – Kharagpur-II
 Paschim Medinipur, PIN – 721301

Sub.:- No objection of groundwater withdrawal due to expansion of plant**Ref. :- Your Letter No. SDL/DM/SWID/2021-03 Dated 16-09-2021 & SDL/DM/SWID/2021-04 Dated 20-09-2021**

In reference to your Letter No. SDL/DM/SWID/2021-03 Dated 16-09-2021 & SDL/DM/SWID/2021-04 Dated 20-09-2021 it is justified that due to the improvisation of process technique & plant expansion your groundwater requirement remain the same as earlier obtained from 6 nos. permits. The necessary permission for groundwater extraction has been already granted to your industry for “Distillery” purpose as mentioned in SWID permits. Since the water requirement does not exceed the permissible limit & as long as the purpose remains same, we have no objection for your expansion project.

Thanking you,



Geologist,
Geological Sub Div No. I/A
S.W.I.D., Paschim Medinipur
&
Member Secretary,
DLA, Paschim Medinipur.

Memo No. 274 /1(1)**Dated, Midnapore, the 23.09.2021**

Copy forwarded for information to:

1. The District Magistrate & Chairman, District Level Authority, Paschim Medinipur.



Geologist,
Geological Sub Div No. I/A
S.W.I.D., Paschim Medinipur
&
Member Secretary,
DLA, Paschim Medinipur.



Svaksha
DISTILLERY LIMITED

Regd. Office & Works :

Dakshin Simla, DAG No. 1288(P), JL-355, B.O. Changual,
P.S. Kharagpur (Local), Kharagpur Midnapore -721301(WB)

Ph No.: +91 81001-08318

E-mail: info@svaksha.co.in

Web: www.svaksha.co.in

CIN No. U74900WB2014PLC202126

SVAKSHA DISTILLERY LIMITED			
Statement of Amount spent in Account of CSR			
Sr. No.	Particulars	Amounts	Remarks
	2022-23		
1	Amount spent with the Local Villagers for puja	80000	on requirement of local people
2	Dwarka Dass Mittal Charitable Trust	6500000	Construction of houses for EWS given free of cost
3	Spent for Bhumi Puja	14344	
4	Spent for Bhumi Puja & Langer for Local Peoples	20000	
5	Spent for Bhumi Puja & Langer for Local Peoples	20000	
6	Spent for Bhumi Puja & Langer for Local Peoples	20000	
7	Spent for Bhumi Puja & Langer for Local Peoples	20000	
8	Ambulance	1675000	It is capitalised in the Company, as per Advise of the Statutory Auditor, available for company's and local Peoples.
9	Star Bus	2250000	It is capitalised in the Company, as per Advise of the Statutory Auditor, available for company's employees of local Peoples.
10	Misc Exp for Insurance	14814	Insurance of local Employees
11	Local Administrator Account Medinipur ADM	2500000	Development District Innovation Fund
12	Shoes Purchased	69889	Distributed to Dakshin Simla Villagers
13	Saari & Gamchha Purchased	173020	Distributed to Dakshin Simla Villagers
	Total	13357067	
	2023-24		
14	Study Purposed	50000	Paid to Majida Khatun higher Study in Malaysia
15	BENGAL BADMINTON ACADEMY	1000000	PAID AS DONATION UNDER CSR ACTIVITIES TO BENGAL BADMINTON ACADEMY
	Total	1050000	
	2024-25		
16	Shri Baliram Gaushala Trust	21000	paid Shri Baliram Gaushala Trust
17	Kharagpur marwari yuvak sangh trust	21000	Paid Kharagpur marwari yuvak sangh trust
18	Benapur High School(H.S)	43000	Installed a sanitary Pad Vending machine.
19	Changual kandarpapur pranabesh vidyayatan(H.S)	63855	Installed a sanitary Pad Vending machine.
20	Flood & cyclone Dana affected in Ghatal	226500	Flood relief Materials
		277900	
		238800	
		2800	
		59460	
		44060	
	Total	1043455	
	Grand Total	15450522	

**HEAD OFFICE :**

Premises: BCL Industries Limited, Hazi Rattan Link Road, Bathinda-151005 PB



SVAKSHA DISTILLERY LIMITED
JL-355, Dakshin Simla, P.O. Changual,
Kharagpur, Paschim Medinipur,
West Bengal,
West Bengal - 721301, India
State Name : West Bengal, Code : 19
CIN: U74900WB2014PLC202126
E-Mail : accounts@svaksha.co.in

UBI CC A/c Payment Voucher

No. : **CC P/2324/8**
Ref. : **S27465940 dt. 19-Aug-23**

Dated : **19-Aug-23**

Through : Union Bank of India Cash Credit A/c Kharagpur

Particulars	Amount
Account : Charity & Donation	50,000.00
On Account of : Amount 50000/-Paid to Majida Khatun for Higher Study in Malaysia Chq No - 018079 Dtd - 19/08/2023 TRF Through NEFT. Bank Transaction Details: Cheque 018079 19-Aug-23 50,000.00 Amount (in words) : Rs Fifty Thousand Only	
	₹ 50,000.00

Receiver's Signature:


Authorised Signatory

S27465940	19-08-2023 16:35:52	NEFTO-MAJIIDA KHATUN 001015329941	36 12018079	-		50,000.00 (Dr)
-----------	------------------------	--------------------------------------	----------------	---	--	----------------

RECEIPT

RECEIVED WITH THANKS FROM SVAKSHA DISTILLERY LIMITED, KHARAGPUR, PIN - 721301, WEST BENGAL ,A SUM OF RS. 10, 00,000.00 (RUPEES TEN LAKHS ONLY) ON 30/06/2023 BY CHEQUE DRAWN ON UNION BANK OF INDIA BEARING # 038812 DATED 24/06/2023 PAID AS DONATION UNDER CSR ACTIVITIES TO BENGAL BADMINTON ACADEMY (PAN: AABTB3949A) FOR BADMINTON COURT WOODEN FLOORING OF SHUTTLE EXPRESS BADMINTON STADIUM.

For BENGAL BADMINTON ACADEMY



MANAGING TRUSTEE



DATED: 04.07.2023



**GOVERNMENT OF WEST BENGAL
OFFICE OF THE DISTRICT MAGISTRATE & COLLECTOR
PASCHIM MEDINIPUR DISTRICT, MIDNAPORE-721101
(Development & Planning Section)**

Ph. No.:03222-275571/Fax No.: 03222-275427/E-mail: dm-mid-wb@nic.in

Memo No. 1091 /Dev.

Dated 09/09 /2022

To
The Executive Director,
Svaksha Distillery Limited.

Sub: Status of the Utilization of Rs.25 lakh from your end.

Sir,


This is to inform you that the below-mentioned schemes are taken up from the fund received from your end. The schemes are ongoing in nature and after completion of these schemes, the undersigned will be forwarded a utilization certificate to your end.

SL	Scheme Name	Executing Agency	Vetted amount (Rs.)
1	Construction of Labour Room of Bagda Rural Hospital	E.O., Mohanpur P.S.	10,60,318.00
2	Repairing and renovation of Bagda Rural Hospital	E.O., Mohanpur P.S.	5,11,395.00
3	Development of Turism Site at Ranisiromoni Garh, Salboni Block	O/C Siromonigarh & BDO, Salboni	10,00,000.00

This is for your information and taking necessary action in this regards.

Thanking you,

Yours faithfully,



Addl. District Magistrate(LR),
Paschim Medinipur

Memo No. 1091/1(3) /Dev.

Dated 09/09 /2022

Copy forwarded for kind information to:-

- 1) The BDO, Mohanpur and BDO, Salboni are requested to complete the above schemes as soon as possible and submit the utilization certificate along with completion pictures of the said schemes.
- 2) C.A. to the District Magistrate, Paschim Medinipur.


Addl. District Magistrate(LR),
Paschim Medinipur

BANAPUR HIGH SCHOOL (HS)



GOVT. SPONSORED

P.O.-BANAPUR, BLOCK - KHARAGPUR - II, DIST - PASCHIM MEDINIPUR, PIN - 721 301

Phone - 03222-295055, E-mail : banapurhighs@1961@gmail.com

Estd - 1961

Ref No. _____

Date 04/12/2024

From Secretary
HeadmasterDear Executive Director
Svaksha Distillery Ltd.

On behalf of the staff and students of Banapur High School (H.S.) I extend our sincere gratitude to Svaksha Distillery Limited for the thoughtful and generous initiative of installing a sanitary pad vending machine in our school.

This vital contribution addresses an essential aspect of health and hygiene, significantly improving the well-being and comfort of our female students. It also reflects your commitment to fostering a safe and supportive learning environment where young individuals can focus on their education without concerns about access to basic hygiene necessities.

Your initiative not only promotes awareness but also helps to break stigmas surrounding menstrual health, thereby encouraging open conversations and a more inclusive culture within our coeducational institution.

We deeply appreciate your support and look forward to collaborating with you in the future to further enhance the welfare of our students.

Thank you once again for this meaningful gesture that will positively impact the lives of our students and serve as an example of corporate social responsibility.

Yours sincerely,

(Head Master)Headmaster & Secretary
Banapur High School (H.S.)
(Govt. Sponsored)
Banapur, Paschim Medinipur



CHANGUAL KANDARPAPUR PRANABESH VIDYAYATAN (HIGHER SECONDARY)

(Estd.-1959)

P.O. : CHANGUAL ★ BLOCK ★ KHARAGPUR - II
SUB-DIV, : KHARAGPUR ★ DIST. : PASCHIM MEDINIPUR

From : The President / Secretary / The Headmaster

Memo No.51224 SAN

Date 05.12.2024

To

Sub. / Ref.

Dear Executive Director,
Svaksha Distillery Limited

On behalf of the staff and students of Changual K.P. Vidyayatan, I extend our sincere gratitude to Svaksha Distillery Limited for the thoughtful and generous initiative of installing a sanitary pad vending machine in our school.

This vital contribution addresses an essential aspect of health and hygiene, significantly improving the well-being and comfort of our female students. It also reflects your commitment to fostering a safe and supportive learning environment where young individuals can focus on their education without concerns about access to basic hygiene necessities.

Your initiative not only promotes awareness but also helps to break stigmas surrounding menstrual health, thereby encouraging open conversations and a more inclusive culture within our coeducational institution.

We deeply appreciate your support and look forward to collaborating with you in the future to further enhance the welfare of our students.

Thank you once again for this meaningful gesture that will positively impact the lives of our students and serve as an example of corporate social responsibility.

Yours sincerely,

Growi Sankar Sen.
(Head Master)

Headmaster & Secretary
Changual K.P. Vidyayatan (H.S.)
P.O.-Changual, Dist.-Paschim Medinipur

Customik...

PAID

CUSTOMIK INDIA PRIVATE LIMITED
3/1 Gholi Kachari Road, Rabindra Place, Barasat
Near The Central Modern School, Kolkata-700124
West Bengal, India
GSTIN 19AAKCC3813A1Z0
Mobile: +91 7604029701

TAX INVOICE

Bill To

SVAKSHA DISTILLERY LIMITED

JL 355, Dakshina Simla, Kharagpur

Paschim Medinipur - 721301

West Bengal, India

GSTIN 19AAUCS6504J1ZP

Invoice#

C/24-25/132

Invoice Date

15/11/2024

Place Of Supply: West Bengal (19)

#	Item & Description	HSN/SAC	Qty	Rate	CGST	SGST	Amount
1	AUTOMATIC SANITARY NAPKIN VENDING MACHINE (Capacity 100)	84768990	2.00 pcs	15,783.90	2,841.10	2,841.10	31,567.80
2	TOKENS	711810	100.00 pcs	10.00	-	-	1,000.00
3	280mm Ultra Thin Airlaid Wrapped 150 GSM with Anion	961900	500.00 pcs	3.50	-	-	1,750.00

Thanks for your business.

Received

15/11/2024

SUKDEV SARMAL
Mob-9064210879

DEPARTMENT	Purchase
INVOICE	☐ PAY ☒ PASSED
CHECKED BY	AB
SIGNATURE	AB
APPROVED BY	DATE 16/11/24
SIGNATURE	DATE 16/11/2024
DUE DATE	16/11/2024

Sub Total

34,317.80

Total Taxable Amount

31,567.80

CGST9 (9%)

2,841.10

SGST9 (9%)

2,841.10

Shipping charge

3,000.00

Total

43,000.00

Payment Made


(-) 43,000.00

Balance Due

0.00

Total In Words: Indian Rupee Forty-Three Thousand Only

A/C Name: Customik India Pvt. Ltd.
A/C No: 50200076126767
IFSC CODE: HDFC0000352
Bank: HDFC Bank
Branch: Barasat



Customik...

PAID

CUSTOMIK INDIA PRIVATE LIMITED
3/1 Gholi Kachari Road, Rabindra Place, Barasat
Near The Central Modern School, Kolkata-700124
West Bengal, India
GSTIN 19AAKCC3813A1Z0
Mobile: +91 7804029701

TAX INVOICE

Bill To

SVAKSHA DISTILLERY LIMITED

JL 355, Dakshina Simla, Kharagpur

Paschim Medinipur - 721301

West Bengal, India

GSTIN 19AAUCS6504J1ZP

Invoice#

C/24-25/148

Invoice Date

16/12/2024

Place Of Supply: West Bengal (19)

#	Item & Description	HSN/SAC	Qty	Rate	CGST	SGST	Amount
1	AUTOMATIC SANITARY NAPKIN VENDING MACHINE (Capacity 100)	84768990	1.00 pcs	15,783.90	1,420.55	1,420.55	15,783.90
2	SANITARY NAPKIN INCINERATOR (Capacity 100/day)	84178090	3.00 pcs	12,000.00	3,240.00	3,240.00	36,000.00
3	TOKENS	711810	100.00 pcs 16 Pcs short received.	10.00	0.00	0.00	1,000.00
4	280mm Ultra Thin Airlaid Wrapped 150 GSM with Anion	961900	500.00 pcs 500 Pcs not received.	3.50	0.00	0.00	1,750.00

Thanks for your business.

Sub Total 54,533.90

Total Taxable Amount 54,533.90

CGST9 (9%) 4,660.55

SGST9 (9%) 4,660.55

CGST0 (0%) 0.00

SGST0 (0%) 0.00

Total 63,855.00

Payment Made (-) 63,855.00

Balance Due 0.00

Total In Words: Indian Rupee Sixty-Three Thousand Eight Hundred Fifty-

SVAKSHA DISTILLERY LIMITED
KHARAGPUR, PASCHIM MEDINIPUR-721301

IN TIME: 9:55P, DATE: 16/12/24

GATE ENTRY NO.: 2783 SIGN: N-SH

VEHICLE NO.: WB36147271





Govt. of West Bengal
OFFICE OF THE SUB-DIVISIONAL OFFICER
KHARAGPUR

P.O. – Kharagpur : Dist.- Paschim Medinipur, Pin: 721301

Landline- 03222-225516

FAX – 03222 225516

Email – kharagpursdo@gmail.com
elec.kgpsdo@gmail.com

**DEAR SVAKSHA DISTILLERY LTD
CHANGUAL, DAKSHIN SIMLA
KHARAGPUR - 721301**

On behalf of the administration and the people of Debra & Dantan Block, I extend my heartfelt gratitude for the generous and timely contribution of essential supplies—potatoes, oil, dal, and biscuits—made by Svaksha Distillery Limited during the recent flood and cyclone Dana.

Your invaluable support during such a critical time not only provided immediate relief to those in need but also served as a testament to your organization's unwavering commitment to community welfare. In the face of adversity, your contribution brought hope and comfort to countless families, ensuring their basic needs were met.

Acts of kindness such as yours inspire others to step forward and extend their support, building a stronger and more resilient community. Please know that your efforts have left a profound impact, and we deeply appreciate your thoughtful gesture.

We look forward to continued collaboration in the future to address the needs of our community and further our shared goal of making a positive difference.

Once again, thank you for your generosity and support.

Yours sincerely,

**Sub-Divisional Officer
&
Sub-Divisional Magistrate
Kharagpur**

KAR VARIETY STORES

Prop.- Arun Chandra Kar

Ph. No.- 9775128016 / 9800328991

Name Swaksha Distillery Ltd.

Address Chaktoria Mob No.

Sl. No.	Description	Qnt.	Rate	Amount Rs. P.
①	Dal	900kg	95/-	85,500/-
②	Mustard oil	40 Tin	2380/-	95,200/-
③	Alu	600kg	28/-	16,800/-
④	Biscuit	50 Box	580/-	29,000/-
			TOTAL	2,26,500/-

Rupees Two lac twenty six thousand only.

8 five hundred only

Date 25/10/24

No. 468

Signature B. Kar

KAR VARIETY STORES

Prop.- Arun Chandra Kar

Ph. No.- 9775128016 / 9800328991

Name Svaksha Distillery Ltd.

Address Chaktoria Mob No. _____

Sl. No.	Description	Qnt.	Rate	Amount Rs. P.
①	Alu	500kg	30/-	15,000/-
②	Dal	1500kg	98/-	1,47,000/-
③	Mustard oil	46 Tin	2520/-	1,15,920/-
			TOTAL	2,77,920

Rupees Two lac Seventy Seven thousand & nine hundred twenty only

Date 27/09/24

No. 467

B. Kar
Signature

RAMJI LAL AGARWAL

KHARAGPUR - 721301, PASCHIM MEDINIPUR

Date 25/10/24

Address

Receiver's for goods condition

Receiver's Signature

For, **RAMJI LAL AGARWAL**

BILL
KAR VARIETY STORES

Prop.- Arun Chandra Kar

Ph. No.- 9775128016 / 9800328991

Name Svaksha Distillery LTD

Address Chaktoria Mob No.

Sl. No.	Description	Qnt.	Rate	Amount Rs. P.
1	ALW -	100kg	28/-	2800.00
SVAKSHA DISTILLERY LIMITED KARAGPUR, PIN-721301 IN TIME: 12:20 PM GATE ENTRY NO.: 278 VEHICLE NO.: BY BICK 18/10/24 SIGN: h				
			TOTAL	2800.00

Rupees

Two thousand & Eight Hundred only.

Date 18/10/24

No.

430

Signature B Kar

BILL

KAR VARIETY STORES

Prop.- Arun Chandra Kar

Ph. No.- 9775128016 / 9800328991

Name Svaksha Distillery LTDAddress Chaktoria Mob No.

Sl. No.	Description	Qnt.	Rate	Amount Rs. P.
①	Dal-10Bag	300kg	108/-	30,000/-
②	Mustard oil	7Tin	2280/-	15,960/-
③	Alu 10Bag	500kg	27/-	13,500/-
RECEIVED Subject to verification of Quality & Quantity For <u>Pai</u> <u>22/9/24</u> Store-In-Charge SVAKSHA DISTILLERY LIMITED Kharagpur, Paschim Medinipur				59460/- 11/10/2024
			TOTAL	59460/-

Rupees Fifty nine thousand & Four only).Hundred & sixty onlyDate 22/9/24No. 421Signature BK

No.

20

CREDIT / CASH
Sri Ganeshya Namaha

Date 27/09/24

**RAMJI LAL AGARWAL**

General Order Supplier and Commission Agent

KHARAGPUR - 721301, PASCHIM MEDINIPUR


Name SVAKSHA Distiller - Limited.

Address _____

Sl. No.	PARTICULARS	QNTY	RATE	AMOUNT Rs.	P.
1.	masur dal 10B	300ce	88	26400	00
2.	m. oil	7tin	2480	17360	00
3.	charring			300	00
4.					
5.					
6.					
7.					
8.					
9.					
10.					
11.					
12.					
13.					
14.					
15.					
16.					
17.					
18.					
19.					
20.					
			TOTAL	44060	00

Receiver's for goods condition

Receiver's Signature


 For, RAMJI LAL AGARWAL

28

Date _____

ate 24/20/24



RAMJI LAL AGARWAL

General Order Supplier and Commission Agent

KHARAGPUR - 721301, PASCHIM MEDINIPUR

Address

Receiver's for goods condition

Receiver's Signature

Ramji Lal
For, RAMJI LAL AGARWAL

MKD**Madhab Kumar Dey**

Govt. Contractor And General Order Supplier

GSTIN No.-19ATUPD1267D1ZL
PAN-ATUPD1267DMobile: 9732580076 // 9382887220
E-mail: madhabdey76@gmail.com

Vill- Haripur, P.O. - Benapur, P.S. - Kharagpur Local, Dist - Paschim Medinipur, Pin-721 301

Ref. No

Date

ORIGINAL**TAX INVOICE**

TO, M/S SVAKSHA DISTILLERY LTD DAKSHIN SIMLA, CHANGUAL KHARAGPUR LOCAL, PASCHIM MEDINIPUR WEST BENGAL - 721301 GSTIN : 19AAUCS6504J1ZP			Invoice No :- 420 Invoice Date :- 26/11/2025	
SL. NO	DESCRIPTION	HSN/SAC	AMOUNT	
01.	TOTAL AMOUNT FOR BOUNDARY WALL CIVIL WOWK AT DAKSHIN SIMLA	995428	30,86,258.12	
Total Amount In Words :- Rupees (INR): Thirty Six Lakh Forty One Thousand Seven Hundred and Eighty Four Only.			Total Basic Amount	30,86,258.12
			ADD : CGST @ 9 %	2,77,763.23
			ADD : SGST @ 9 %	2,77,763.23
			R.OFF (-)	0.58
			Total Amount After Tax	36,41,784.00
BANK DETAILS : Bank Account No :915020024211940 Bank Branch IFSC Code : UTIB0000190 (AXIXBANK KHARAGPUR) A/C Holder Name : MADHAB KUMAR DEY GSTIN :19ATUPD1267D1ZL			For Madhab Kumar Dey M/S MADHAB KUMAR DEY Madhab Kumar Dey Proprietor	

MADHAP KUMAR DEY									
BOUNDARY WALL (Dakshin Simla)									
SL.NO	DESCRIPTION OF WORK	UNIT	NOS	LENGTH	BREADTH	HIGHT	QUNTITY	RATE	AMOUNT
1	Earth work excavation								
	Footing	Cum	214	1.200	1.200	1.200	369.792		
	tie beam	Cum	1	841.200	0.250	0.300	63.090		
					Total		432.882	125	54110.25
2	BFS								
	BFS For Footing	Sqm	214	1.100	1.100		258.940		
	BFS tie beam	Sqm	1	790.632	0.250		197.658		
					Total		456.598	520	237430.96
3	PCC For Footing	Cum	214	1.000	1.000	0.075	16.050	4784	76783.20
4	RCC Work								
	Footing Raft	Cum	214	1.000	1.000	0.200	42.800		
	Columns	Cum	214	0.250	0.250	3.300	44.138		
	Tie beam(RCC)	Cum	1	790.632	0.250	0.300	59.297		
	Coping	Cum	1	790.632	0.125	0.100	9.883		
					Total		156.118	4784	746867.56
8	SHUTTERING								
	PCC For Footing	Sqm	214	4		0.075	64.2		
	Footing Raft	Sqm	214	4		0.2	171.2		
	Columns	Sqm	214	1		3.3	706.2		
	Tie beam	Sqm	2	790.632		0.3	474.3792		
	Coping	Sqm	2	790.632		0.1	158.1264		
					Total		1574.1056	364	572974.44
9	Brick Work(125 mm)	Sqm	1	790.632		1.2	948.7584	707	670772.1888
10	Plaster	Sqm	2	870.732		1.375	2394.513		
	Columns	Sqm	214	1.000		0.700	149.800		
					Total		2544.313	250	636078.25
11	Fixing of inserts plates up to size 200X200 mm.	nos	20				20	156	3120.00
12	Steel	mt					14.122	6240	88121.28
						Total Amount			₹ 30,86,258.12

M/S MADHAB KUMAR DEY
 Madhab Kumar
 Proprietor

MADHAB KUMAR DEY								
BOUNDARY WALL(Dakshin Simla) B.B.S								
SL.NO	Position/bar mark	DIA	NOS		Ctting length	Total lenght(In M)		
	BOUNDARY WALL(Dakshin Simla)	MM	Unit	BAR	M	8mm	10mm	12mm
1	raft main & Binder bar @ 150C/C	10	214	16	1.20		4108.80	
2	Columns	12	214	4	3.55			3038.80
	Rings @ 150 C/C	8	214	23	0.9	4429.8		
3	Tie beam	12	1	4	841.2			3364.8
	Lap	12	1	70	0.6			42
	Rings @ 150 C/C	8	1	4965	1	4965		
4	Copping	8	1	4	841.2	3364.8		
	Rings @ 200 C/C	8	1	4000	0.3	1200		
5	Columns ti	12	214	4	0.45			385.2
	TOTAL LENGTH IN MTR					13959.60	4108.80	6830.80
	UNIT WEIGHT IN KG/MTR					0.395	0.617	0.889
	TOTAL WT. IN MT					5.514	2.535	6.073
						TOTAL WT.		14.122

M/S MADHAB KUMAR DEY
 Madhab Kumar Deo
 Proprietor



DOC NO : QLS/SAMP/08-A/00

TEST REPORT

Name & Address Of the Customer:	Report No.	: QLS/MR/A/25-26/C/522
M/s. Svaksha Distillery Ltd.	Date	: 03.12.2025
Dakshin Simla, DAG No. 1288(P)	Sample No.	: QLS/MR/A/25-26/522
JL-355, B.O Changul, P.S-Kharagpur (Local)	Date of Performance(s)	: 01.12.2025-03.12.2025
Kharagpur, Midnapore – 721301(WB)	Sample Description	: Ambient Air
	Ref No. & Date	: Verbal Confirmation

Analysis Result

Location: Near ETP			Date of sampling : 28.11.2025-29.11.2025	
Sampling Done by: S.Pal/D.Sahoo			Sampling done as per : CPCB Guidelines (Volume-1)	
Environmental Condition : Clear & Sunny				
Sl. No.	Pollutants	Result	Limit as per CPCB	Method of Test Reference
1	Particulate matter (PM ₁₀) in µg/m ³	45	100	IS 5182 (Part-23) Reff 2022
2	Particulate matter (PM _{2.5}) in µg/m ³	23	60	IS 5182 (Part-24) Reff 2024
3	Sulphur dioxide (SO ₂) in µg/m ³	6.6	80	IS 5182(Part -2) Reff 2023
4	Nitrogen dioxide (NO ₂) in µg/m ³	30.0	80	IS 5182 (Part -6) Reff 2017
5	Carbon Monoxide (CO) in µg/m ³	583	2000	IS 5182 (Part -10) Reff 2019
NOTE: Limit as per CPCB notification, New Delhi, 18 th November 2009, for Ambient air quality.				

Report Prepared by :

for Qualissure Laboratory Services
Reviewed & Authorized By

(Benimadhab Gorai, Chemist)
(Authorized Signatory)

----- End of the Report -----

- The results relate only to the item(s) tested.
- This Test Report shall not be reproduced without the permission of Qualissure Laboratory Services.
- The reserved part of sample(s), except perishable sample(s), shall be retained for 30 days from the date of issue of the Test Report.



DOC NO : QLS/SAMP/08-A/00

TEST REPORT

Name & Address Of the Customer: M/s. Svaksha Distillery Ltd. Dakshin Simla, DAG No. 1288(P) JL-355, B.O Changul, P.S-Kharagpur (Local) Kharagpur, Midnapore – 721301(WB)	Report No. : QLS/MR/A/25-26/C/523 Date : 03.12.2025 Sample No. : QLS/MR/A/25-26/523 Date of Performance(s) : 01.12.2025-03.12.2025 Sample Description : Ambient Air Ref No. & Date : Mail Confirmation
--	---

Analysis Result

Location: Near Admin Building		Date of sampling : 28.11.2025-29.11.2025		
Sampling Done by: S.Pal/D.Sahoo		Sampling done as per : CPCB Guidelines (Volume-1)		
Environmental Condition : Clear & Sunny				
Sl. No.	Pollutants	Result	Limit as per CPCB	Method of Test Reference
1	Particulate matter (PM ₁₀) in µg/m ³	34	100	IS 5182 (Part-23) Reff 2022
2	Particulate matter (PM _{2.5}) in µg/m ³	15	60	IS 5182 (Part-24) Reff 2024
3	Sulphur dioxide (SO ₂) in µg/m ³	5.8	80	IS 5182(Part -2) Reff 2023
4	Nitrogen dioxide (NO ₂) in µg/m ³	27.2	80	IS 5182 (Part -6) Reff 2017
5	Carbon Monoxide (CO) in µg/m ³	503	2000	IS 5182 (Part -10) Reff 2019
NOTE: Limit as per CPCB notification, New Delhi, 18 th November 2009, for Ambient air quality.				

Report Prepared by :

for Qualissure Laboratory Services

Reviewed & Authorized By



(Benimadhab Gorai, Chemist)
(Authorized Signatory)

----- End of the Report -----

- The results relate only to the item(s) tested.
- This Test Report shall not be reproduced without the permission of Qualissure Laboratory Services.
- The reserved part of sample(s), except perishable sample(s), shall be retained for 30 days from the date of issue of the Test Report.



TEST REPORT

Name & Address Of the Customer:	Report No. : QLS/MR/A/25-26/C/524
M/s. Svaksha Distillery Ltd.	Date : 03.12.2025
Dakshin Simla, DAG No. 1288(P)	Sample No. : QLS/MR/A/25-26/524
JL-355, B.O Changul, P.S-Kharagpur (Local)	Sample Description : Stack Flue Gas
Kharagpur, Midnapore – 721301(WB)	Date of Performance : 01.12-03.12.2025
	Ref No. Date : Verbal Confirmation

Analysis Result

Date & Time of Sampling: 28.11.2025 at 11.56 hrs.		Sampling Procedures : EPA/IS	
Sampling done by : D.Sahoo			
A : General Information of Stack:			
1	Stack connected to	: Boiler	
2	Emission due to	: Combustion Paddy Husk	
3	Material of construction of Stack	: RCC	
4	Shape of Stack	: Circular	
5	Whether Stack is provided with permanent platform	: Yes	
6	Generation Capacity	: Rated-70 TPH, Running-58 TPH	
B : Physical Characteristic of Stack:			
1	Height of Stack from ground level	: 62.0 m	
2	Diameter of Stack at bottom	: ----	
3	Diameter of Stack at sampling point	: 2.65 m	
4	Height of the sampling point from ground level	: 30.0 m	
5	Area of Stack	: 5.5176 m ²	
C : Analysis/Characteristic of Stack:			
1	Fuel used : Paddy Husk	2. Fuel consumption :	14.1 TPH
D : Results of Sampling & Analysis of gaseous Emission:		RESULT	METHOD
1	Temperature of emission (°C)	: 135	EPA Part 2
2	Barometric pressure (mm of Hg)	: 752	EPA Part 2
3	Velocity of gas (m/sec)	: 9.55	EPA Part 2
4	Quantity of gas flow (Nm ³ /hr)	: 124914	EPA Part 2
5	Concentration of Carbon monoxide(%v/v)	: <0.2	IS:13270-1992, Reaf : 2019
6	Concentration of Carbon dioxide(%v/v)	: 7.4	IS:13270-1992, Reaf : 2019
7	Concentration of oxygen (%v/v)	: 12.6	IS:13270-1992, Reaf : 2019
8	Concentration of Sulphur Dioxide (mg/Nm ³)	: 21.2 at 6% O ₂	EPA Part 6
9	Concentration of Nitrogen Dioxide (mg/Nm ³)	: 37.5 at 6% O ₂	EPA Part 7
10	Concentration of Particulate Matter (mg/Nm ³)	: 116.7 at 6% O ₂	EPA Part 5
E : Pollution Control Device :			
Details of pollution control devices attached with the Stack		: ESP	
F : Remarks: Nil			
Note: 1) Equipment Name/ID		: Stack Sampler & Velocity Monitor	
2) Model No		: APM-160	
3) Make-		: Lata Envirotech Services	
4) SI No-		: 82-DTF-2016	
5) Calibration valid Up to		: 06.08.2026	

Report Prepared by :

for Qualissure Laboratory Services
Reviewed & Authorized By



(Benimadhab Gorai, Chemist)
(Authorized Signatory)

----- End of the Report -----

- The results relate only to the item(s) tested.
- This Test Report shall not be reproduced without the permission of Qualissure Laboratory Services.
- The reserved part of sample(s), except perishable sample(s), shall be retained for 30 days from the date of issue of the Test Report.



DOC NO : QLS/SAMP/08-D/00

TEST REPORT

Name & Address Of the Customer : M/s. Svaksha Distillery Ltd. Dakshin Simla, DAG No. 1288(P) JL-355, B.O Changul, P.S-Kharagpur (Local) Kharagpur, Midnapore – 721301(WB)	ULR No.	: TC627125000004708F
	Report No.	: QLS/MR/W/25-26/C/644
	Date	: 20.11.2025
	Sample No.	: QLS/MR/W/25-26/644
	Sample Description	: Ground Water
	Sample Mark/Location	: Borewell No. 1
	Date of Performance(s)	: 15.11.2025-20.11.2025
	Sample Submitted On	: 14.11.2025
	Ref No. Date	: Mail Confirmation

Analysis Result

(A) Microbiological Analysis

Sl. No.	Characteristic	Limit as Per IS 10500 :2012 Amendment 2	Test Method	Result
1.	E.coli/100ml	Not Detectable	IS 15185-2016 RA: 2021	Not Detected
2.	Total Coliform Bacteria/100ml	Not Detectable	IS 15185-2016 RA: 2021	Not Detected

(B) Chemical Analysis

Sl. No.	Test Parameter	Test Method	Limit As Per IS 10500 :2012 Amendment 2		Result
			Acceptable Limit	Permissible Limit	
1.	Odour	IS 3025(Part 5)-2018	Agreeable	Agreeable	Agreeable
2.	pH Value at 25°C	IS 3025 (Part 11)-2022	6.5-8.5	No Relaxation	7.09
3.	Turbidity in NTU	IS 3025 (Part 10)-2023	1	5	<1.0
4.	Total Dissolved Solids (as TDS) in mg/l	IS 3025(Part 16)-2023	500	2000	262
5.	Aluminium (as Al) in mg/l	IS 3025(Part 55): 2003 (RA 2019)	0.03	0.2	<0.01
6.	Ammonia (as total ammonia – N) in mg/l	IS 3025 (Part 34): 1988; RA:2019	0.5	No Relaxation	<0.1
7.	Anionic Detergents(as MBAS) in mg/l	IS 13428-2005(Annex K); RA:2018	0.2	1.0	<0.02
8.	Boron(as B) in mg/l	IS 13428-2005(Annex L); RA:2018	0.5	2.4	<0.5
9.	Calcium(as Ca) in mg/l	IS 3025 (Part 40) 2024	75	200	32.4
10.	Chloride(as Cl) in mg/l	IS 3025 (Part 32)-1988, RA: 2019	250	1000	30.4
11.	Copper(as Cu) in mg/l	IS 3025 (Part 42): 1992; RA 2019	0.05	1.5	<0.02
12.	Fluoride(as F) in mg/l	APHA 24th Edition 2023, 4500 F D	1.0	1.5	<0.1
13.	Free Residual Chlorine in mg/l	IS 3025 (Part 26) ;2021	0.2	1.0	<0.1
14.	Iron (as Fe) in mg/l	IS 3025(Part 53)-2003 RA: 2019	1.0	No Relaxation	0.74
15.	Magnesium(as Mg) in mg/l	APHA 24th Edition- 2023, 3500 Mg B	30	100	15.2
16.	Manganese (as Mn) in mg/l	IS 3025 (Part 59): 2023	0.1	0.3	<0.02
17.	Nitrate (as NO ₃) in mg/l	IS 3025 (Part 34)-1986 RA: 2019	45	No Relaxation	<0.5
18.	Phenolic Compounds(as C ₆ H ₅ OH) in mg/l	IS 3025 (Part 43)- Sec 1, 2022	0.001	0.002	<0.001
19.	Selenium(as Se) in mg/l	IS 15303-2003; RA : 2018	0.01	No Relaxation	<0.01
20.	Sulphate (as SO ₄) in mg/l	IS 3025 (Part 24)-Sec 1, 2022	200	400	22.3
21.	Sulphide (as H ₂ S) in mg/l	IS 3025 (Part 29): 2022	0.05	No Relaxation	<0.05
22.	Alkalinity(as CaCO ₃) in mg/l	IS 3025 (Part 23)- 2023	200	600	212.0
23.	Total Hardness (as CaCO ₃) in mg/l	IS 3025 (Part 21)-2009, RA: 2023	200	600	144.3
24.	Cadmium(as Cd) in mg/l	IS 3025(Part 41)-2023	0.003	No Relaxation	<0.002
25.	Cyanide(as CN) in mg/l	IS 3025(Part 27)-1986;RA: 2019	0.05	No Relaxation	<0.02
26.	Lead(as Pb) in mg/l	IS 3025(Part 47)-1994;RA: 2019	0.01	No Relaxation	<0.01
27.	Mercury(as Hg) in mg/l	IS 3025(Part 48)-1994;RA: 2019	0.001	No Relaxation	<0.001
28.	Arsenic(as As) in mg/l	IS 3025 (Part 37)-2022	0.01	No Relaxation	<0.01
29.	Zinc(as Zn) in mg/l	IS 3025(Part 49)-1994;RA: 2019	5	15	<0.02
30.	Total Chromium (as Cr) in mg/l	IS 3025 (Part 52): 2003 RA: 2019	0.05	No Relaxation	<0.05
31.	Chemical Oxygen Demand, mg/l	APHA 24 th edition, 2023; 5220B	--	--	<4
32.	Biochemical Oxygen Demand, mg/l	IS 3025 (Part 44) -1993(RA 2019)	--	--	<2

Report Prepared By:

for Qualissure Laboratory Services
Reviewed & Authorized By



S. Chakraborty
Soumy Chakraborty, Microbiologist
(Authorized Signatory)

for Qualissure Laboratory Services
Reviewed & Authorized By



Bishnupriya Banerjee
Bishnupriya Banerjee, Chemist
(Authorized Signatory)

-----End of Report-----

- The results relate only to the item(s) tested.
- This Test Report shall not be reproduced without the permission of Qualissure Laboratory Services.
- The reserved part of sample(s), except perishable sample(s), shall be retained for 30 days from the date of issue of the Test Report.



DOC NO : QLS/SAMP/08-D/00

TEST REPORT

Name & Address Of the Customer : M/s. Svaksha Distillery Ltd. Dakshin Simla, DAG No. 1288(P) JL-355, B.O Changul, P.S-Kharagpur (Local) Kharagpur, Midnapore – 721301(WB)	ULR No.	: TC627125000004709F
	Report No.	: QLS/MR/W/25-26/C/645
	Date	: 20.11.2025
	Sample No.	: QLS/MR/W/25-26/645
	Sample Description	: Ground Water
	Sample Mark/Location	: Borewell No. 2
	Date of Performance(s)	: 15.11.2025-20.11.2025
	Sample Submitted On	: 14.11.2025
	Ref No. Date	: Mail Confirmation

Analysis Result

(A) Microbiological Analysis

Sl. No.	Characteristic	Limit as Per IS 10500 :2012 Amendment 2	Test Method	Result
1.	E.coli/100ml	Not Detectable	IS 15185-2016 RA: 2021	Not Detected
2.	Total Coliform Bacteria/100ml	Not Detectable	IS 15185-2016 RA: 2021	Not Detected

(B) Chemical Analysis

Sl. No.	Test Parameter	Test Method	Limit As Per IS 10500 :2012 Amendment 2		Result
			Acceptable Limit	Permissible Limit	
1.	Odour	IS 3025(Part 5)-2018	Agreeable	Agreeable	Agreeable
2.	pH Value at 25°C	IS 3025 (Part 11)-2022	6.5-8.5	No Relaxation	6.81
3.	Turbidity in NTU	IS 3025 (Part 10)-2023	1	5	<1.0
4.	Total Dissolved Solids (as TDS) in mg/l	IS 3025(Part 16)-2023	500	2000	228
5.	Aluminium (as Al) in mg/l	IS 3025(Part 55): 2003 (RA 2019)	0.03	0.2	<0.01
6.	Ammonia (as total ammonia – N) in mg/l	IS 3025 (Part 34): 1988; RA:2019	0.5	No Relaxation	<0.1
7.	Anionic Detergents(as MBAS) in mg/l	IS 13428-2005(Annex K); RA:2018	0.2	1.0	<0.02
8.	Boron(as B) in mg/l	IS 13428-2005(Annex L); RA:2018	0.5	2.4	<0.5
9.	Calcium(as Ca) in mg/l	IS 3025 (Part 40) 2024	75	200	29.6
10.	Chloride(as Cl) in mg/l	IS 3025 (Part 32)-1988, RA: 2019	250	1000	24.7
11.	Copper(as Cu) in mg/l	IS 3025 (Part 42): 1992; RA 2019	0.05	1.5	<0.02
12.	Fluoride(as F) in mg/l	APHA 24th Edition 2023, 4500 F D	1.0	1.5	<0.1
13.	Free Residual Chlorine in mg/l	IS 3025 (Part 26) ;2021	0.2	1.0	<0.1
14.	Iron (as Fe) in mg/l	IS 3025(Part 53)-2003 RA: 2019	1.0	No Relaxation	0.19
15.	Magnesium(as Mg) in mg/l	APHA 24th Edition- 2023, 3500 Mg B	30	100	14.4
16.	Manganese (as Mn) in mg/l	IS 3025 (Part 59): 2023	0.1	0.3	<0.02
17.	Nitrate (as NO ₃) in mg/l	IS 3025 (Part 34)-1986 RA: 2019	45	No Relaxation	<0.5
18.	Phenolic Compounds(as C ₆ H ₅ OH) in mg/l	IS 3025 (Part 43)- Sec 1, 2022	0.001	0.002	<0.001
19.	Selenium(as Se) in mg/l	IS 15303-2003; RA : 2018	0.01	No Relaxation	<0.01
20.	Sulphate (as SO ₄) in mg/l	IS 3025 (Part 24)-Sec 1, 2022	200	400	20.1
21.	Sulphide (as H ₂ S) in mg/l	IS 3025 (Part 29): 2022	0.05	No Relaxation	<0.01
22.	Alkalinity(as CaCO ₃) in mg/l	IS 3025 (Part 23)- 2023	200	600	156.0
23.	Total Hardness (as CaCO ₃) in mg/l	IS 3025 (Part 21)-2009, RA: 2023	200	600	133.8
24.	Cadmium(as Cd) in mg/l	IS 3025(Part 41)-2023	0.003	No Relaxation	<0.002
25.	Cyanide(as CN) in mg/l	IS 3025(Part 27)-1986;RA: 2019	0.05	No Relaxation	<0.02
26.	Lead(as Pb) in mg/l	IS 3025(Part 47)-1994;RA: 2019	0.01	No Relaxation	<0.01
27.	Mercury(as Hg) in mg/l	IS 3025(Part 48)-1994;RA: 2019	0.001	No Relaxation	<0.001
28.	Arsenic(as As) in mg/l	IS 3025 (Part 37)-2022	0.01	No Relaxation	<0.01
29.	Zinc(as Zn) in mg/l	IS 3025(Part 49)-1994;RA: 2019	5	15	<0.02
30.	Total Chromium (as Cr) in mg/l	IS 3025 (Part 52): 2003 RA: 2019	0.05	No Relaxation	<0.05
31.	Chemical Oxygen Demand, mg/l	APHA 24 th edition, 2023; 5220B	--	--	<4
32.	Biochemical Oxygen Demand, mg/l	IS 3025 (Part 44) -1993(RA 2019)	--	--	<2

Report Prepared By:

for Qualissure Laboratory Services
Reviewed & Authorized By



Soumy Chakraborty, Microbiologist
(Authorized Signatory)



for Qualissure Laboratory Services
Reviewed & Authorized By

Bishnupriya Banerjee, Chemist
(Authorized Signatory)

-----End of Report-----

- The results relate only to the item(s) tested.
- This Test Report shall not be reproduced without the permission of Qualissure Laboratory Services.
- The reserved part of sample(s), except perishable sample(s), shall be retained for 30 days from the date of issue of the Test Report.



DOC NO : QLS/SAMP/08-D/00

TEST REPORT

Name & Address Of the Customer: M/s. Svaksha Distillery Ltd. Dakshin Simla, DAG No. 1288(P) JL-355, B.O Changul, P.S-Kharagpur (Local) Kharagpur, Midnapore – 721301(WB)	ULR No.	: TC627125000004710F
	Report No.	: QLS/MR/W/25-26/C/646
	Date	: 20.11.2025
	Sample No.	: QLS/MR/W/25-26/646
	Sample Description	: Ground Water
	Sample Mark/Location	: Borewell No. 3
	Date of Performance(s)	: 15.11.2025-20.11.2025
	Sample Submitted On	: 14.11.2025
	Ref No. Date	: Mail Confirmation

Analysis Result

(A) Microbiological Analysis

Sl. No.	Characteristic	Limit as Per IS 10500 :2012 Amendment 2	Test Method	Result
1.	E.coli/100ml	Not Detectable	IS 15185-2016 RA: 2021	Not Detected
2.	Total Coliform Bacteria/100ml	Not Detectable	IS 15185-2016 RA: 2021	Not Detected

(B) Chemical Analysis

Sl. No.	Test Parameter	Test Method	Limit As Per IS 10500 :2012 Amendment 2		Result
			Acceptable Limit	Permissible Limit	
1.	Odour	IS 3025(Part 5)-2018	Agreeable	Agreeable	Agreeable
2.	pH Value at 25°C	IS 3025 (Part 11)-2022	6.5-8.5	No Relaxation	7.01
3.	Turbidity in NTU	IS 3025 (Part 10)-2023	1	5	<1.0
4.	Total Dissolved Solids (as TDS) in mg/l	IS 3025(Part 16)-2023	500	2000	224
5.	Aluminium (as Al) in mg/l	IS 3025 (Part 55): 2003 (RA 2019)	0.03	0.2	<0.01
6.	Ammonia (as total ammonia – N) in mg/l	IS 3025 (Part 34): 1988; RA:2019	0.5	No Relaxation	<0.1
7.	Anionic Detergents(as MBAS) in mg/l	IS 13428-2005(Annex K); RA:2018	0.2	1.0	<0.02
8.	Boron(as B) in mg/l	IS 13428-2005(Annex L); RA:2018	0.5	2.4	<0.5
9.	Calcium(as Ca) in mg/l	IS 3025 (Part 40) 2024	75	200	35.2
10.	Chloride(as Cl) in mg/l	IS 3025 (Part 32)-1988, RA: 2019	250	1000	17.1
11.	Copper(as Cu) in mg/l	IS 3025 (Part 42): 1992; RA 2019	0.05	1.5	<0.02
12.	Fluoride(as F) in mg/l	APHA 24th Edition 2023, 4500 F D	1.0	1.5	<0.1
13.	Free Residual Chlorine in mg/l	IS 3025 (Part 26) ;2021	0.2	1.0	<0.1
14.	Iron (as Fe) in mg/l	IS 3025(Part 53)-2003 RA: 2019	1.0	No Relaxation	0.79
15.	Magnesium(as Mg) in mg/l	APHA 24th Edition- 2023, 3500 Mg B	30	100	17.7
16.	Manganese (as Mn) in mg/l	IS 3025 (Part 59): 2023	0.1	0.3	<0.02
17.	Nitrate (as NO ₃) in mg/l	IS 3025 (Part 34)-1986 RA: 2019	45	No Relaxation	<0.5
18.	Phenolic Compounds(as C ₆ H ₅ OH) in mg/l	IS 3025 (Part 43)- Sec 1, 2022	0.001	0.002	<0.001
19.	Selenium(as Se) in mg/l	IS 15303-2003; RA : 2018	0.01	No Relaxation	<0.01
20.	Sulphate (as SO ₄) in mg/l	IS 3025 (Part 24)-Sec 1, 2022	200	400	24.5
21.	Sulphide (as H ₂ S) in mg/l	IS 3025 (Part 29): 2022	0.05	No Relaxation	<0.05
22.	Alkalinity(as CaCO ₃)in mg/l	IS 3025 (Part 23)- 2023	200	600	200.0
23.	Total Hardness (as CaCO ₃) in mg/l	IS 3025 (Part 21)-2009, RA: 2023	200	600	161.9
24.	Cadmium(as Cd) in mg/l	IS 3025(Part 41)-2023	0.003	No Relaxation	<0.002
25.	Cyanide(as CN) in mg/l	IS 3025(Part 27)-1986;RA: 2019	0.05	No Relaxation	<0.02
26.	Lead(as Pb) in mg/l	IS 3025(Part 47)-1994;RA: 2019	0.01	No Relaxation	<0.01
27.	Mercury(as Hg) in mg/l	IS 3025(Part 48)-1994;RA: 2019	0.001	No Relaxation	<0.001
28.	Arsenic(as As) in mg/l	IS 3025 (Part 37)-2022	0.01	No Relaxation	<0.01
29.	Zinc(as Zn) in mg/l	IS 3025(Part 49)-1994;RA: 2019	5	15	<0.02
30.	Total Chromium (as Cr) in mg/l	IS 3025 (Part 52): 2003 RA: 2019	0.05	No Relaxation	<0.05
31.	Chemical Oxygen Demand, mg/l	APHA 24 th edition, 2023; 5220B	--	--	<4
32.	Biochemical Oxygen Demand, mg/l	IS 3025 (Part 44) -1993(RA 2019)	--	--	<2

Report Prepared By:

for Qualissure Laboratory Services
Reviewed & Authorized By



Soumy Chakraborty, Microbiologist
(Authorized Signatory)

for Qualissure Laboratory Services
Reviewed & Authorized By



Bishnupriya Banerjee, Chemist
(Authorized Signatory)

-----End of Report-----

- The results relate only to the item(s) tested.
- This Test Report shall not be reproduced without the permission of Qualissure Laboratory Services.
- The reserved part of sample(s), except perishable sample(s), shall be retained for 30 days from the date of issue of the Test Report.



DOC NO : QLS/SAMP/08-D/00

TEST REPORT

Name & Address Of the Customer : M/s. Svaksha Distillery Ltd. Dakshin Simla, DAG No. 1288(P) JL-355, B.O Changul, P.S-Kharagpur (Local) Kharagpur, Midnapore – 721301(WB)	ULR No.	: TC627125000004711F
	Report No.	: QLS/MR/W/25-26/C/647
	Date	: 20.11.2025
	Sample No.	: QLS/MR/W/25-26/647
	Sample Description	: Ground Water
	Sample Mark/Location	: Borewell No. 4
	Date of Performance(s)	: 15.11.2025-20.11.2025
	Sample Submitted On	: 14.11.2025
	Ref No. Date	: Mail Confirmation

Analysis Result

(A) Microbiological Analysis

Sl. No.	Characteristic	Limit as Per IS 10500 :2012 Amendment 2	Test Method	Result
1.	E.coli/100ml	Not Detectable	IS 15185-2016 RA: 2021	Not Detected
2.	Total Coliform Bacteria/100ml	Not Detectable	IS 15185-2016 RA: 2021	Not Detected

(B) Chemical Analysis

Sl. No.	Test Parameter	Test Method	Limit As Per IS 10500 :2012 Amendment 2		Result
			Acceptable Limit	Permissible Limit	
1.	Odour	IS 3025(Part 5)-2018	Agreeable	Agreeable	Agreeable
2.	pH Value at 25°C	IS 3025 (Part 11)-2022	6.5-8.5	No Relaxation	6.96
3.	Turbidity in NTU	IS 3025 (Part 10)-2023	1	5	<1.0
4.	Total Dissolved Solids (as TDS) in mg/l	IS 3025(Part 16)-2023	500	2000	244
5.	Aluminium (as Al) in mg/l	IS 3025(Part 55): 2003 (RA 2019)	0.03	0.2	<0.01
6.	Ammonia (as total ammonia – N) in mg/l	IS 3025 (Part 34): 1988; RA:2019	0.5	No Relaxation	<0.1
7.	Anionic Detergents(as MBAS) in mg/l	IS 13428-2005(Annex K); RA:2018	0.2	1.0	<0.02
8.	Boron(as B) in mg/l	IS 13428-2005(Annex L); RA:2018	0.5	2.4	<0.5
9.	Calcium(as Ca) in mg/l	IS 3025 (Part 40) 2024	75	200	26.6
10.	Chloride(as Cl) in mg/l	IS 3025 (Part 32)-1988, RA: 2019	250	1000	22.8
11.	Copper(as Cu) in mg/l	IS 3025 (Part 42): 1992; RA 2019	0.05	1.5	<0.02
12.	Fluoride(as F) in mg/l	APHA 24th Edition 2023, 4500 F D	1.0	1.5	<0.1
13.	Free Residual Chlorine in mg/l	IS 3025 (Part 26) ;2021	0.2	1.0	<0.1
14.	Iron (as Fe) in mg/l	IS 3025(Part 53)-2003 RA: 2019	1.0	No Relaxation	0.76
15.	Magnesium(as Mg) in mg/l	APHA 24th Edition- 2023, 3500 Mg B	30	100	18.6
16.	Manganese (as Mn) in mg/l	IS 3025 (Part 59): 2023	0.1	0.3	<0.02
17.	Nitrate (as NO ₃) in mg/l	IS 3025 (Part 34)-1986 RA: 2019	45	No Relaxation	<0.5
18.	Phenolic Compounds(as C ₆ H ₅ OH) in mg/l	IS 3025 (Part 43)- Sec 1, 2022	0.001	0.002	<0.001
19.	Selenium(as Se) in mg/l	IS 15303-2003; RA : 2018	0.01	No Relaxation	<0.01
20.	Sulphate (as SO ₄) in mg/l	IS 3025 (Part 24)-Sec 1, 2022	200	400	26.1
21.	Sulphide (as H ₂ S) in mg/l	IS 3025 (Part 29): 2022	0.05	No Relaxation	<0.05
22.	Alkalinity(as CaCO ₃)in mg/l	IS 3025 (Part 23)- 2023	200	600	184.0
23.	Total Hardness (as CaCO ₃) in mg/l	IS 3025 (Part 21)-2009, RA: 2023	200	600	169.0
24.	Cadmium(as Cd) in mg/l	IS 3025(Part 41)-2023	0.003	No Relaxation	<0.002
25.	Cyanide(as CN) in mg/l	IS 3025(Part 27)-1986;RA: 2019	0.05	No Relaxation	<0.02
26.	Lead(as Pb) in mg/l	IS 3025(Part 47)-1994;RA: 2019	0.01	No Relaxation	<0.01
27.	Mercury(as Hg) in mg/l	IS 3025(Part 48)-1994;RA: 2019	0.001	No Relaxation	<0.001
28.	Arsenic(as As) in mg/l	IS 3025 (Part 37)-2022	0.01	No Relaxation	<0.01
29.	Zinc(as Zn) in mg/l	IS 3025(Part 49)-1994;RA: 2019	5	15	<0.02
30.	Total Chromium (as Cr) in mg/l	IS 3025 (Part 52): 2003 RA: 2019	0.05	No Relaxation	<0.05
31.	Chemical Oxygen Demand, mg/l	APHA 24 th edition, 2023; 5220B	--	--	<4
32.	Biochemical Oxygen Demand, mg/l	IS 3025 (Part 44) -1993(RA 2019)	--	--	<2

Report Prepared By:

for Qualissure Laboratory Services
Reviewed & Authorized By



S. Chakraborty
Soumy Chakraborty, Microbiologist
(Authorized Signatory)



for Qualissure Laboratory Services
Reviewed & Authorized By

Bishnupriya Banerjee
Bishnupriya Banerjee, Chemist
(Authorized Signatory)

-----End of Report-----

- The results relate only to the item(s) tested.
- This Test Report shall not be reproduced without the permission of Qualissure Laboratory Services.
- The reserved part of sample(s), except perishable sample(s), shall be retained for 30 days from the date of issue of the Test Report.



DOC NO : QLS/SAMP/08-D/00

TEST REPORT

Name & Address Of the Customer : M/s. Svaksha Distillery Ltd. Dakshin Simla, DAG No. 1288(P) JL-355, B.O Changul, P.S-Kharagpur (Local) Kharagpur, Midnapore – 721301(WB)	ULR No.	: TC627125000004712F
	Report No.	: QLS/MR/W/25-26/C/648
	Date	: 20.11.2025
	Sample No.	: QLS/MR/W/25-26/648
	Sample Description	: Ground Water
	Sample Mark/Location	: Borewell No. 5
	Date of Performance(s)	: 15.11.2025-20.11.2025
	Sample Submitted On	: 14.11.2025
	Ref No. Date	: Mail Confirmation

Analysis Result

(A) Microbiological Analysis

Sl. No.	Characteristic	Limit as Per IS 10500 :2012 Amendment 2	Test Method	Result
1.	E.coli/100ml	Not Detectable	IS 15185-2016 RA: 2021	Not Detected
2.	Total Coliform Bacteria/100ml	Not Detectable	IS 15185-2016 RA: 2021	Not Detected

(B) Chemical Analysis

Sl. No.	Test Parameter	Test Method	Limit As Per IS 10500 :2012 Amendment 2		Result
			Acceptable Limit	Permissible Limit	
1.	Odour	IS 3025(Part 5)-2018	Agreeable	Agreeable	Agreeable
2.	pH Value at 25°C	IS 3025 (Part 11)-2022	6.5-8.5	No Relaxation	7.01
3.	Turbidity in NTU	IS 3025 (Part 10)-2023	1	5	<1.0
4.	Total Dissolved Solids (as TDS) in mg/l	IS 3025(Part 16)-2023	500	2000	264
5.	Aluminium (as Al) in mg/l	IS 3025 (Part 55): 2003 (RA 2019)	0.03	0.2	<0.01
6.	Ammonia (as total ammonia – N) in mg/l	IS 3025 (Part 34): 1988; RA:2019	0.5	No Relaxation	<0.1
7.	Anionic Detergents(as MBAS) in mg/l	IS 13428-2005(Annex K); RA:2018	0.2	1.0	<0.02
8.	Boron(as B) in mg/l	IS 13428-2005(Annex L); RA:2018	0.5	2.4	<0.5
9.	Calcium(as Ca) in mg/l	IS 3025 (Part 40) 2024	75	200	38.0
10.	Chloride(as Cl) in mg/l	IS 3025 (Part 32)-1988, RA: 2019	250	1000	24.7
11.	Copper(as Cu) in mg/l	IS 3025 (Part 42): 1992; RA 2019	0.05	1.5	<0.02
12.	Fluoride(as F) in mg/l	APHA 24th Edition 2023, 4500 F D	1.0	1.5	<0.1
13.	Free Residual Chlorine in mg/l	IS 3025 (Part 26) ;2021	0.2	1.0	<0.1
14.	Iron (as Fe) in mg/l	IS 3025(Part 53)-2003 RA: 2019	1.0	No Relaxation	1.04
15.	Magnesium(as Mg) in mg/l	APHA 24th Edition- 2023, 3500 Mg B	30	100	20.3
16.	Manganese (as Mn) in mg/l	IS 3025 (Part 59): 2023	0.1	0.3	<0.02
17.	Nitrate (as NO ₃) in mg/l	IS 3025 (Part 34)-1986 RA: 2019	45	No Relaxation	<0.5
18.	Phenolic Compounds(as C ₆ H ₅ OH) in mg/l	IS 3025 (Part 43)- Sec 1, 2022	0.001	0.002	<0.001
19.	Selenium(as Se) in mg/l	IS 15303-2003; RA : 2018	0.01	No Relaxation	<0.05
20.	Sulphate (as SO ₄) in mg/l	IS 3025 (Part 24)-Sec 1, 2022	200	400	34.1
21.	Sulphide (as H ₂ S) in mg/l	IS 3025 (Part 29): 2022	0.05	No Relaxation	<0.05
22.	Alkalinity(as CaCO ₃) in mg/l	IS 3025 (Part 23)- 2023	200	600	224.0
23.	Total Hardness (as CaCO ₃) in mg/l	IS 3025 (Part 21)-2009, RA: 2023	200	600	179.5
24.	Cadmium(as Cd) in mg/l	IS 3025(Part 41)-2023	0.003	No Relaxation	<0.002
25.	Cyanide(as CN) in mg/l	IS 3025(Part 27)-1986;RA: 2019	0.05	No Relaxation	<0.02
26.	Lead(as Pb) in mg/l	IS 3025(Part 47)-1994;RA: 2019	0.01	No Relaxation	<0.01
27.	Mercury(as Hg) in mg/l	IS 3025(Part 48)-1994;RA: 2019	0.001	No Relaxation	<0.001
28.	Arsenic(as As) in mg/l	IS 3025 (Part 37)-2022	0.01	No Relaxation	<0.01
29.	Zinc(as Zn) in mg/l	IS 3025(Part 49)-1994;RA: 2019	5	15	<0.02
30.	Total Chromium (as Cr) in mg/l	IS 3025 (Part 52): 2003 RA: 2019	0.05	No Relaxation	<0.05
31.	Chemical Oxygen Demand, mg/l	APHA 24 th edition, 2023; 5220B	--	--	<4
32.	Biochemical Oxygen Demand, mg/l	IS 3025 (Part 44) -1993(RA 2019)	--	--	<2

Report Prepared By:

for Qualissure Laboratory Services
Reviewed & Authorized By



S. Chakraborty
Soumy Chakraborty, Microbiologist
(Authorized Signatory)



for Qualissure Laboratory Services
Reviewed & Authorized By

Bishnupriya Bangrjee
Bishnupriya Bangrjee, Chemist
(Authorized Signatory)

-----End of Report-----

- The results relate only to the item(s) tested.
- This Test Report shall not be reproduced without the permission of Qualissure Laboratory Services.
- The reserved part of sample(s), except perishable sample(s), shall be retained for 30 days from the date of issue of the Test Report.



DOC NO : QLS/SAMP/08-D/00

TEST REPORT

Name & Address Of the Customer : M/s. Svaksha Distillery Ltd. Dakshin Simla, DAG No. 1288(P) JL-355, B.O Changul, P.S-Kharagpur (Local) Kharagpur, Midnapore – 721301(WB)	Report No.	: QLS/MR/W/25-26/C/649
	Date	: 20.11.2025
	Sample No.	: QLS/MR/W/25-26/649
	Sample Description	: Effluent Water
	Sample Mark/Location	: MGF Outlet
	Date of Performance(s)	: 15.11.2025-20.11.2025
	Sample Submitted On	: 14.11.2025
	Ref No. Date	: Mail Confirmation

Analysis Result

(A) Microbiological Analysis

Sl. No.	Characteristic	Test Method	Result
1.	E.Coli/100ml	APHA 24th Edition: 2023, 9222F	<1.8
2.	Total Coliform Bacteria/100ml	APHA 24th Edition: 2023, 9222B	104

(B) Chemical Analysis

Sl. No.	Test Parameter	Test Method	Limit as per CPCB for discharge of effluents		Result
			Inland Surface Water	Public Sewers	
1.	Odour	IS 3025(Part 5)-2018	Efforts to be made to make odour free		Unobjectionable
2.	pH Value at 25°C	IS 3025 (Part 11)-2022	5.5-9.0	No Relaxation	7.81
3.	Turbidity in NTU	IS 3025 (Part 10)-2023	--	--	<1.0
4.	Total Dissolved Solids (as TDS) in mg/l	IS 3025(Part 16)-2023	--	--	852
5.	Aluminium (as Al) in mg/l	IS 3025(Part 55): 2003 (RA 2019)	--	--	<0.01
6.	Ammonia (as total ammonia – N) in mg/l	IS 3025 (Part 34): 1988; RA:2019	50	50	<0.1
7.	Anionic Detergents(as MBAS) in mg/l	IS 13428-2005(Annex K); RA:2018	--	--	<0.02
8.	Boron(as B) in mg/l	IS 13428-2005(Annex L); RA:2018	--	--	<0.5
9.	Calcium(as Ca) in mg/l	IS 3025 (Part 40) 2024	--	--	83.1
10.	Chloride(as Cl) in mg/l	IS 3025 (Part 32)-1988, RA: 2019	--	--	349.6
11.	Copper(as Cu) in mg/l	IS 3025 (Part 42): 1992; RA 2019	3	3	<0.02
12.	Fluoride(as F) in mg/l	APHA 24th Edition 2023, 4500 F D	2	15	<0.1
13.	Free Residual Chlorine in mg/l	IS 3025 (Part 26) ;2021	--	--	<0.1
14.	Iron (as Fe) in mg/l	IS 3025(Part 53)-2003 RA: 2019	3	3	0.33
15.	Magnesium(as Mg) in mg/l	APHA 24th Edition- 2023, 3500 Mg B	--	--	44.8
16.	Manganese (as Mn) in mg/l	IS 3025 (Part 59): 2023	2	2	<0.02
17.	Nitrate (as NO ₃) in mg/l	IS 3025 (Part 34)-1986 RA: 2019	10	--	<0.5
18.	Phenolic Compounds(as C ₆ H ₅ OH) in mg/l	IS 3025 (Part 43)- Sec 1, 2022	1	5	<0.001
19.	Selenium(as Se) in mg/l	IS 15303-2003; RA : 2018	0.05	0.05	<0.01
20.	Sulphate (as SO ₄) in mg/l	IS 3025 (Part 24)-Sec 1, 2022	--	--	49.8
21.	Sulphide (as S) in mg/l	IS 3025 (Part 29): 2022	2	--	<0.05
22.	Alkalinity(as CaCO ₃) in mg/l	IS 3025 (Part 23)- 2023	--	--	528.0
23.	Total Hardness (as CaCO ₃) in mg/l	IS 3025 (Part 21)-2009, RA: 2023	--	--	394.2
24.	Cadmium(as Cd) in mg/l	IS 3025(Part 41)-2023	2	1	<0.002
25.	Cyanide(as CN) in mg/l	IS 3025(Part 27)-1986;RA: 2019	0.2	2	<0.02
26.	Lead(as Pb) in mg/l	IS 3025(Part 47)-1994;RA: 2019	0.1	1.0	<0.01
27.	Mercury(as Hg) in mg/l	IS 3025(Part 48)-1994;RA: 2019	0.01	0.01	<0.001
28.	Arsenic(as As) in mg/l	IS 3025 (Part 37)-2022	0.2	0.2	<0.01
29.	Zinc(as Zn) in mg/l	IS 3025(Part 49)-1994;RA: 2019	5	15	<0.02
30.	Total Chromium (as Cr) in mg/l	IS 3025 (Part 52): 2003 RA: 2019	2	2	<0.05
31.	Chemical Oxygen Demand, mg/l	APHA 24 th edition, 2023; 5220B	250	--	15
32.	Biochemical Oxygen Demand, mg/l	IS 3025 (Part 44) -1993(RA 2019)	30	350	4.7

Report Prepared By:

for Qualissure Laboratory Services
Reviewed & Authorized By



S. Chakraborty
Soumy Chakraborty, Microbiologist
(Authorized Signatory)



for Qualissure Laboratory Services
Reviewed & Authorized By

Bishnupriya Bangrjee, Chemist
(Authorized Signatory)

-----End of Report-----

- The results relate only to the item(s) tested.
- This Test Report shall not be reproduced without the permission of Qualissure Laboratory Services.
- The reserved part of sample(s), except perishable sample(s), shall be retained for 30 days from the date of issue of the Test Report.



TEST REPORT

Name & Address Of the Customer : M/s. Svaksha Distillery Ltd. Dakshin Simla, DAG No. 1288(P) JL-355, B.O Changul, P.S-Kharagpur (Local) Kharagpur, Midnapore – 721301(WB)	ULR No.	: TC62712500004712F
	Report No.	: QLS/MR/W/25-26/C/650
	Date	: 20.11.2025
	Sample No.	: QLS/MR/W/25-26/650
	Sample Description	: Ground Water
	Sample Mark/Location	: Pizo Borewell No. 1
	Date of Performance(s)	: 15.11.2025-20.11.2025
	Sample Submitted On	: 14.11.2025
	Ref No. Date	: Mail Confirmation

Analysis Result

(A) Microbiological Analysis

Sl. No.	Characteristic	Limit as Per IS 10500 :2012 Amendment 2	Test Method	Result
1.	E.coli/100ml	Not Detectable	IS 15185-2016 RA: 2021	Not Detected
2.	Total Coliform Bacteria/100ml	Not Detectable	IS 15185-2016 RA: 2021	Not Detected

(B) Chemical Analysis

Sl. No.	Test Parameter	Test Method	Limit As Per IS 10500 :2012 Amendment 2		Result
			Acceptable Limit	Permissible Limit	
1.	Odour	IS 3025(Part 5)-2018	Agreeable	Agreeable	Agreeable
2.	pH Value at 25°C	IS 3025 (Part 11)-2022	6.5-8.5	No Relaxation	7.71
3.	Turbidity in NTU	IS 3025 (Part 10)-2023	1	5	<1.0
4.	Total Dissolved Solids (as TDS) in mg/l	IS 3025 (Part 16)-2023	500	2000	282
5.	Aluminium (as Al) in mg/l	IS 3025 (Part 55): 2003 (RA 2019)	0.03	0.2	<0.01
6.	Ammonia (as total ammonia – N) in mg/l	IS 3025 (Part 34): 1988; RA:2019	0.5	No Relaxation	<0.1
7.	Anionic Detergents(as MBAS) in mg/l	IS 13428-2005(Annex K); RA:2018	0.2	1.0	<0.02
8.	Boron(as B) in mg/l	IS 13428-2005(Annex L); RA:2018	0.5	2.4	<0.5
9.	Calcium(as Ca) in mg/l	IS 3025 (Part 40) 2024	75	200	43.6
10.	Chloride(as Cl) in mg/l	IS 3025 (Part 32)-1988, RA: 2019	250	1000	24.7
11.	Copper(as Cu) in mg/l	IS 3025 (Part 42): 1992; RA 2019	0.05	1.5	<0.02
12.	Fluoride(as F) in mg/l	APHA 24th Edition 2023, 4500 F D	1.0	1.5	<0.1
13.	Free Residual Chlorine in mg/l	IS 3025 (Part 26) ;2021	0.2	1.0	<0.1
14.	Iron (as Fe) in mg/l	IS 3025(Part 53)-2003 RA: 2019	1.0	No Relaxation	0.14
15.	Magnesium(as Mg) in mg/l	APHA 24th Edition- 2023, 3500 Mg B	30	100	22.8
16.	Manganese (as Mn) in mg/l	IS 3025 (Part 59): 2023	0.1	0.3	<0.02
17.	Nitrate (as NO ₃) in mg/l	IS 3025 (Part 34)-1986 RA: 2019	45	No Relaxation	<0.5
18.	Phenolic Compounds(as C ₆ H ₅ OH) in mg/l	IS 3025 (Part 43)- Sec 1, 2022	0.001	0.002	<0.001
19.	Selenium(as Se) in mg/l	IS 15303-2003; RA : 2018	0.01	No Relaxation	<0.01
20.	Sulphate (as SO ₄) in mg/l	IS 3025 (Part 24)-Sec 1, 2022	200	400	31.2
21.	Sulphide (as H ₂ S) in mg/l	IS 3025 (Part 29): 2022	0.05	No Relaxation	<0.05
22.	Alkalinity(as CaCO ₃) in mg/l	IS 3025 (Part 23)- 2023	200	600	224.0
23.	Total Hardness (as CaCO ₃) in mg/l	IS 3025 (Part 21)-2009, RA: 2023	200	600	204.2
24.	Cadmium(as Cd) in mg/l	IS 3025 (Part 41)-2023	0.003	No Relaxation	<0.002
25.	Cyanide(as CN) in mg/l	IS 3025(Part 27)-1986;RA: 2019	0.05	No Relaxation	<0.02
26.	Lead(as Pb) in mg/l	IS 3025(Part 47)-1994;RA: 2019	0.01	No Relaxation	<0.01
27.	Mercury(as Hg) in mg/l	IS 3025(Part 48)-1994;RA: 2019	0.001	No Relaxation	<0.001
28.	Arsenic(as As) in mg/l	IS 3025 (Part 37)-2022	0.01	No Relaxation	<0.01
29.	Zinc(as Zn) in mg/l	IS 3025(Part 49)-1994;RA: 2019	5	15	<0.02
30.	Total Chromium (as Cr) in mg/l	IS 3025 (Part 52): 2003 RA: 2019	0.05	No Relaxation	<0.05
31.	Chemical Oxygen Demand, mg/l	APHA 24 th edition, 2023; 5220B	--	--	<4
32.	Biochemical Oxygen Demand, mg/l	IS 3025 (Part 44) -1993(RA 2019)	--	--	<2

Report Prepared By:

for Qualissure Laboratory Services
Reviewed & Authorized By



S. Chakraborty
Soumy Chakraborty, Microbiologist
(Authorized Signatory)

for Qualissure Laboratory Services
Reviewed & Authorized By



Bishnupriya Banerjee
Bishnupriya Banerjee, Chemist
(Authorized Signatory)

-----End of Report-----

- The results relate only to the item(s) tested.
- This Test Report shall not be reproduced without the permission of Qualissure Laboratory Services.
- The reserved part of sample(s), except perishable sample(s), shall be retained for 30 days from the date of issue of the Test Report.



TEST REPORT

Name & Address Of the Customer : M/s. Svaksha Distillery Ltd. Dakshin Simla, DAG No. 1288(P) JL-355, B.O Changul, P.S-Kharagpur (Local) Kharagpur, Midnapore – 721301(WB)	ULR No.	: TC62712500004714F
	Report No.	: QLS/MR/W/25-26/C/651
	Date	: 20.11.2025
	Sample No.	: QLS/MR/W/25-26/651
	Sample Description	: Ground Water
	Sample Mark/Location	: Pizo Borewell No. 2
	Date of Performance(s)	: 15.11.2025-20.11.2025
	Sample Submitted On	: 14.11.2025
	Ref No. Date	: Mail Confirmation

Analysis Result

(A) Microbiological Analysis

Sl. No.	Characteristic	Limit as Per IS 10500 :2012 Amendment 2	Test Method	Result
1.	E.coli/100ml	Not Detectable	IS 15185-2016 RA: 2021	Not Detected
2.	Total Coliform Bacteria/100ml	Not Detectable	IS 15185-2016 RA: 2021	Not Detected

(B) Chemical Analysis

Sl. No.	Test Parameter	Test Method	Limit As Per IS 10500 :2012 Amendment 2		Result
			Acceptable Limit	Permissible Limit	
1.	Odour	IS 3025(Part 5)-2018	Agreeable	Agreeable	Agreeable
2.	pH Value at 25°C	IS 3025 (Part 11)-2022	6.5-8.5	No Relaxation	7.43
3.	Turbidity in NTU	IS 3025 (Part 10)-2023	1	5	<1.0
4.	Total Dissolved Solids (as TDS) in mg/l	IS 3025(Part 16)-2023	500	2000	288
5.	Aluminium (as Al) in mg/l	IS 3025(Part 55): 2003 (RA 2019)	0.03	0.2	<0.01
6.	Ammonia (as total ammonia – N) in mg/l	IS 3025 (Part 34): 1988; RA:2019	0.5	No Relaxation	<0.1
7.	Anionic Detergents(as MBAS) in mg/l	IS 13428-2005(Annex K); RA:2018	0.2	1.0	<0.02
8.	Boron(as B) in mg/l	IS 13428-2005(Annex L); RA:2018	0.5	2.4	<0.5
9.	Calcium(as Ca) in mg/l	IS 3025 (Part 40) 2024	75	200	49.3
10.	Chloride(as Cl) in mg/l	IS 3025 (Part 32)-1988, RA: 2019	250	1000	36.1
11.	Copper(as Cu) in mg/l	IS 3025 (Part 42): 1992; RA 2019	0.05	1.5	<0.02
12.	Fluoride(as F) in mg/l	APHA 24th Edition 2023, 4500 F D	1.0	1.5	<0.1
13.	Free Residual Chlorine in mg/l	IS 3025 (Part 26) ;2021	0.2	1.0	<0.1
14.	Iron (as Fe) in mg/l	IS 3025(Part 53)-2003 RA: 2019	1.0	No Relaxation	0.08
15.	Magnesium(as Mg) in mg/l	APHA 24th Edition- 2023, 3500 Mg B	30	100	24.5
16.	Manganese (as Mn) in mg/l	IS 3025 (Part 59): 2023	0.1	0.3	<0.02
17.	Nitrate (as NO ₃) in mg/l	IS 3025 (Part 34)-1986 RA: 2019	45	No Relaxation	<0.5
18.	Phenolic Compounds(as C ₆ H ₅ OH) in mg/l	IS 3025 (Part 43)- Sec 1, 2022	0.001	0.002	<0.001
19.	Selenium(as Se) in mg/l	IS 15303-2003; RA : 2018	0.01	No Relaxation	<0.05
20.	Sulphate (as SO ₄) in mg/l	IS 3025 (Part 24)-Sec 1, 2022	200	400	33.2
21.	Sulphide (as H ₂ S) in mg/l	IS 3025 (Part 29): 2022	0.05	No Relaxation	<0.01
22.	Alkalinity(as CaCO ₃) in mg/l	IS 3025 (Part 23)- 2023	200	600	184.0
23.	Total Hardness (as CaCO ₃) in mg/l	IS 3025 (Part 21)-2009, RA: 2023	200	600	225.3
24.	Cadmium(as Cd) in mg/l	IS 3025(Part 41)-2023	0.003	No Relaxation	<0.002
25.	Cyanide(as CN) in mg/l	IS 3025(Part 27)-1986;RA: 2019	0.05	No Relaxation	<0.02
26.	Lead(as Pb) in mg/l	IS 3025(Part 47)-1994;RA: 2019	0.01	No Relaxation	<0.01
27.	Mercury(as Hg) in mg/l	IS 3025(Part 48)-1994;RA: 2019	0.001	No Relaxation	<0.001
28.	Arsenic(as As) in mg/l	IS 3025 (Part 37)-2022	0.01	No Relaxation	<0.01
29.	Zinc(as Zn) in mg/l	IS 3025(Part 49)-1994;RA: 2019	5	15	<0.02
30.	Total Chromium (as Cr) in mg/l	IS 3025 (Part 52): 2003 RA: 2019	0.05	No Relaxation	<0.05
31.	Chemical Oxygen Demand, mg/l	APHA 24 th edition, 2023; 5220B	--	--	<4
32.	Biochemical Oxygen Demand, mg/l	IS 3025 (Part 44) -1993(RA 2019)	--	--	<2

Report Prepared By:

for Qualissure Laboratory Services
Reviewed & Authorized By



S. Chakraborty
Soumy Chakraborty, Microbiologist
(Authorized Signatory)



for Qualissure Laboratory Services
Reviewed & Authorized By

Bishnupriya Banerjee
Bishnupriya Banerjee, Chemist
(Authorized Signatory)

-----End of Report-----

- The results relate only to the item(s) tested.
- This Test Report shall not be reproduced without the permission of Qualissure Laboratory Services.
- The reserved part of sample(s), except perishable sample(s), shall be retained for 30 days from the date of issue of the Test Report.



TEST REPORT

Name & Address Of the Customer : M/s. Svaksha Distillery Ltd. Dakshin Simla, DAG No. 1288(P) JL-355, B.O Changul, P.S-Kharagpur (Local) Kharagpur, Midnapore – 721301(WB)	ULR No.	: TC62712500004715F
	Report No.	: QLS/MR/W/25-26/C/652
	Date	: 20.11.2025
	Sample No.	: QLS/MR/W/25-26/652
	Sample Description	: Ground Water
	Sample Mark/Location	: Pizo Borewell No. 3
	Date of Performance(s)	: 15.11.2025-20.11.2025
	Sample Submitted On	: 14.11.2025
	Ref No. Date	: Mail Confirmation

Analysis Result

(A) Microbiological Analysis

Sl. No.	Characteristic	Limit as Per IS 10500 :2012 Amendment 2	Test Method	Result
1.	E.Coli/100ml	Not Detectable	IS 15185-2016 RA: 2021	Not Detected
2.	Total Coliform Bacteria/100ml	Not Detectable	IS 15185-2016 RA: 2021	Not Detected

(B) Chemical Analysis

Sl. No.	Test Parameter	Test Method	Limit As Per IS 10500 :2012 Amendment 2		Result
			Acceptable Limit	Permissible Limit	
1.	Odour	IS 3025(Part 5)-2018	Agreeable	Agreeable	Agreeable
2.	pH Value at 25°C	IS 3025 (Part 11)-2022	6.5-8.5	No Relaxation	7.51
3.	Turbidity in NTU	IS 3025 (Part 10)-2023	1	5	<1.0
4.	Total Dissolved Solids (as TDS) in mg/l	IS 3025(Part 16)-2023	500	2000	642
5.	Aluminium (as Al) in mg/l	IS 3025(Part 55): 2003 (RA 2019)	0.03	0.2	<0.01
6.	Ammonia (as total ammonia – N) in mg/l	IS 3025 (Part 34): 1988; RA:2019	0.5	No Relaxation	<0.1
7.	Anionic Detergents(as MBAS) in mg/l	IS 13428-2005(Annex K); RA:2018	0.2	1.0	<0.02
8.	Boron(as B) in mg/l	IS 13428-2005(Annex L); RA:2018	0.5	2.4	<0.5
9.	Calcium(as Ca) in mg/l	IS 3025 (Part 40) 2024	75	200	92.9
10.	Chloride(as Cl) in mg/l	IS 3025 (Part 32)-1988, RA: 2019	250	1000	167.1
11.	Copper(as Cu) in mg/l	IS 3025 (Part 42): 1992; RA 2019	0.05	1.5	<0.02
12.	Fluoride(as F) in mg/l	APHA 24th Edition 2023, 4500 F D	1.0	1.5	<0.1
13.	Free Residual Chlorine in mg/l	IS 3025 (Part 26) ;2021	0.2	1.0	<0.1
14.	Iron (as Fe) in mg/l	IS 3025(Part 53)-2003 RA: 2019	1.0	No Relaxation	0.53
15.	Magnesium(as Mg) in mg/l	APHA 24th Edition- 2023, 3500 Mg B	30	100	47.3
16.	Manganese (as Mn) in mg/l	IS 3025 (Part 59): 2023	0.1	0.3	<0.02
17.	Nitrate (as NO ₃) in mg/l	IS 3025 (Part 34)-1986 RA: 2019	45	No Relaxation	<0.5
18.	Phenolic Compounds(as C ₆ H ₅ OH) in mg/l	IS 3025 (Part 43)- Sec 1, 2022	0.001	0.002	<0.001
19.	Selenium(as Se) in mg/l	IS 15303-2003; RA : 2018	0.01	No Relaxation	<0.01
20.	Sulphate (as SO ₄) in mg/l	IS 3025 (Part 24)-Sec 1, 2022	200	400	53.6
21.	Sulphide (as H ₂ S) in mg/l	IS 3025 (Part 29): 2022	0.05	No Relaxation	<0.05
22.	Alkalinity(as CaCO ₃) in mg/l	IS 3025 (Part 23)- 2023	200	600	344.0
23.	Total Hardness (as CaCO ₃) in mg/l	IS 3025 (Part 21)-2009, RA: 2023	200	600	429.4
24.	Cadmium(as Cd) in mg/l	IS 3025(Part 41)-2022	0.003	No Relaxation	<0.002
25.	Cyanide(as CN) in mg/l	IS 3025(Part 27)-1986;RA: 2019	0.05	No Relaxation	<0.02
26.	Lead(as Pb) in mg/l	IS 3025(Part 47)-1994;RA: 2019	0.01	No Relaxation	<0.01
27.	Mercury(as Hg) in mg/l	IS 3025(Part 48)-1994;RA: 2019	0.001	No Relaxation	<0.001
28.	Arsenic(as As) in mg/l	IS 3025 (Part 37)-2022	0.01	No Relaxation	<0.01
29.	Zinc(as Zn) in mg/l	IS 3025(Part 49)-1994;RA: 2019	5	15	<0.02
30.	Total Chromium (as Cr) in mg/l	IS 3025 (Part 52): 2003 RA: 2019	0.05	No Relaxation	<0.05
31.	Chemical Oxygen Demand, mg/l	APHA 24 th edition, 2023; 5220B	--	--	<4
32.	Biochemical Oxygen Demand, mg/l	IS 3025 (Part 44) -1993(RA 2019)	--	--	<2

Report Prepared By:  for Qualissure Laboratory Services
Reviewed & Authorized By



S. Chakraborty
Soumy Chakraborty, Microbiologist
(Authorized Signatory)



for Qualissure Laboratory Services
Reviewed & Authorized By

Bishnupriya Banerjee
Bishnupriya Banerjee, Chemist
(Authorized Signatory)

-----End of Report-----

- The results relate only to the item(s) tested.
- This Test Report shall not be reproduced without the permission of Qualissure Laboratory Services.
- The reserved part of sample(s), except perishable sample(s), shall be retained for 30 days from the date of issue of the Test Report.



TEST REPORT

Name & Address Of the Customer : M/s. Svaksha Distillery Ltd. Dakshin Simla, DAG No. 1288(P) JL-355, B.O Changul, P.S-Kharagpur (Local) Kharagpur, Midnapore – 721301(WB)	ULR No.	: TC627125000004716F
	Report No.	: QLS/MR/W/25-26/C/653
	Date	: 20.11.2025
	Sample No.	: QLS/MR/W/25-26/653
	Sample Description	: Ground Water
	Sample Mark/Location	: Pizo Borewell No. 4
	Date of Performance(s)	: 15.11.2025-20.11.2025
	Sample Submitted On	: 14.11.2025
	Ref No. Date	: Mail Confirmation

Analysis Result

(A) Microbiological Analysis

Sl. No.	Characteristic	Limit as Per IS 10500 :2012 Amendment 2	Test Method	Result
1.	E.coli/100ml	Not Detectable	IS 15185-2016 RA: 2021	Not Detected
2.	Total Coliform Bacteria/100ml	Not Detectable	IS 15185-2016 RA: 2021	Not Detected

(B) Chemical Analysis

Sl. No.	Test Parameter	Test Method	Limit As Per IS 10500 :2012 Amendment 2		Result
			Acceptable Limit	Permissible Limit	
1.	Odour	IS 3025(Part 5)-2018	Agreeable	Agreeable	Agreeable
2.	pH Value at 25°C	IS 3025 (Part 11)-2022	6.5-8.5	No Relaxation	7.21
3.	Turbidity in NTU	IS 3025 (Part 10)-2023	1	5	<1.0
4.	Total Dissolved Solids (as TDS) in mg/l	IS 3025(Part 16)-2023	500	2000	602
5.	Aluminium (as Al) in mg/l	IS 3025(Part 55): 2003 (RA 2019)	0.03	0.2	<0.01
6.	Ammonia (as total ammonia – N) in mg/l	IS 3025 (Part 34): 1988; RA:2019	0.5	No Relaxation	<0.1
7.	Anionic Detergents(as MBAS) in mg/l	IS 13428-2005(Annex K); RA:2018	0.2	1.0	<0.02
8.	Boron(as B) in mg/l	IS 13428-2005(Annex L); RA:2018	0.5	2.4	<0.5
9.	Calcium(as Ca) in mg/l	IS 3025 (Part 40) 2024	75	200	63.4
10.	Chloride(as Cl) in mg/l	IS 3025 (Part 32)-1988, RA: 2019	250	1000	157.7
11.	Copper(as Cu) in mg/l	IS 3025 (Part 42): 1992; RA 2019	0.05	1.5	<0.02
12.	Fluoride(as F) in mg/l	APHA 24th Edition 2023, 4500 F D	1.0	1.5	<0.1
13.	Free Residual Chlorine in mg/l	IS 3025 (Part 26) ;2021	0.2	1.0	<0.1
14.	Iron (as Fe) in mg/l	IS 3025(Part 53)-2003 RA: 2019	1.0	No Relaxation	0.11
15.	Magnesium(as Mg) in mg/l	APHA 24th Edition- 2023, 3500 Mg B	30	100	34.6
16.	Manganese (as Mn) in mg/l	IS 3025 (Part 59): 2023	0.1	0.3	<0.02
17.	Nitrate (as NO ₃) in mg/l	IS 3025 (Part 34)-1986 RA: 2019	45	No Relaxation	<0.5
18.	Phenolic Compounds(as C ₆ H ₅ OH) in mg/l	IS 3025 (Part 43)- Sec 1, 2022	0.001	0.002	<0.001
19.	Selenium(as Se) in mg/l	IS 15303-2003; RA : 2018	0.01	No Relaxation	<0.01
20.	Sulphate (as SO ₄) in mg/l	IS 3025 (Part 24)-Sec 1, 2022	200	400	28.3
21.	Sulphide (as H ₂ S) in mg/l	IS 3025 (Part 29): 2022	0.05	No Relaxation	<0.05
22.	Alkalinity(as CaCO ₃)in mg/l	IS 3025 (Part 23)- 2023	200	600	408.0
23.	Total Hardness (as CaCO ₃) in mg/l	IS 3025 (Part 21)-2009, RA: 2023	200	600	302.7
24.	Cadmium(as Cd) in mg/l	IS 3025(Part 41)-2023	0.003	No Relaxation	<0.002
25.	Cyanide(as CN) in mg/l	IS 3025(Part 27)-1986;RA: 2019	0.05	No Relaxation	<0.02
26.	Lead(as Pb) in mg/l	IS 3025(Part 47)-1994;RA: 2019	0.01	No Relaxation	<0.01
27.	Mercury(as Hg) in mg/l	IS 3025(Part 48)-1994;RA: 2019	0.001	No Relaxation	<0.001
28.	Arsenic(as As) in mg/l	IS 3025 (Part 37)-2022	0.01	No Relaxation	<0.01
29.	Zinc(as Zn) in mg/l	IS 3025(Part 49)-1994;RA: 2019	5	15	<0.02
30.	Total Chromium (as Cr) in mg/l	IS 3025 (Part 52): 2003 RA: 2019	0.05	No Relaxation	<0.05
31.	Chemical Oxygen Demand, mg/l	APHA 24 th edition, 2023; 5220B	--	--	<4
32.	Biochemical Oxygen Demand, mg/l	IS 3025 (Part 44) -1993(RA 2019)	--	--	<2

Report Prepared By:

for Qualissure Laboratory Services
Reviewed & Authorized By



Soumy Chakraborty, Microbiologist
(Authorized Signatory)

for Qualissure Laboratory Services
Reviewed & Authorized By



Bishnupriya Banerjee, Chemist
(Authorized Signatory)

-----End of Report-----



DOC NO : QLS/SAMP/08-D/00

TEST REPORT

Name & Address Of the Customer : M/s. Svaksha Distillery Ltd. Dakshin Simla, DAG No. 1288(P) JL-355, B.O Changul, P.S-Kharagpur (Local) Kharagpur, Midnapore – 721301(WB)	Report No. : QLS/MR/W/25-26/C/654 Date : 20.11.2025 Sample No. : QLS/MR/W/25-26/654 Sample Description : Effluent Water Sample Mark/Location : UF Outlet Date of Performance(s) : 15.11.2025-20.11.2025 Sample Submitted On : 14.11.2025 Ref No. Date : Mail Confirmation
---	--

Analysis Result

(A) Microbiological Analysis

Sl. No.	Characteristic	Test Method	Result
1.	E.Coli/100ml	APHA 24th Edition: 2023, 9222F	<1.8
2.	Total Coliform Bacteria/100ml	APHA 24th Edition: 2023, 9222B	26

(B) Chemical Analysis

Sl. No.	Test Parameter	Test Method	Limit as per CPCB for discharge of effluents		Result
			Inland Surface Water	Public Sewers	
1.	Odour	IS 3025(Part 5)-2018	Efforts to be made to make odour free		Unobjectionable
2.	pH Value at 25°C	IS 3025 (Part 11)-2022	5.5-9.0	No Relaxation	8.03
3.	Turbidity in NTU	IS 3025 (Part 10)-2023	--	--	<1.0
4.	Total Dissolved Solids (as TDS) in mg/l	IS 3025(Part 16)-2023	--	--	922
5.	Aluminium (as Al) in mg/l	IS 15302: 2003 (RA 2019)	--	--	<0.01
6.	Ammonia (as total ammonia – N) in mg/l	IS 3025 (Part 34): 1988; RA:2019	50	50	<0.1
7.	Anionic Detergents(as MBAS) in mg/l	IS 13428-2005(Annex K); RA:2018	--	--	<0.02
8.	Boron(as B) in mg/l	IS 13428-2005(Annex L); RA:2018	--	--	<0.5
9.	Calcium(as Ca) in mg/l	IS 3025 (Part 40) 2024	--	--	100.0
10.	Chloride(as Cl) in mg/l	IS 3025 (Part 32)-1988, RA: 2019	--	--	347.7
11.	Copper(as Cu) in mg/l	IS 3025 (Part 42): 1992; RA 2019	3	3	<0.02
12.	Fluoride(as F) in mg/l	APHA 24th Edition 2023, 4500 F D	2	15	<0.1
13.	Free Residual Chlorine in mg/l	IS 3025 (Part 26) ;2021	--	--	<0.1
14.	Iron (as Fe) in mg/l	IS 3025(Part 53)-2003 RA: 2019	3	3	0.72
15.	Magnesium(as Mg) in mg/l	APHA 24th Edition- 2023, 3500 Mg B	--	--	47.3
16.	Manganese (as Mn) in mg/l	IS 3025 (Part 59): 2023	2	2	<0.02
17.	Nitrate (as NO ₃) in mg/l	IS 3025 (Part 34)-1986 RA: 2019	10	--	<0.5
18.	Phenolic Compounds(as C ₆ H ₅ OH) in mg/l	IS 3025 (Part 43)- Sec 1, 2022	1	5	<0.001
19.	Selenium(as Se) in mg/l	IS 15303-2003; RA : 2018	0.05	0.05	<0.01
20.	Sulphate (as SO ₄) in mg/l	IS 3025 (Part 24)-Sec 1, 2022	--	--	38.2
21.	Sulphide (as S) in mg/l	IS 3025 (Part 29): 2022	2	--	<0.05
22.	Alkalinity(as CaCO ₃) in mg/l	IS 3025 (Part 23)- 2023	--	--	464.0
23.	Total Hardness (as CaCO ₃) in mg/l	IS 3025 (Part 21)-2009, RA: 2023	--	--	447.0
24.	Cadmium(as Cd) in mg/l	IS 3025(Part 41)-2023	2	1	<0.002
25.	Cyanide(as CN) in mg/l	IS 3025(Part 27)-1986;RA: 2019	0.2	2	<0.02
26.	Lead(as Pb) in mg/l	IS 3025(Part 47)-1994;RA: 2019	0.1	1.0	<0.01
27.	Mercury(as Hg) in mg/l	IS 3025(Part 48)-1994;RA: 2019	0.01	0.01	<0.001
28.	Arsenic(as As) in mg/l	IS 3025 (Part 37)-2022	0.2	0.2	<0.01
29.	Zinc(as Zn) in mg/l	IS 3025(Part 49)-1994;RA: 2019	5	15	<0.02
30.	Total Chromium (as Cr) in mg/l	IS 3025 (Part 52): 2003 RA: 2019	2	2	<0.05
31.	Chemical Oxygen Demand, mg/l	APHA 24 th edition, 2023; 5220B	250	--	10
32.	Biochemical Oxygen Demand, mg/l	IS 3025 (Part 44) -1993(RA 2019)	30	350	<2

Report Prepared By:

for Qualissure Laboratory Services
Reviewed & Authorized By



Soumy Chakraborty, Microbiologist
(Authorized Signatory)

for Qualissure Laboratory Services
Reviewed & Authorized By



Bishnupriya Banerjee, Chemist
(Authorized Signatory)

-----End of Report-----

- The results relate only to the item(s) tested.
- This Test Report shall not be reproduced without the permission of Qualissure Laboratory Services.
- The reserved part of sample(s), except perishable sample(s), shall be retained for 30 days from the date of issue of the Test Report.



DOC NO : QLS/SAMP/08-D/00

TEST REPORT

Name & Address Of the Customer : M/s. Svaksha Distillery Ltd. Dakshin Simla, DAG No. 1288(P) JL-355, B.O Changul, P.S-Kharagpur (Local) Kharagpur, Midnapore – 721301(WB)	Report No. : QLS/MR/W/25-26/C/655 Date : 20.11.2025 Sample No. : QLS/MR/W/25-26/655 Sample Description : Effluent Water Sample Mark/Location : ACF Outlet Date of Performance(s) : 15.11.2025-20.11.2025 Sample Submitted On : 14.11.2025 Ref No. Date : Mail Confirmation
---	---

Analysis Result

(A) Microbiological Analysis

Sl. No.	Characteristic	Test Method	Result
1.	E.Coli/100ml	APHA 24th Edition: 2023, 9222F	<1.8
2.	Total Coliform Bacteria/100ml	APHA 24th Edition: 2023, 9222B	78

(B) Chemical Analysis

Sl. No.	Test Parameter	Test Method	Limit as per CPCB for discharge of effluents		Result
			Inland Surface Water	Public Sewers	
1.	Odour	IS 3025(Part 5)-2018	Efforts to be made to make odour free		Unobjectionable
2.	pH Value at 25°C	IS 3025 (Part 11)-2022	5.5-9.0	No Relaxation	7.88
3.	Turbidity in NTU	IS 3025 (Part 10)-2023	--	--	<1.0
4.	Total Dissolved Solids (as TDS) in mg/l	IS 3025(Part 16)-2023	--	--	954
5.	Aluminium (as Al) in mg/l	IS 15302: 2003 (RA 2019)	--	--	<0.01
6.	Ammonia (as total ammonia – N) in mg/l	IS 3025 (Part 34): 1988; RA:2019	50	50	<0.1
7.	Anionic Detergents(as MBAS) in mg/l	IS 13428-2005(Annex K); RA:2018	--	--	<0.02
8.	Boron(as B) in mg/l	IS 13428-2005(Annex L); RA:2018	--	--	<0.5
9.	Calcium(as Ca) in mg/l	IS 3025 (Part 40) 2024	--	--	67.6
10.	Chloride(as Cl) in mg/l	IS 3025 (Part 32)-1988, RA: 2019	--	--	340.1
11.	Copper(as Cu) in mg/l	IS 3025 (Part 42): 1992; RA 2019	3	3	<0.02
12.	Fluoride(as F) in mg/l	APHA 24th Edition 2023, 4500 F D	2	15	<0.1
13.	Free Residual Chlorine in mg/l	IS 3025 (Part 26) ;2021	--	--	<0.1
14.	Iron (as Fe) in mg/l	IS 3025(Part 53)-2003 RA: 2019	3	3	0.29
15.	Magnesium(as Mg) in mg/l	APHA 24th Edition- 2023, 3500 Mg B	--	--	35.5
16.	Manganese (as Mn) in mg/l	IS 3025 (Part 59): 2023	2	2	<0.02
17.	Nitrate (as NO ₃) in mg/l	IS 3025 (Part 34)-1986 RA: 2019	10	--	<0.5
18.	Phenolic Compounds(as C ₆ H ₅ OH) in mg/l	IS 3025 (Part 43)- Sec 1, 2022	1	5	<0.001
19.	Selenium(as Se) in mg/l	IS 15303-2003; RA : 2018	0.05	0.05	<0.01
20.	Sulphate (as SO ₄) in mg/l	IS 3025 (Part 24)-Sec 1, 2022	--	--	47.7
21.	Sulphide (as S) in mg/l	IS 3025 (Part 29): 2022	2	--	<0.05
22.	Alkalinity(as CaCO ₃) in mg/l	IS 3025 (Part 23)- 2023	--	--	532.0
23.	Total Hardness (as CaCO ₃) in mg/l	IS 3025 (Part 21)-2009, RA: 2023	--	--	316.8
24.	Cadmium(as Cd) in mg/l	IS 3025(Part 41)-2023	2	1	<0.002
25.	Cyanide(as CN) in mg/l	IS 3025(Part 27)-1986;RA: 2019	0.2	2	<0.02
26.	Lead(as Pb) in mg/l	IS 3025(Part 47)-1994;RA: 2019	0.1	1.0	<0.01
27.	Mercury(as Hg) in mg/l	IS 3025(Part 48)-1994;RA: 2019	0.01	0.01	<0.001
28.	Arsenic(as As) in mg/l	IS 3025 (Part 37)-2022	0.2	0.2	<0.01
29.	Zinc(as Zn) in mg/l	IS 3025(Part 49)-1994;RA: 2019	5	15	<0.02
30.	Total Chromium (as Cr) in mg/l	IS 3025 (Part 52): 2003 RA: 2019	2	2	<0.05
31.	Chemical Oxygen Demand, mg/l	APHA 24 th edition, 2023; 5220B	250	--	20
32.	Biochemical Oxygen Demand, mg/l	IS 3025 (Part 44) -1993(RA 2019)	30	350	5.7

Report Prepared By:

for Qualissure Laboratory Services
Reviewed & Authorized By



Soumy Chakraborty, Microbiologist
(Authorized Signatory)

for Qualissure Laboratory Services
Reviewed & Authorized By



Bishnupriya Banerjee, Chemist
(Authorized Signatory)

-----End of Report-----

- The results relate only to the item(s) tested.
- This Test Report shall not be reproduced without the permission of Qualissure Laboratory Services.
- The reserved part of sample(s), except perishable sample(s), shall be retained for 30 days from the date of issue of the Test Report.



OFFICE ORDER

A separate Environmental Management Committee has already been formed with suitably qualified personnel, under the control of an Executive who reports directly to the Head of the Company. The Environmental Management Committee will continue to ensure compliance with various Environmental Acts, Rules, and Regulations, as applicable.

The Committee consists of the following personnel:-

1. Mr. Akash Srivastava – General Manager
2. Mr. S. K. Roy – General Manager
3. Mr. Sanjeev Kumar Singh – Deputy General Manager

Members:-

4. Mr. Mahesh Biswal – Senior Manager
5. Mr. Arup Balo – Manager
6. Mr. Bipin Singh – Deputy Manager
7. Mr. Sukdev Sasmal – Assistant Manager

By Order

(Executive Director – Svaksha Distillery Limited)

For,

Svaksha Distillery Limited

Satayendra Singh Tomar
Executive Director

Gyanvapi Mosque case: Varanasi Court dismisses Muslim's side plea, defers hearing till Dec 2

MI News Service, Varanasi: The Varanasi Fast Track Court on Thursday dismissed the Anjuman Islamiya Masjid committee's plea challenging the maintainability of a suit to hand over possession of the Gyanvapi Mosque premises to the Hindu side.

The Court deferred the petition for the next hearing on December 2. The court was hearing the petition on the plea seeking worship rights of the 'Shivling' that the Hindu side claimed to be found on the Gyanvapi mosque premises.

Vishwa Vedic Sanatan Sanstha had also filed a separate petition in the fast track court of Varanasi after the alleged Shivling was found. The petition was filed by Kiran Singh, wife of Vishwa Vedic Sanatan Sanstha President Jitendra Singh Vishen and others.

The demands of the Hindu side include permission for the immediate beginning of prayer of Swayambhu Jyotirlinga Bhagwan Vishveshwar, the handing over of the entire Gyanvapi complex to the Hindus, and banning the entry of Muslims inside the premises of the Gyanvapi complex.

In this case, the court under Order 7/Rule 11, said that "this matter is not maintainable."

"Varanasi Court dismisses the plea filed by the Masjid committee chal-

lenging the maintainability of the suit in the Gyanvapi Mosque case. The next hearing is on December 1," said Anupam Dwivedi, Advocate Hindu side.

The Muslim side is allowed to offer prayers in the premises till the matter is in court.

The Supreme Court on No-



vember 11 extended its earlier order to protect the area where the 'Shivling' was stated to be discovered at the Gyanvapi Mosque complex during the court survey.

During the previous hearings in the Varanasi court, it had refused to allow a 'scientific investigation' of the purported 'Shivling'.

The Hindu side had demanded carbon dating of the structure they claimed to be a Shivling found inside the Gyanvapi Mosque's wazukhana.

However, the Muslim side said that the structure found was a 'fountain'. The Hindu side had then submitted an application in the Varanasi District Court on September 22 that sought a carbon dating of the object they claimed to be 'Shivling'.

The Hindu side said that they would approach the Supreme Court against the Varanasi court's verdict refusing to allow a 'scientific investigation' of the purported 'Shivling', claiming to be found on the Gyanvapi mosque premises.

On September 29 hearing, the Hindu side had demanded a scientific investigation of the 'Shivling' by the Archaeological Survey of India (ASI) and the carbon dating of 'Argha' and the area around it.

Referring to the order of May 17 of the Supreme Court, the Varanasi Court had said that "If the alleged Shivling is damaged, the religious sentiments of the general public can also get hurt", the Varanasi Court had said.

Carbon dating is a scientific process that ascertains the age of an archaeological object or archaeological finds.

After hearing both sides' arguments, the court had reserved the order in the Gyanvapi Mosque-Shringar Gauri case.

On May 20, the Supreme Court had ordered the transfer of the case related to worship at Gyanvapi mosque from the civil judge to the District Judge, Varanasi



Abhishek Banerjee inaugurates the new wing for Meghalaya TMC Party

MI News Service, Shillong: As a remarkable beginning of his two-day visit to the Garo Hills, AITC National General Secretary Abhishek Banerjee inaugurated the new wing of the Meghalaya TMC party office in Te'teng Aja, Tura in

West Garo Hills.

After inaugurating the new wing of the Party Office, AITC MP Abhishek Banerjee congratulated the Meghalaya TMC leaders and party workers for reaching a new milestone in the state.

At the inauguration, a host of Meghalaya TMC leaders including Meghalaya TMC in-charge Dr. Manas Ranjan Bhunia, Meghalaya TMC State President Charles Pynogrope, Trinamool Congress Legislature party leader and

Leader of Opposition, Meghalaya Legislative Assembly, Dr. Mukul Sangma, and Meghalaya TMC MLA George B Lyngdoh along with other notable leaders were present with the AITC National General Secretary, Abhishek Banerjee.

Banerjee candidly said at the occasion that "Meghalaya TMC clearly aims to drive the state in the solemn direction of progress and development. We would not keep any stone unturned to ensure a holistic change for the entire state."

3 more arrested in APPSC question paper leak case

MI News Service, Itanagar: The Special Investigation Cell (SEC) has arrested three more persons in connection to the Arunachal Pradesh Public Service Commission (APPSC) question paper leak case.

Officials on Thursday said that the investigation is being carried out by the SIC (vigilance) police station and three persons including a government official have been taken into custody. Those arrested have been identified as Taloka Darang (59), a resident of Siang, and Posi Gamlin alias Gamkin and Eagle Sora - both residents of West Siang.

Eagle Sora is posted as



Junior Engineer (JE) with the RWD and is posted at Tirbin, while Posi Gamlin is a block education officer (BEO) and is posted at Siang district, they said.

Officials said that the SCI

investigation into the various exams is ongoing, and all facets of the case are being investigated in detail. All illegal formalities and norms of professionalism are being maintained

during the investigation.

"We are committed to ensuring justice to aggrieved and requests anyone with concrete evidence or details of the case to come forward and report the same," Itanagar SP (SIC-Vigilance) Anant Mittal said in an official statement.

With these three more arrests, a total of 17 persons have been arrested so far in the APPSC paper leak case, the statement said.

The APPSC had conducted the examination for the post of assistant engineer (civil) in the last week of August this year, and the recruitment exam paper was leaked, prompting

the state government to suspend four members of APPSC.

The case was transferred from the Itanagar police to the SIC (vigilance) next month.

In October, the Central Bureau of Investigation (CBI) was also involved in the investigation and registered a case under sections 120 (B), 420, 406, and 409 of IPC, and also under relevant sections of the Prevention of Corruption Act, 1988, on the request of the Government of Arunachal Pradesh against a person and unknown officials of the APPSC for the alleged leakage of the question paper.

EASTERN RAILWAY

Open e-tender is invited by Divisional Railway Manager, Commercial, Eastern Railway, Howrah, 4th Floor, Yatri Niwas, near Howrah Station, Howrah-711001 for awarding contract for Development of Gati Shakti Multi-Modal Cargo Terminal (GCT) at Swadipur station on Railway land. **Tender No.: COM-GR-GCT-SDLE-TENDER-22, Date: 16.11.2022. Name of Location:** Swadipur station. **Tender Closing Date & Time:** 12.12.2022 at 15.00 hrs. **Pre-bid Meeting:** 24.11.2022 at 12.00 hrs. Details are available in www.ireps.gov.in. **Validity of offer:** 60 days. Bids are to be submitted online only. No manual offer will be accepted. (HWH-287/2022-23)

Tender Notices are also available at website: www.er.indianrailways.gov.in/www.ireps.gov.in

Follow us at: @EasternRailway

Eastern Railway Headquarter

EASTERN RAILWAY

Tender Notice No.: 222-S/1-W-II, dated: 14.11.2022. Following e-tenders are invited online by the Divisional Railway Manager, Eastern Railway, Sealdah, Control Building, DRM Building, Kaiser Street, Kolkata-700014 for the following works: **SI.No.-1. Tender No.: TN-139-22-23. Name of the work:** Proposal for construction of 1 no. new RPF Barracks (30 beds) at Kolkata Terminal (for ladies only). **Tender value:** ₹ 2,17,59,419.40. **Earnest Money Deposited:** ₹ 2,58,800. **Completion period for the work:** 12 (twelve) months. **SI.No.-2. Tender No.: TN-142-22-23. Name of the work:** Balance work of in between Ballygunge-Park Circus (Km 3/30-3/12 and 3/29X-3/12X), plantation of trees and shrubs of different species including Bougainvillea plant in vacant Railway land in between UP passenger and DN cord line including provision of a tube well with small pump house cum store room and all other ancillary works in the jurisdiction of Assistant Engineer/Ballygunge. **Tender value:** ₹ 48,87,948.31. **Earnest Money Deposited:** ₹ 97,800. **Completion period for the work:** 39 (thirty nine) months. **SI.No.-3. Tender No.: TN-143-22-23. Name of the work:** Provision of platform shed at the following station over Sealdah Division-Belgharia [connecting 03 numbers shed of island platform no. 2 and 3], Tilagarh [platform no. 1, 2 and 3 island], Birati [platform no. 2 and 3 Bangaon Junction end], Magra Hat [platform no. 1], Provision of Dual MSDAC in Dum Dum Junction-Belgharia Automatic section including all other ancillary work in Sealdah Division. **Tender value:** ₹ 1,51,15,964.26. **Earnest Money Deposited:** ₹ 2,25,600. **Completion period for the work:** 12 (twelve) months. **SI.No.-4. Tender No.: TN-144-22-23. Name of the work:** Provision of platform shed at the following stations over Sealdah Division-Ichhapur [Platform No. 1 Sealdah end], Shyamnagar [Platform No. 1 Ranaghat end], Kankinara [Platform No. 1 Sealdah end], Payradanga [Platform No. 1 and 2], Ranaghat Junction [Platform No. 4], Taherpur [Platform No. 2] and Majdia [Platform No. 2 Ranaghat end] including all other ancillary work. **Tender value:** ₹ 1,20,64,131.03. **Earnest Money Deposited:** ₹ 2,10,300. **Completion period for the work:** 12 (twelve) months. **Date and time of closing of tender:** 07.12.2022 at 15.00 hrs. (for SI.No. 1 to 4 each). The tender documents and other details are at www.ireps.gov.in. The bidding for the tender is to be submitted through the e-tendering on above website. Manual offers will be summarily rejected. Date and time of opening of tender is **07.12.2022 at 15.30 hrs.** (for SI.No. 1 to 4 each) (SDAH-202/2022-23) Tender Notices are also available at website: www.er.indianrailways.gov.in/www.ireps.gov.in

Follow us at: @EasternRailway

Eastern Railway Headquarter

Ghause Azam's movement begun to counter radicalisation: All Indian Muslim Jamaat head



Maulana Shahabuddin Razvi addressing Ghause Azam conference at Hafizganj in Uttar Pradesh's Bareilly district.

MI News Service, Bareilly: The Ghause Azam movement was launched to counter lies and deceit as the revered Sufi saint Shaykh Abdul Qadir Jeelani, popularly known as Ghause-e-Azam preached against violence and radicalisation, emphasized participants at a conference here to highlight the role of the founder of the Qadiri Sufi order.

Addressing the Ghause Azam conference at Hafizganj in Uttar Pradesh's Bareilly district recently, Maulana Shahabuddin Razvi, the national president of the All India Muslim Jamaat, Dargah Aala Hazrat pointed out that the founder of the Sufi Ruhani Silsilah Qadiri founder had even as a child launched a movement against the lies and deceit.

The president of the Jamat linked with Bareilly's

Dargah Aala Hazrat further stated that the saint had often astonished the dacoits by speaking truth when he was a child.

The dacoits got so much impressed with the child's truthful nature that they forsake their wrongdoings and gave up dacoity to follow a pious path.

Ghause Azam, also known as Abdul Qadir, taught his disciples against violence and radical ideology, he added.

He spent his entire life promoting Sufism and teaching peace, he added.

Maulana further said in the speech that Ghause-Azam spent in promoting Sufism and his teachings are about peace.

Qari Ghulam Mustafa, Tahir Raza Faridi, Ayaz Rizvi, Maulana Jafrudin and Jarif Gadi also put forward their views during the conference.

Meeting in memory of lawyer Sufian



Nurul Islam Khan A memorial meeting was held in Goltala on Thursday. Eminent educationist Abu Saleh Mohammad Rezwanul Karim prayed in the meeting held in memory of the expert lawyer and eminent social worker of Calcutta High Court. About 20 High Court lawyers, High Court's former Bar Council Chairman Ansar Ali Mandal, lawyer Sheikh Anwar Ali, Mohammad Asrafu Haque and other lawyers were present. The prominent lawyers present

highlighted the entire activities of Abu Sufian as a senior lawyer. In addition to his efficient legal career, his philanthropic work won the hearts of the common people. In the memory of the late philanthropist and lawyer Sufian, prominent people of the society also participated in the meeting. Apart from the editor of Bulbul newspaper SM Sirajul Islam and many other people participated in the meeting on the day and enriched the meeting.

"I feel I'm about to get justice": Shraddha Walker's father after Delhi Police get lead

MI News Service, New Delhi: Expressing his sorrow over the murder of his daughter, Shraddha Walker's father on Thursday said that he had forbidden her from being in a relationship with Aftab Poonawalla (now accused in the case), however, she did not listen to him.

The father of the deceased, Vikas Madan Walker, said that Shraddha considered Aftab a right man, which is why she did not listen to his advice of not being in a relationship with him. Speaking to ANI, the deceased's father said that he is confident of getting justice after the Delhi Police is diving deep into the investigation.

"Delhi Police realized that Aftab sometimes lies and sometimes speaks the truth. So, they applied for the Narco test. I feel I'm about to get justice. He should be hanged," he said.

He said that he felt that Aftab has been lying all along the investigation, while also doubting why the accused confessed to his crime right away.

"I have been feeling since the beginning that Aftab has been lying all along. I said this firstly to Mumbai Police and then to Delhi Police. He confessed right away, I doubted even this. He

was confusing us with his lies. I told the Mumbai Police repeatedly but I don't know why did they believe that he was telling the truth. Mumbai Police was working according to him. I could not argue much. It is their system," he said.

The father doubted that Aftab would have erased all the evidence during the six months after committing the murder on May 18.

"He has a vicious mind which has erased all the evidence in 5-6 months. So, the police will have a problem bringing out the truth. I did not think initially that Aftab could do something like this. However, I had still forbidden Shraddha from having any relationship with him, but she did not listen to me. She considered Aftab right," he said.

"I will not rest until he is hanged," the father added.

Meanwhile, the Delhi Police has come across a fresh lead in the investigation of the Shraddha Walker murder case, in which they have found a pending water bill in accused Aftab Poonawalla's flat, given the circumstances that 20,000 litres of water in Delhi is provided free by the government, according to the sources.

TARAKESWAR MUNICIPALITY OFFICE OF THE COUNCILLORS OF TARAKESWAR MUNICIPALITY P.O.-TARAKESWAR, DIST.-HOOGHLY.		
NOTICE INVITING E-QUOTATION		
E-Quotation are invited from Interested Bonafide bidders /Govt. contractors for House service water Connection to 4607nos of Premises at different wards upto private property line with 20mm OD HDPE (PE100, PN16) with necessary connection accessories including Water Meter and restoration of damages of road/pavement etc. for Water Supply Scheme at different Zones under AMRUT 2.0 within Tarakeswar Municipality asper the detailed below:		
Sl	Name of the ULB	Tender ID
1	TarakeswarMunicipality	2022_MAD_423007_1
Last date of submission: 15/12/2022 upto 06.00 pm. Interested Bonafide bidders are requested to visit https://wbenders.gov.in/		
Sd/- Chairman Tarakeswar Municipality.		

Notice		
We wish to inform our esteemed customers, intermediaries and public at large that we are relocating our branch office presently situated at First Floor, Nigamananda Panthashala, Patpur, Jail Road, Tambuliandh Bus stop, Bankura - 722101, West Bengal to a new location as given below. The relocated branch shall be open for servicing within 2 to 3 months. You are requested to take note of the same and visit our website www.icici Lombard.com for the relocated branch office or download IL take care app to avail services available for your policy including renewals and claim related assistance.	New address (Relocation) Ground Floor, Nigamananda Panthashala, Patpur, Jail Road, Tambuliandh Bus stop, Bankura - 722101, West Bengal.	Old address (Closure) First Floor, Nigamananda Panthashala, Patpur, Jail Road, Tambuliandh Bus stop, Bankura - 722101, West Bengal.
For ICICI Lombard General Insurance Company Ltd.		
Authorized Signatory		
All the concerned are requested to take note of the same.		
Corporate Address: ICICI Lombard General Insurance Company Limited, ICICI Lombard House, 614, Near Swastika Marg, Near Siddhi Vinayak Temple, Pashchim, Mumbai 400 325. Insurance is the subject matter of collection. Trade Regn displayed above belongs to ICICI Bank Ltd. and Authorized Financial Corporation and issued by ICICI Lombard GP Ltd under license. RGS Reg. No. 115. * Toll Free No. 1800 260 606. Fax No 02261801323. CIN L17200MH1000P1C129403. Website: www.icicilombard.com . Email: customersupport@icicilombard.com		

PUBLIC NOTICE

This is for the information to all General Public, Bank and Financial Institution that my client Nepal Show, Son of Balaram Shaw, resident of Saraitikar Road Amtala, P.O. Rajbati, Burdwan, District - Purba Bardhaman, PIN-713104 and a General Missing Diary before the I.C., Burdwan P.S., being Burdwan P.S. G.D. Entry No.: 1488 dated 15.11.2022 have been lodged in respect of the said Lost Deed.

That if it is found by anybody or if in future that the Original Deed Nos. 5381 of 1988, registered on 15.07.1988 before D.S.R., Burdwan are under Charge / Mortgage with any Bank or Financial Institution against any Loan or any person carrying the said Lost Deeds, then the said Authority / person is requested to contact with the undersigned within 7 (Seven) days from the date of publication of this Public Notice alongwith proof of evidence in support of its claim, failing which it will taken into consideration that the property mentioned in my said lost deeds are free from all encumbrances.

SCHEDULE
District: Burdwan, P.S.: Burdwan, Mouza: Goda, J.L. No. 41, under Belkash grampanchayat, vide R.S. Plot No. 2106, L.R. Plot No. 2111, under Khatia No. 1055, Class: Shall, Area: 14 Decimal Land.

Sanjoy Dey, Advocate
District Judges' Court, Purba Bardhaman
Mobile No: 9332214256

Regulation of Trains for Non-Interlocking work

For commissioning of double line between Dudhnoi and Dhupdhara stations, Non-Interlocking work will be necessary at Dudhnoi, Amjonga, Rangjuli & Dhupdhara stations of Rangiya Division on **23.11.2022**. Consequently, following arrangements have been made in train running : **Diversion : 22511 Lokmanya Tilak Terminus-Kamakhya Express (JCO 22.11.2022) & 12503 SMVT Bengaluru-Agartala Humsafar Express (JCO 22.11.2022) will be diverted via New Bongaigaon-Rangiya-Kamakhya and 12346 Guwahati-Howrah Sarighat Express (JCO 23 & 24.11.2022) will be diverted via Kamakhya-Rangiya-New Bongaigaon. Controlling : 07030 Secunderabad-Agartala Express Special (JCO 21.11.2022) will be controlled enroute for 2 hours 40 minutes. Inconvenience is regretted.**

Chief Passenger Transportation Manager

EASTERN RAILWAY

Follow us at: @EasternRailway Eastern Railway Headquarter

ENVIRONMENTAL CLEARANCE	
Government of India Ministry of Environment, Forest and Climate Change (Impact Assessment Division) To, The Managing Director SVAKSHA DISTILLERY LIMITED DLF Galleria, Unit No. 307, 3rd Floor, Action Area, 1B, New Town, Kolkata, Kolkata, West Bengal-700156 Subject : Grant of Environmental Clearance (EC) to the proposed Project Activity under the provision of EIA Notification 2006 regarding Sir/Madam, This is in reference to your application for Environmental Clearance (EC) in respect of project submitted to the Ministry vide proposal number IA/WB/INP/2158535/2015 dated 18 Nov 2021. The particulars of the environmental clearance granted to the project are as below. 1. EC Identification No. EC22A060WB159557 2. File No. J-11011/259/2015-IA(II) 3. Project Type Expansion 4. Category A 5. Project/Activity including Schedule No 5(a)- Grain Based distilleries for Ethanol Blended Petrol. 6. Name of Project 200 KLPD grain based distillery plant and 10 MW Co-generation power plant to be located at village Dakshin Simla, Police Station Kharagpur, District- West Medinipur, West Bengal 7. Name of Company/Organization SVAKSHA DISTILLERY LIMITED 8. Location of Project West Bengal 9. TOR Date 27 Jan 2016 The project details along with terms and conditions are appended herewith from page no 2 onwards. (e-signed) A N Singh Scientist E IA - (Industrial Projects - 2 sector) Note: A valid environmental clearance shall be one that has EC identification number & E-Sign generated from PARIVESH. Please quote identification number in all future correspondence. EC No.- 159557 File No.- J-11011/259/2015 IA (II) Date of Issue EC - 4/11/2022	PARIVESH (Pro-Active and Responsive Facilitation by Interactive, and Virtuous Environment Single-Window Hub)

NOC NO172023

SPEED POST

WEST BENGAL POLLUTION CONTROL BOARD

Paribesh Bhawan
10A, Block - LA, Sector III, Bidhannagar
Kolkata - 700 106



Memo No. 25 - 2N-32/2018 (E)

Dated 18.01.2023

From :
Member Secretary,
West Bengal Pollution Control Board

To: The Executive Director,
M/s. Svaksha Distillery Limited,
Mouza-Dakshin Simla, PO-Changual, PS-Kharagpur(L), Changual Gram
Panchayat, Dist.- Paschim Medinipur - 721 301.

Sub: Consent to Establish (NOC) from Environmental Point of View

Ref: i) Your letter No. SDI/WBPCB/2022-23/006 Dated 03.01.2023
ii) Env. Clearance issued by MoEFCC vide EC No. EC22A060WB159657,
F.No. J-11011/259/2015-IA II(I) dt. 14.11.2022.

WEST BENGAL

Dear Sirs,

In response to the application for Consent to Establish (NOC) for proposed Unit of M/s Svaksha Distillery Limited expansion for manufacturing/storage/installation of a new 100 KLPD fuel ethanol plant in addition to the existing 200 KLPD grain based distillery plant. Mouza- Dakshin Simla, J.L. No.355, PS-Kharagpur, Dist. Paschim Medinipur. this is to inform you that this Board hereby grants the Consent to Establish (NOC) from the environmental point of the above subject to the following conditions and special conditions annexed.

1. The quality of sewage and trade effluent to be discharged from your factory shall satisfy the permissible limits as prescribed in IS : 2490 (Pt. I) of 1974, and/or its subsequent amendment and Environment (Protection) Rules 1986.
2. Suitable measures to treat your effluent shall be adopted by you in order to reduce the pollutional load so that the quality of the effluent satisfies the standards mentioned above.
3. You shall have to apply to this Board for its consent to operate and discharge of sewage and trade effluent according to the provisions of the water (Prevention & Control of Pollution) Act, 1974. No sewage or trade effluent shall be discharged by you without prior consent of this Board.
4. All emission from your factory shall conform to the standards as laid down by this Board.
5. No emission shall be permitted without prior approval of this Board and you shall apply to this Board for its consent to operate and atmospheric emission as per provision of the Air (Prevention & Control Pollution) act, 1981.
6. No industrial plant, furnace, flues, chimneys, control equipment, etc. shall be constructed/reconstructed/erected/re-erected without prior approval of this Board.

[Signature]
18/01/2023
Chief Engineer

W. B. Pollution Control Board
Dept. of Environment, Govt. of W.B.

7. You shall comply with

- (i) Water (Prevention and Control of Pollution) Cess Act, 1977, if applicable.
- (ii) Water (Prevention and Control of Pollution) Cess Act, 1978, if applicable.
- (iii) Environment (Protection) Act, 1986
- (iv) Environment (Protection) Rules, 1986
- (v) Hazardous Wastes (Management and Handling) Rules, 1989 and Amended Rules, 2000
- (vi) Manufacture, Storage and Import of Hazardous Chemicals Rules, 1989 and Amended Rules, 2000
- (vii) Manufacture, Use, Import and Storage and Hazardous Micro-Organisms, Genetically Engineered Organisms or Cell Rules, 1989
- (viii) The Public Liability Insurance Act, 1991 and Amended Act, 1992
- (ix) The Public Liability Insurance Rules, 1991 and Amended Rules 1993
- (x) Biomedical Wastes (Management & Handling) Rules, 1998 and Amended Rules 2000 if applicable.
- (xi) Recycled Plastics Manufacture and Usage Rules 1999, if applicable and
- (xii) Ozone Depleting Substances (Regulation & Control) Rules, 2000, if applicable

8. You will have to abide by any other stipulations as may be prescribed by any authority/local bodies/Government Departments etc.

SPECIAL CONDITION :

The Project cost for expansion is Rs.50 Crores.

- 1) The ethanol produced from the proposed project shall be used completely for Ethanol Blending Petrol Programme of the Govt. of India.
- 2) Please refer to Annexure.

24.11.22

Any violation of the aforesaid conditions shall entail cancellation of this Consent to Establish (NOC)

Yours faithfully,

[Signature]
Member Secretary/Chief Engineer
West Bengal Pollution Control Board (EIM CELL)

Chief Engineer

Dated: 18/01/2023
W. B. Pollution Control Board
Dept. of Environment, Govt. of W.B.

Memo No. 25 - 2N-32/2016(E) dt. 18.01.2023
Copy forwarded for information to :

1. Chief Inspector of Factories, Government of West Bengal, N. S. Building, Kolkata-700 001
2. Director of Industries/Director of Cottage & Small Scale Industries, Government of West Bengal, N. S. Building, Kolkata-700 001
3. Guard file, West Bengal Pollution Control Board.
4. Environmental Engineer, I/II/Alipur R.O./Howrah R.O./Hooghly R.O./B.R.O./D.R.O./Haldia R.O./S.R.O./Asansol/ Sub-R.O./WBPC Board

Himalaya Bhawan
Delhi Road, Dankuni
Dist. Hooghly

Vill, Panpur
Kalyani Expressway
P.O. Narayanpur
Dist. 24 Pgs. (N)

Sahid Khudiram Sarani
City Centre, Durgapur-16
Dist. Burdwan

10, Camac Street
2nd Floor
Kolkata-700 017

Paribesh Bhawan
10A, LA-Block, Sector-III
Salt Lake City,
Kolkata - 700 098

Block-05 at 40
Flats Complex
Adjacent to Priyambada
Housing Estate
P.O. : Khanjanchak,
P.S. Durgachak
Haldia-721602
Dist. : Purba Medinipur

Paribahan Nagar
Matigara, Siliguri
Dist.-Darjeeling

Satya Chowdhury
Indoor Stadium
Balurchar Bandh Road
Malda-732101

Asansol Sub-Regional Office
ADDA Commercial Market (2nd Floor)
Opposite Asansol Fire Station
G.T. Road, Asansol-713 301

[Signature]
Member Secretary/Chief Engineer
West Bengal Pollution Control Board (EIM CELL)
W. B. Pollution Control Board
Dept. of Environment, Govt. of W.B.

Special Conditions issued to **M/s. Svaksha Distillery Limited** at Mouza – Dakshin Simla, JL No. 355, PS – Kharagpur, Dist – Paschim Medinipur, West Bengal.

A) Details of products and capacity are as under :-

Sl. No.	Product details	Unit	Existing capacity	Proposed additional capacity	Total capacity
1.	ENA / RS / Impure Spirit / country Spirit / Denatured Spirit / Fuel Ethanol (Absolute ethanol)	KL	200	100 (Fuel Ethanol only)	300
2.	Byproducts				
3.	CO ₂	MT	140	70	210
4.	Fusel Oil	MT	2	1	3
5.	DDGS	MT	106	53	159

B) Emission:-

1. The existing unit has 1x75 TPH biomass / coalfired boiler.
2. No additional boiler will be installed for the proposed expansion.
3. D.G. Set - 2X1010 KVA
4. Stack –
 - i) For DG sets individual stacks of 30 m and as per CPCB norms.

Stacks to have sampling port, platform, ladder as per the emission regulation part –III of CPCB.

C) Effluent :-

Total fresh water requirement shall not exceed 4.0 KL/KL and will be sourced from ground water. The industry shall construct rainwater storage facility of 60 days capacity and the accumulated water to be used as fresh water, thereby reducing fresh water consumption. The plant shall be based on zero liquid discharge system.

D) Solid / Hazardous Waste :-

1. Spent wash shall be concentrated and dried to form DDGS to be used as cattle feed. Brick manufacturing plant will be installed within the plant for utilization of fly ash. Project proponent shall not use coal as fuel. The project proponent shall install ESP for the existing boiler.

E) Specific Conditions :-

- i. The company shall comply with all the environmental protection measures and safeguards. All the recommendations made in the EIA/EMP in respect of environmental management, and risk mitigation measures relating to the project shall be implemented.
- ii. The project proponent will treat and reuse the treated water within the industry and no waste or treated water shall be discharged outside the premises.
- iii. Freshwater requirement will be sourced from groundwater. Prior permission shall be obtained from the concerned regulatory authority in this regard, and renewed from time to time. No ground water recharge shall be permitted within the premises.
- iv. The spent wash shall be concentrated and dried to form DDGS to be used as cattle feed.
- v. CO₂ generated from the process shall be bottled/made solid ice and utilized/sold to authorized vendors.

Special Conditions issued to **M/s. Svaksha Distillery Limited** at Mouza – Dakshin Simla, JL No. 355, PS – Kharagpur, Dist – Paschim Medinipur, West Bengal.

- vi. Occupational Health Centre for surveillance of the worker's health shall be set up. The health data shall be used in deploying the duties of the workers. All workers & employees shall be provided with required safety kits/mask for personal protection.
- vii. Training shall be imparted to all employees on safety and health aspects of chemicals handling. Safety and visual reality training shall be provided to employees.
- viii. The unit shall make the arrangement for protection of possible fire hazards during manufacturing process in material handling. Firefighting system shall be as per the norms.
- ix. The company shall undertake waste minimization measures as below (a) Metering and control of quantities of active ingredients to minimize waste; (b) Reuse of by-products from the process as raw materials or as raw material substitutes in other processes. (c) Use of automated filling to minimize spillage. (d) Use of Close Feed system into batch reactors. (e) Venting equipment through vapour recovery system. (f) Use of high pressure hoses for equipment clearing to reduce wastewater generation.
- x. The green belt of at least 5-10 m width shall be developed in nearly 33% of the total project area, mainly along the plant periphery. Selection of plant species shall be as per the CPCB guidelines in consultation with the State Forest Department. Records of tree canopy shall be monitored through remote sensing map.
- xi. There shall be adequate space inside the plant premises earmarked for parking of vehicles for raw materials and finished products as per CPCB norms and no parking to be allowed outside on public places.
- xii. Storage of raw materials shall be either stored in silos or in covered areas to prevent dust pollution and other fugitive emissions.
- xiii. Continuous online (24x7) monitoring system for stack emissions shall be installed for measurement of flue gas discharge and the pollutants concentration, and the data to be transmitted to the CPCB and SPCB server.


F) General :-

1. Noise Control – Ambient noise level and D.G. Set noise level should not exceed the permissible limits. Every care to be taken for noise control.
2. The unit should obtain 'Consent-to-Operate' from this Board before starting manufacturing process activities.
3. Under no circumstances molasses to be used as raw material.
4. Adequate control measures shall be taken to control fugitive dust emission from all vulnerable sources within the plant premises.
5. The project proponent should take all possible measures to avoid any kind of nuisance during transportation of raw materials and products to and from the premises. All kinds of transportation should be carried out in covered vehicles and should not cause public discomfort.
6. No additional machineries / equipment can be installed without prior permission from this Board. No change in raw materials, products, production capacity and manufacturing process shall be made without prior permission from this Board.
7. Adequate provision for rain water harvesting should be made. Recharging of Ground water is not permitted.
8. Adequate dust suppression and extraction system should be provided in material storage areas, material unloading and transfer points for controlling fugitive emission.
9. All internal roads should be paved.

Annexure to NOC Sl. No. **NO172023**


Special Conditions issued to **M/s. Svaksha Distillery Limited** at Mouza – Dakshin Simla, JL No. 355, PS – Kharagpur, Dist – Paschim Medinipur, West Bengal.

10. Raw materials should be stored within covered area.
11. NOC may be revoked by the State Board, in case of failure of implementation of the above conditions.
12. All conditions as imposed by MoEF, GoI through their Environmental Clearance issued vide EC Identification No. EC22A060WB159657 File no. J-11011/259/2015-IA.II (I) dated 14.11.2022 shall be strictly complied with.
13. This Consent to Establish is valid up to **31.12.2029** for setting up of the project.


Member Secretary/Chief Engineer (EIM Cell)
West Bengal Pollution Control Board

Chief Engineer
W. B. Pollution Control Board
Dept. of Environment, Govt. of W.B.

Waste Oil/ Grease Record 2026							
MONTH	OIL/GREASE	UNIT	CONSUMPTION	WASTE PRODUC E	RE-USED	WASTE OIL IN STOCK	BALANCE STOCK
Jan-26	GEAR OIL	LTR.	122	30	60	-30	172
	TURBINE OIL	LTR.	420	280	80	200	240
	COMPRESSOR OIL	LTR.	40	0	20	-20	178
	GREASE	KG.	145	80	70	10	11
Feb-26	GEAR OIL	LTR.	191	147	0	147	319
	TURBINE OIL	LTR.	0	0	80	-80	160
	COMPRESSOR OIL	LTR.	40	0	30	-30	148
	GREASE	KG.	134.36	25	30	-5	6
Mar-26	GEAR OIL	LTR.	318	115	50	65	384
	TURBINE OIL	LTR.	0	0	0	0	160
	COMPRESSOR OIL	LTR.	0	0	0	0	148
	GREASE	KG.	148.52	120	100	20	26
Apr-26	GEAR OIL	LTR.				0	384
	TURBINE OIL	LTR.				0	160
	COMPRESSOR OIL	LTR.				0	148
	GREASE	KG.				0	26
May-26	GEAR OIL	LTR.				0	384
	TURBINE OIL	LTR.				0	160
	COMPRESSOR OIL	LTR.				0	148
	GREASE	KG.				0	26
Jun-26	GEAR OIL	LTR.				0	384
	TURBINE OIL	LTR.				0	160
	COMPRESSOR OIL	LTR.				0	148
	GREASE	KG.				0	26
Jul-26	GEAR OIL	LTR.				0	384
	TURBINE OIL	LTR.				0	160
	COMPRESSOR OIL	LTR.				0	148
	GREASE	KG.				0	26
Aug-26	GEAR OIL	LTR.				0	384
	TURBINE OIL	LTR.				0	160
	COMPRESSOR OIL	LTR.				0	148
	GREASE	KG.				0	26
Sep-26	GEAR OIL	LTR.				0	384
	TURBINE OIL	LTR.				0	160



	COMPRESSOR OIL	LTR.				90	238
	GREASE	KG.				0	26
Oct-26	GEAR OIL	LTR.				0	384
	TURBINE OIL	LTR.				0	160
	COMPRESSOR OIL	LTR.				0	238
	GREASE	KG.				0	26
						0	
Nov-26	GEAR OIL	LTR.				0	384
	TURBINE OIL	LTR.				0	160
	COMPRESSOR OIL	LTR.				0	238
	GREASE	KG.				0	26
Dec-26	GEAR OIL	LTR.				0	384
	TURBINE OIL	LTR.				0	160
	COMPRESSOR OIL	LTR.				0	238
	GREASE	KG.				0	26

Handwritten signature





Government of West Bengal

This document having UDIN **25-G-GA000004-A-1764826892478** has been created by **WEST BENGAL POLLUTION CONTROL BOARD** with authorised person's Aadhaar no XXXXXXXX7589 on **11:11AM, December 4, 2025**

This document is available at UDIN platform till **11:11AM, December 4, 2030**.



Gibansa Mukherjee

Authorised Signatory
(E-signed)
Department of IT&E

The document is downloaded from <https://udin2.wb.gov.in>



WEST BENGAL POLLUTION CONTROL BOARD
Paribesh Bhawan, 10A, Block LA, Sector III
Salt Lake City, Bidhan Nagar, Kolkata – 700 106, INDIA
Website : www.wbpcb.gov.in, e-mail : wbpcbnet@wbpcb.gov.in

Category of the Industry : RED

Application Type: CTO

CTO No.: WBPCB/7682700/2025

Date : 04/12/2025

Consent to Operate (CTO) under Section 25 & 26 of the Water (Prevention and Control of Pollution) Act, 1974 as amended and Section 21 of the Air (Prevention and Control of Pollution) Act, 1981 as amended.

Reference: Application No.: 7682700

The West Bengal Pollution Control Board (hereinafter referred to as State Board) under the provisions of Section 25 & 26 of the Water (Prevention and Control of Pollution) Act, 1974 as amended and Section 21 of the Air (Prevention and control of Pollution) Act, 1981 as amended, and Rules and Orders made thereunder hereby grants Consent to **SVAKSHA DISTILLERY LIMITED** (hereinafter referred to as Applicant) for its unit located at **Mouza:Dakshin Simla, Dag:1288(P), JL-355 P.S. Kharagpur(Local),P.O.Changual,Dist. Paschim Medinipur, Pin-721301 at existing unit** for the period from **04/12/2025 to 31/03/2027** to operate the industrial unit/project and to discharge liquid effluent and gaseous emission from the premises / land of the industrial unit/project, in accordance with the conditions as mentioned below, provided that on any day at any instance the quantity and quality of liquid discharge and gaseous emission shall not exceed the permissible limit as specified in this consent letter and in the Environment (Protection) Act, 1986 and Rules thereunder, as amended.

Breach of the conditions and / or failure to comply with the directions as mentioned below shall render the industry/project liable for prosecution under the provisions of the Water (Prevention and Control of Pollution) Act, 1974 as amended and Section 21 of the Air (Prevention and control of Pollution) Act, 1981 as amended.

The State Board reserve the right to revoke, withdraw or make any reasonable variation / change / alter the conditions of this consent letter giving one month's notice to the industry.

Conditions :

- 1 This Consent is valid for the following activities :

Sl.No	Name of Activity/Products/By-products	Production Capacity (Per Month)
1	USP Glycerin	7.5 Metric Tonnes/Day
2	deoiled cake	350 Metric Tonnes/Day
3	biodiesel	75 Kilo Liters/Day
4	Rice bran oil/Maixe technical oil	75 Metric Tonnes/Day
5	ENA/RS/impure spirit/Country spirit/denatured spirit/ Fuel Ethanol(absolute etanol)	50 Kilo Liters/Day

- 2 The industry shall remain responsible for quantity and quality of liquid effluent and air emission.
- 3 Daily waste water generation and discharge shall not exceed :

"This is computer generated document from OCMMS by WBPCB"

WBPCB/7682700/2025

Page1

No. of outlets	Source of Waste Water	Quantity in Kilo Liters/day	Place of discharge
1	process condensate	10	ZLD to be maintained
1	boiler blowdown	20	ZLD to be maintained
	cooling tower blowdown	120	ZLD to be maintained
	Water used in washings	33	ZLD to be maintained
	domestic	3.2	ZLD to be maintained

- 4 To bring into any altered or new outlet / outfall or to change the place of discharge, the industry shall have to inform the Board and obtain prior permission of the Board in this effect.
- 5 The industry shall provide comprehensive facility for treatment of industrial liquid waste and domestic liquid waste (sewage, sullage and liquid effluent generated from canteen), and operate and maintain the same continuously so that the quality of final effluent conforms to the Standard as given below:

Outlet No.	Nature of effluent	Parameters and standard			Frequency of sampling
		Parameters	Standards	Unit	

Provisions shall be made to install sensor-based Water Quality monitoring system and flow meter to share the information with the state board on a Real Time basis.

- 6 Daily water consumption for the following purposes shall not exceed

SL NO.	Purpose of Water Use	Quantity (KL/Day)
1.	Boiler	120.0
2.	Cooling	312.0
3.	Process	40.0
4.	Domestic	4.0

- 7 The Industry shall install suitable digital device for measuring the volume of water consumed for different purposes as mentioned above giving correct result to the satisfaction of the State Board. The device shall be able to provide information to disseminate the quantity on a real time basis.
- 8 All the stacks connected to various sources of emissions must be designated by numbers.
- 9 The industry shall install comprehensive pollution control equipment and operate and maintain the same to conform to the standard as given below:
- 10 The industry shall provide ports in the stack(s) and other necessary permanent facilities such as ladder, platform etc. for monitoring / sampling the air emissions and the same shall be made available for inspection and use by the State Board's staff as well as State Board's authorized agencies.
- 11 Waste generation, treatment and disposal shall be as specified below :

S.No	Description of Waste	Quantity	Treatment and Disposal
1	Boiler Ash	25 Metric Tonnes/Day	Land filling & Supply to Fly Ash Brick Manufacturer

The Industry shall obtain Authorisation for waste and also register for EPR wherever applicable.

- 12 The industry shall take adequate measures for control of noise level from its own sources within the premises within the limit given below :

Time	Limit in dB (A) Leq
Day time (06 a.m. to 10 p.m.)	65
Night time (10 p.m. to 06 a.m.)	55

Noise barriers should be installed if the Noise Level is found to be exceeding the desired levels.

"This is computer generated document from OCMMS by WBPCB"

WBPCB/7682700/2025

Page2

- 13 The industry shall at all times maintain good house-keeping and control pollution (including fugitive emissions) from all sources to maintain clean environment in & around factory premises and in surrounding areas.
- 14 The Industry shall bring about at least 33% of the total land area under the tree cover.
- 15 The Industry shall provide sufficient alternate electric power source like Green DG or Storage Battery System etc. to operate all pollution control facilities. In absence of such alternate power source, the production shall be stopped/controlled to conform to the conditions of the Consent.
- 16 The industry shall install a separate energy meter showing the consumption of energy for operation of pollution control devices and shall install suitable device for measuring the volume of water consumed for different purposes as mentioned in Sl.No. 3.
- 17 The Industry shall provide drainage system for discharge of industrial and domestic effluent and a separate drainage system for storm-water.
- 18 The industry shall maintain a separate register showing consumption of chemicals used in pollution control systems.
- 19 The Industry shall get the samples of hazardous wastes / leachates analysed at least once in a year from a laboratory recognised by the West Bengal Pollution Control Board and ensure that they conform to the limits stipulated. Test reports shall be sent to the Board.
- 20 The Industry shall submit the Environmental Statement Report for the financial year ending 31st March of the current year in the prescribed form (Form V) as required under the provisions of Rule 14 of the Environment (Protection) [Second Amendment] Rules 1992 by 30th September of every year, to the WBPCB.
- 21 The Industry shall allow the officers of the State Board to enter into the premises of the unit at any reasonable time to inspect the pollution control systems and shall provide adequate and safe facility for collection of air, wastewater and solid waste samples for monitoring by the State Board as well as by authorized agencies of the State Board, as and when required by them.
- 22 The industry shall maintain an Inspection Book in the factory premises which shall be made available to inspecting officers of the State Board for inspection, review and to write down any direction or observation as is deemed necessary during the inspection.
- 23 The Industry shall furnish to the State Board all information in respect of quality, quantity, rate of discharge, place of discharge of liquid effluent and air emission.
- 24 The Industry shall maintain adequate number of qualified and trained personnel among its staff for proper maintenance and operation of the effluent treatment and/or emission control devices and for overall environment management of the industry.
- 25 The Industry shall have to make registration for the use of groundwater if any, with State Water Investigation Directorate (SWID).
- 26 The Industry shall intimate to the State Board immediately of any occurrence or apprehension of occurrence of discharge of any poisonous, noxious or pollutants in excess of quality as well as quantity as mentioned earlier to any receiving water body/receiving system or to atmosphere owing to accident or other unforeseen incident/event including natural disaster. The Applicant shall (i) take all steps adequate to prevent such accident discharge / release of poisonous, noxious or pollutants and to limit their consequences to persons and the environment, (ii) provide to the persons working on the site with the information, training and equipment including antidotes necessary to ensure their safety and mitigate the accidental release of poisonous noxious or pollutants to the environment.
- 27 If the Industry is using Diesel Generator set or generating any other hazardous waste, it should install a Digital Display Board to discriminate all information as stipulated in this regard.
- 28 The industry shall make an application to the State Board in the prescribed form for renewal of the consent at least 120 (one hundred & twenty) days before the date of expiry of this Consent.

"This is computer generated document from OCMMS by WBPCB"

WBPCB/7682700/2025

Page 3



- 29 The industry shall not make any alteration / expansion / modification in the existing manufacturing process and equipment, pollution control system and shall not alter or bring in any new outlet/outfall or stack or change the place of discharge, without prior approval of the Board.
- 30 The industry shall comply with all applicable Environmental Acts and Rules.
- 31 The Industry shall comply with the provisions of relevant Waste Management Rules and also submit Annual Returns / Manifests on regular basis.
- 32 Concealing factual data or submission of false or fabricated data/information may result in revocation of Consent to Operate and attract action under the provisions of the Water (Prevention and Control of Pollution) Act, 1974 and the Air (Prevention and Control of Pollution) Act, 1981.

Special Conditions:

1. The particulate emission from all stacks should be limited to 30 mg/Nm³.
2. The waste water to be treated in existing ETP and treated effluent shall be fully reused. 100% ZLD including CPU effluent should be adopted.
3. The unit shall operate in compliance with the conditions imposed in the Environmental Clearance issued by MoEF&CC, GoI dt.14.11.2022.
4. All other terms and conditions of existing Consent to Operate certificates issued by the State Board to be followed strictly.

Any violation of the aforesaid conditions shall entail cancellation of this Consent for Operate.

For and on behalf of West Bengal Pollution Control Board



04/12/2025

**Chief Engineer
Environment Impact Management Cell**

"This is computer generated document from OCMMS by WBPCB"

WBPCB/7682700/2025

Page4



**WEST BENGAL POLLUTION CONTROL BOARD**

(Department of Environment, Government of West Bengal)

Paribesh Bhawan, 10A, Block – LA, Sector III, Bidhannagar

Kolkata – 700 106, Ph.: 2335-9088/8861/7428, Fax : 2335-2813

Website: www.wbpcb.gov.in, Email: net.wbpcb-wb@bangla.gov.in**Memo No: 1185-2N-29/2022(E)-Part-V****Dated: 16.10.2025**

To

M/s. Svaksha Distillery Limited

Dakshin Simla, Dag No. 1288(P), JL – 355,

B.O. Changua, PS – Kharagpur (Local),

Kharagpur, Paschim Medinipur – 721301,

West Bengal.

Sub: Application for obtaining 'No Increase in Pollution Load' certificate for proposed increase in the production of ENA / RS / Impure Spirit / Country Spirit / Denatured Spirit / Fuel Ethanol (Absolute ethanol) from 300 KLD to 350 KLD at revenue estate of Vill – Dakshin Simla, PS – Kharagpur, Dist – Paschim Medinipur, West Bengal.

Ref: (1) Your letter dated 05.06.2025 and 03.09.2025.

(2) Your presentation before the West Bengal Pollution Control Board on 01.08.2025.

Sir,

With reference to the above, this is to inform you that your above proposal for increase in the production of ENA / RS / Impure Spirit / Country Spirit / Denatured Spirit / Fuel Ethanol (Absolute ethanol) from 300 KLD to 350 KLD at revenue estate of Vill – Dakshin Simla, PS – Kharagpur, Dist – Paschim Medinipur, West Bengal has been duly considered in the meeting held on 01.08.2025. The State Board recommended for increase in the production of ENA / RS / Impure Spirit / Country Spirit / Denatured Spirit / Fuel Ethanol (Absolute ethanol) from 300 KLD to 350 KLD with the following conditions:

1. The particulate emission from all stacks should be limited to 30mg/Nm³.
2. The overall pollution load from the plant shall not increase under any circumstances.
3. 100% ZLD including CPU effluent should be adopted. No effluent should be released outside.

All other conditions mentioned in the Environmental Clearance vide No. J-11011/259/2015-IA.II(I) dated 22.02.2017 and EC Identification No. EC22A060WB159657, File No. J-11011/259/2015-IA II(I) dated 14.11.2022 and Consent to Operate (CTO) Memo no. WBPCB/1419022/2022 dated 12.03.2024 shall remain unchanged.

You are advised to apply to the West Bengal Pollution Control Board for the above modification for obtaining Consent to Operate along with the compliance status of the conditions mentioned in the Consent to Operate already issued.

Yours faithfully,

Chief Engineer (EIM Cell)

West Bengal Pollution Control Board



Regarding six-monthly compliance report of M/s Svaksha Distillery Limited for period ending 30.09.2025

From ec <ec@ecoparyavaran.org>

Date Sat 11/29/2025 12:08 PM

To Svaksha GM Commercial <gm.commercial@svaksha.co.in>

Cc Compliance <compliance@ecoparyavaran.org>; KM Gupta <kmg@mittalgroup.co.in>

 1 attachment (29 MB)

Svaksha SMC 30.09.25.pdf;

Please forward to below mentioned mail ids and remove the highlighted portion:

To: iro.kolkata-mefcc@gov.in

Cc: ms.wbpcb-wb@bangla.gov.in, aee16.wbpcb-wb@bangla.gov.in, aee26.wbpcb-wb@bangla.gov.in

Bcc: compliance@ecoparyavaran.org and qms@ecoparyavaran.org

Dear Sir,

Greetings of the day!!!

We are hereby submitting six-monthly compliance report for the period ending 30.09.2025 for Expansion of 200 KLPD Grain based Distillery Plant to 300 KLPD and 10 MW co-generation power plant by M/s Svaksha Distillery Limited located at Village Dakshin Simla, Police Station Kharagpur, Distt. West Medinipur, West Bengal.

Kindly acknowledge the receipt of the same.

Regards

M/s Svaksha Distillery Limited